

PROTECTIVE EFFECT OF SOME DAIRY PRODUCTS ON FATTY LIVER DISEASE

BY

ZEINAB FAROUK ABD EL-SALAM MOHAMMED

B. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2001

M. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2011

THESIS

Submitted in Partial Fulfillment of the

Requirements for the Degree of

DOCTOR OF PHILOSOPHY

In

Agricultural Sciences

(Dairy Science)

Department of Dairy Science

Faculty of Agriculture

Cairo University

EGYPT

2018

APPROVAL SHEET

**PROTECTIVE EFFECT OF SOME
DAIRY PRODUCTS ON FATTY LIVER DISEASE**

**Ph.D. Thesis
In
Agric. Sci. (Dairy Science)**

By

ZEINAB FAROUK ABD EL-SALAM MOHAMMED

B. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2001

M. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2011

APPROVAL COMMITTEE

Dr. Mohammed Attia Mohran
Professor of Dairy Science, Fac. Agric., Assuit University

Dr. Fatma Mohammed Mahmoud Salama
Professor of Dairy Science, Fac. Agric., Cairo University

Dr. Mohammed El-Sayed El-Demerdash.....
Head Researcher of Dairy Microbiology, Agriculture Research Center

Dr. Mounir Mahmoud El-Abd
Professor of Dairy Science, Fac. Agric., Cairo University

Date: / 12 / 2018

SUPERVISION SHEET

**PROTECTIVE EFFECT OF SOME
DAIRY PRODUCTS ON FATTY LIVER DISEASE**

**Ph.D. Thesis
In
Agric. Sci. (Dairy Science)**

By

ZEINAB FAROUK ABD EL-SALAM MOHAMMED

B. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2001

M. Sc. Agri. Sci. (Dairy Science), Fac. Agric., Cairo Uni., 2011

SUPERVISION COMMITTEE

Dr. Mounir Mahmoud El-Abd
Professor of Dairy Science, Fac. Agric., Cairo University

Dr. Mahmoud Abdel-Hamid Mohammed
Associate Professor of Dairy Science, Fac. Agric., Cairo University

Dr. Mohamed El-Sayed El-Demerdash
**Head Researcher of Dairy Microbiology, Animal Production Research
Institute, Agriculture Research Center**

DEDICATION

I dedicate this work to my parents, sisters and brothers for all the support they lovely offered during my post-graduate studies.

ACKNOWLEDGMENT

*I wish to express my sincere thanks, deepest gratitude and appreciation to **Dr. Mounir Mahmoud El-Abd**, Professor of Dairy Science, Faculty of Agriculture, Cairo University, for his suggestion the problem, supervision the whole work, moral support, continued assistance and guidance through the course of my study, and revision of the manuscript of this thesis.*

*Sincere thanks are also due to **Dr. Mahmoud Abdel-Hamid Mohammed**, Associate Professor of Dairy Science, Faculty of Agriculture, Cairo University, for his supervision, efforts through the whole work, providing facilities, valuable suggestion, and plentiful advice during study.*

*Special thanks to **Dr. Mohamed El-Sayed El-Demerdash**, Head Researcher of Dairy Microbiology, Animal Production Research Institute, Agriculture Research Center, for his supervision and plentiful advice to complete this work,*

Grateful appreciation is also extended to all staff members of the Dairy Science Department, Faculty of Agriculture, Cairo University. Also, I feel deeply grateful to my colleges in Animal Production Research, Agriculture Research Center.

Special deep appreciation is given to my parents, my sisters and my brothers.

Name of Candidate: Zeinab Farouk Abd El-Salam Mohammed **Degree:** Ph.D.

Title of Thesis: Protective Effect of Some Dairy Products on Fatty Liver Disease

Supervisors: Dr. Mounir Mahmoud El-Abd

Dr. Mahmoud Abdel-Hamid Mohammed

Dr. Mohamed El-Sayed El-Demerdash

Department: Dairy Science

Approval: 12 / 12 / 2018

ABSTRACT

Fatty liver disease is one of the most dominant chronic liver diseases that disperses among children with different ages' and adults. Non-alcoholic fatty liver disease (NAFLD) includes a wide spectrum of liver injury stages: steatosis, steatohepatitis, fibrosis, cirrhosis and hepatocellular carcinoma. No drugs can be used to treat NAFLD; only some clinical recommendations must be followed for management of NAFLD. Functional foods including fermented dairy products provide various healthy benefits in addition to their higher nutritional value. Therefore, the current study aimed to evaluate the protective effect of fermented camel milk (FCM) on progression of NAFLD induced by a high fat diet and high fructose syrup (HFDHFr) in rats. The present study included evaluation the effect of microencapsulation of some probiotic strains combined with or without plant extract on their viability under simulated gastrointestinal conditions (SGC) as well as the properties of the resultant FCM during storage at 4°C for 21 days. In addition to, evaluate the effect of the resultant FCM on different biochemical markers of rats' serum that feeding on HFDHFr, as well as histological examination. Results indicated that maximum probiotic counts were observed in the presence of 10% of beetroot extract or 1% ginger extract in comparison to other concentrations. The highest survival rates were found in chitosan-coated beads after exposure to SGC. Significant differences were found concerning probiotic counts of different FCM. Regarding to the sensory evaluation, FCM containing microencapsulated probiotic with beetroot extract was the most favorable among all treatments. Moreover, oral administration of FCM containing microencapsulated probiotics with or without plant extract lowered liver enzymes, proinflammatory cytokines and oxidative stress markers as well as enhanced insulin sensitivity, lipid profile and antioxidants parameters in serum rats. Histopathological examination showed that the group that was given FCM containing microencapsulated probiotic with beetroot extract was the nearest to negative control group followed by the group of FCM containing microencapsulated probiotic with ginger extract. In contrast, oral administration of FCM containing microencapsulated probiotic with plant extract either beetroot or ginger showed markedly amelioration of NAFLD compared to HFDHFr group.

Key Words: Microencapsulated probiotic, synbiotic, Ginger extract, Beetroot extract, Fermented camel milk, Fatty liver disease.

CONTENTS

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	
1. Effect of probiotic bacteria on fatty liver disease	8
2. Encapsulation of probiotic bacteria	12
3. Therapeutic properties of camel milk	20
4. Biological activity of plant extract	
a. Beetroot extract	25
b. Ginger extract	28
MATERIALS AND METHODS	
1. Materials	35
2. Methods of analyses.....	36
RESULTS AND DISCUSSION	
1. Viability of microencapsulated probiotics combined with and without plant extracts using different material agents under simulated gastrointestinal conditions.	
a. Evaluation the effect of beetroot or ginger aqueous extract on the growth of tested probiotic strains	47
b. Microencapsulation of some probiotic strains combined with beetroot or ginger aqueous extract using different material agents	50
c. In vitro studies	
(1) Survival of microencapsulated probiotic strains under simulated gastric juice (SGJ)	53
(2) Survival of microencapsulated probiotic strains under simulated	

small intestinal juice (SSIJ)	57
(3) Survival of microencapsulated probiotic strains under simulated large intestinal juice (SLIJ)	61
2. Stability and survival of microencapsulated probiotic combined with and without plant extracts using chitosan in fermented camel milk during cold storage	
a. pH of fermented camel milk	65
b. Microbiological analysis of fermented camel milk	67
c. Sensory evaluation of fermented camel milk	72
3. In vivo studies: Protective effect of synbiotic fermented camel milk on non-alcoholic fatty liver in rats	
a. Protective effect of camel milk with and without chitosan-coated beads containing different plant extract on final body weight, liver weight and liver index	76
b. Protective effect of camel milk with and without chitosan-coated beads containing different plant extract on some biochemical parameters	
(1) Insulin resistance and inflammatory markers.....	80
(2) Liver enzymes	86
(3) Lipid profile	88
(4) Oxidative stress markers	93
c. Protective effect of camel milk with and without chitosan-coated beads containing different plant extract on histological examination	96
SUMMARY	99