

#### Surgical Stripping versus Radiofrequency Ablation in the Management of Varicose Veins

Thesis

Submitted For Fulfillment of Master Degree in General Surgery

By

Shady Hesham Ahmed Abdelmoaty
MBBCh. El Azhar University (2013)

Under Supervision of

#### Prof. Dr. Hesham Hassan Wagdy

Professor of General Surgery
Faculty of Medicine - Ain Shams University

#### **Prof. Dr. Tamer Mohamed Fekry**

Head of Department of Vascular Surgery at Kobry Elkobba Hospital

#### Dr. Mohammed Ahmed Hassan Rady

Assistant Professor of General Surgery Faculty of Medicine - Ain Shams University

#### Dr. Mohammed Abdul Sattar Abdul Hamid

Lecturer of General Surgery Faculty of Medicine –Ain Shams University

Faculty of Medicine - Ain Shams University
2018



سورة البقرة الآية: ٣٢

#### Acknowledgments

First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.

I'd like to express my deepest appreciation and greatest thanks to Prof. Hesham Hassan Wagdy Professor of general surgery, Faculty of medicine, Ain Shams University, Prof Dr. Tamer Mohamed Fekry Head of department of vascular surgery at Kobry Elkobba Hospital, Dr. Mohammed Ahmed Hassan Rady Assistant Professor of general surgery Faculty of Medicine, Ain shams University and Dr. Mohammed Abdul Sattar Abdul Hamid Lecturer of General Surgery, Faculty of Medicine, Ain Shams University for their generous supervision and sincere support, direction and valuable guidance throughout the journey of this work.

My deepest gratitude and thanks to my family and my wife for their continuous support and encouragement to me to complete this work.

Shady Hesham Ahmed Abdelmoaty

#### List of Contents

Title P	age No.
List of Tables	5
List of Figures	6
List of Abbreviations	14
Introduction	1 -
Aim of the Work	3
Review of Literature	
■ Anatomy of the Venous System of Lower Limb	4
■ Pathophysiology of Primary Varicose Veins	26
• Classification of Chronic Venous Disorders	35
■ Diagnosis of Primary Varicose Veins	43
■ Treatment Modalities of Primary Varicose Veins	65
Patients and Methods	88
Case Presentation	94
Results	117
Discussion	125
Summary	129
Conclusion	132
References	133
Arabic Summary	

## List of Tables

Table No.	Title	Page No.
<b>Table (1):</b>	Clinical, Etiologic, Anatomic, Pathophysiologic (CEAP) classification	
<b>Table (2):</b>	Revised Venous Clinical Severity (VCSS)	
<b>Table (3):</b>	Venous Segmental Disease Score: for and obstruction	
<b>Table (4):</b>	Venous Disability Score	42
<b>Table (5):</b>	Pharmacological treatments in main components and mechanis action	sms of
<b>Table (6):</b>	Comparison between Group A: frequency and Group B: st regarding age, gender and BMI	ripping
<b>Table</b> (7):	Comparison between Group A: frequency and Group B: st regarding CEAP classification and avulsion	ripping d Stab
<b>Table (8):</b>	Comparison between Group A: frequency and Group B: st regarding postoperative complication	ripping
<b>Table (9):</b>	Comparison between Group A: frequency and Group B: st regarding successful rate, recurrent and returned to routine activities with the day	ripping ce rate vithin 1

## List of Figures

Fig. No.	Title	Page No.
Figure (1):	Votive tablet found at the base Acropolis in Athens the earliest lillustration of varicose veins	known
Figure (2):	The Ebers Papyrus	6
Figure (3):	The famous diagram in W Harvey's book identifying the played by valves in the v circulation	role- renous
Figure (4):	The recommended levels of saphenous vein ligation according to the same of the	great ng to
Figure (5):	Venous networks in the lower extre	emity9
Figure (6):	Superficial veins of the foot	10
Figure (7):	Great saphenous vein	11
Figure (8):	Functional anatomy of saphenofemoral junction (SFJ)	
Figure (9):	(a, b) SFJ anatomy	
Figure (10):	The muscular fascia separates subcutaneous compartment from deep compartment	n the
Figure (11):	The 'Egyptian eye', echographic vithe saphenous compartment	iew of
Figure (12):	Tributaries of GSV	
Figure (13):	Most common anatomic variations confluence of superficial inguinal ve	of the
Figure (14):	Small saphenous vein	
Figure (15):	Variable termination of the saphenous vein (SSV)	small
<b>Figure (16):</b>	The leg perforator veins venography)	(CT

Fig. No.	Title F	Page No.
Figure (17):	Relation of the medial direct perforations to the deep and superfunction posterior fascial compartments (SPCs	icial
<b>Figure</b> (18):	The lower-extremity deep venous sys	tem24
<b>Figure (19):</b>	Proximal (a) and distal (b) aspect venous valve (stereomicrosc magnification ×11.2)	copy,
Figure (20):	Normal venous drainage of lower lim	
Figure (21):	Dynamics of venous flow in response calf muscle contraction in a normal li	se to
Figure (22):	Dynamics of venous flow in response calf muscle contraction in a limb verimary varicose veins	$\operatorname{with}$
Figure (23):	CEAP (Clinical, Etiologic, Anato Pathophysiologic) classification venous insufficiency	$\mathbf{of}$
<b>Figure (24):</b>	Example of the VCSS	
<b>Figure (25):</b>	Trendelenburg test	
<b>Figure (26):</b>	Handheld Doppler unit	54
Figure (27):	Reflux evaluation by HHD	57
Figure (28):	Linear transducer (probe) of the Du ultrasound	
<b>Figure (29):</b>	CT venography (CTV)	61
<b>Figure (30):</b>	Magnetic resonance venography	
<b>Figure (31):</b>	IVUS probe	
<b>Figure (32):</b>	Intravascular Ultrasound of Iliac vei	n64
Figure (33):	Elastic stocking with Butler device facilitate the application of gradu compression stockings	ated

Fig. No.	Title	Page	No.
Figure (34):	(a) The CircAid device consist multiple non-elastic straps. (b) device in place on a patient with circumferential band being adjusted	The the	70
Figure (35):	Compression bandages can be slayer (A), non-elastic (B), or multi (C and D)	ilayer	71
<b>Figure (36):</b>	Intermittent compression		71
<b>Figure (37):</b>	Exposure and high ligation of the saphenous vein	_	73
<b>Figure (38):</b>	High ligation with stripping of saphenous vein	_	75
<b>Figure (39):</b>	Perforation invagination (PIN) strip of great saphenous vein		77
<b>Figure (40):</b>	Illustration of technique for surphlebectomy	_	78
<b>Figure (41):</b>	Transilluminated Powered Phlebed (TIPP)	·	80
<b>Figure (42):</b>	Perforator clipped at fascial level SEPS	_	83
Figure (43):	A, Delivery of tumescent anest with the hand injection method Delivery of tumescent anesthesia w refillable syringe. C, Tumescent pur	d. B, vith a	85
<b>Figure</b> (44):	The $ClosureFast^{TM}$ radio-frequent catheter	uency	
<b>Figure</b> (45):	Radio-frequency endovenous the ablation with the Closure F catheter	ermal 'ast <sup>TM</sup>	

Fig. No.	Title	Page No.
Figure (46):	Male patient 33 years old, preswith great and short saphenous varicosities	veins
<b>Figure (47):</b>	3 weeks Post radiofrequency ablat GSV varicosities	
Figure (48):	Male patient 33 years old, pres with great saphenous veins (dilate tortiuous) varicosities	ed and
<b>Figure (49):</b>	2 weeks Post radiofrequency ablat GSV varicosities	
<b>Figure (50):</b>	Male patient 35 years old presented GSV dilated varicosities	
<b>Figure (51):</b>	SFJ competent at ultrasound	98
<b>Figure (52):</b>	4 weeks Post radiofrequency ablat GSV varicosities	
Figure (53):	GSV varicosities presented incompetent perforator below the with radiofrequency catheter in into it	knee serted
Figure (54):	Post radifrequency of GSV complexity with crust of burn and complete lafter one month and cordlike sensa	nealed
<b>Figure (55):</b>	Male patient 23 years old presented GSV dilated elongated varicosities.	
<b>Figure (56):</b>	2 weeks Post radiofrequency ablat GSV varicosities	
Figure (57):	22 years old, male patient pres with varicosities of GSV his of showed competent saphenofe junction and incompetent perforato	luplex moral

Fig. No.	Title	Page No.
Figure (58):	One month Post radiofrequency a of GSV varicosities	
<b>Figure (59):</b>	Male patient 23 years old presente varicosities of GSV and it is tribut	
Figure (60):	3 week Post radiofrequency abla GSV varicosities	
<b>Figure (61):</b>	25 years old, male patient prewith varicosities of GSV	
Figure (62):	Male patient 23 years old presente varicosities of GSV and it is tribut	
Figure (63):	Male patient 26 years old presente varicosities of GSV	
Figure (64):	Male patient 22 years old, no detected, presented with varicosities the course of GSV, duplex incompetent SFJ	s along showed
<b>Figure (65):</b>	3 week post high ligation and strong GSV	
Figure (66):	Male patient 23 years old, prewith varicosities at the course with tributaries above ankle, showed incompetent SFJ	of GSV duplex
<b>Figure (67):</b>	2 week post high ligation and strong GSV	ripping 108
<b>Figure (68):</b>	Male patient 25 years old, prowith varicosities along the coursely, duplex show incompetent SF	irse of
Figure (69):	Post high liation and stripping of after 14 days showed after the promild ecchymosis which subsided that	ocedure

Fig. No.	Title	Page No.
Figure (70):	Male patient 25 years old, preswith varicosities along the course of and It's tributaries in back of duplex showed incompetent SFJ	of GSV thigh,
Figure (71):	Post high liation and stripping of after one month days showed after procedure mild ecchymosis subsided after that	er the which
Figure (72):	Male patient 21 years old, preswith varicosities along the course of and It's tributaries in back of duplex showed incompetent SFJ	of GSV thigh,
Figure (73):	Post high liation and stripping of after 21 days showed after the production mild ecchymosis which subsided that	cedure
<b>Figure</b> (74):	Male patient 25 years old, preswith varicosities along the course of and It's tributaries in back of duplex showed incompetent SFJ	of GSV thigh,
Figure (75):	2 weeks Post high ligation and str of GSV and avulsions of it is tribute	
Figure (76):	Patient 31 years old, presented varicosities along the course of GS It's tributaries in back of thigh, a showed incompetent SFJ	V and luplex
<b>Figure (77):</b>	3 weeks Post high ligation and str of GSV and avulsions of it is tribute	
<b>Figure</b> (78):	Male patient 33 years old, preswith varicosities along the course of and It's tributaries in back of duplex showed incompetent SFJ	of GSV thigh,

Fig. No.	Title	Page No.
Figure (79):	21 days Post high ligation and str of GSV and avulsions of it is tribut	
Figure (80):	Male patient 29 years old, pre with varicosities along the course of and It's tributaries in back of duplex showed incompetent SFJ	of GSV thigh,
Figure (81):	Post high ligation and stripping of and avulsions of it is tributaries ecchymosis along course of presented after removal of crep bar	s, with GSV
Figure (82):	Male patient 24 years old, pre with varicosities along the course of and it is tributaries, duplex s incompetent SFJ.	of GSV showed
Figure (83):	Post high liation and stripping of after 14 days showed mild ecchywhich subsided after that	ymosis
<b>Figure (84):</b>	Comparison between Group A: frequency and Group B: str regarding age	ripping
Figure (85):	Comparison between Group A: frequency and Group B: str regarding gender	radio ripping
Figure (86):	Comparison between Group A: frequency and Group B: str	radio
Figure (87):	Comparison between Group A: frequency and Group B: str regarding CEAP classification	radio ripping

Fig. No.	Title	Page No.
Figure (88):	Comparison between Group frequency and Group B: regarding Stab avulsion	stripping
Figure (89):	Comparison between Group frequency and Group B: regarding postoperative complications	stripping
Figure (90):	Comparison between Group frequency and Group B: regarding postoperative complications	stripping
Figure (91):	Comparison between Group frequency and Group B: regarding successful rate	stripping
Figure (92):	Comparison between Group frequency and Group B: regarding recurrence rate	stripping
Figure (93):	Comparison between Group frequency and Group B: regarding routine activities day	stripping within 1

# Tist of Abbreviations

Abb.	Full term
AACSV	Antanian gaaaaam, gragt agnhanaya yain
	Anterior accessory great saphenous vein
	Anterior accessory saphenous vein
ASVAL	Ambulatory varices ablation under local anaesthesia
AVL	Anterior vein of the leg
CE	. Cranial extension
<i>CEAP</i>	Clinical, Etiological, Anatomical and Pathological classification
<i>CFV</i>	. Common femoral vein
CHIVA	Cure conservatrice et hemodynamique de l'insuffisance veinesuse en ambulatoire (French acronym)
CT	. Computed tomography
	. Computed tomography
	. Computed tomography venography
CVD	. Chronic venous disorders
CVI	. Chronic venous insufficiency
DVT	Deep venous thrombosis
<i>ECM</i>	. Extracellular matrix
<i>EPA</i>	. External pudendal artery
FV	. Femoral vein
<i>GSV</i>	. Great saphenous vein
HHD	. Hand held Doppler
HL/S	. High ligation and stripping
<i>IVC</i>	. Inferior vena cava
IVUS	. Intravascular ultrasound
<i>MF</i>	. Muscular fascia
<i>MRV</i>	. Magnetic resonance venography

# Tist of Abbreviations cont...

Abb.	Full term
PAGSV	Posterior accessory great saphenous vein
<i>PAV</i>	
PE	. Pulmonary embolism
	Perforation invagination stripping
<i>PLT</i>	. Posterior lateral thigh
PT	Posterior tibial
PV	. Popliteal vein
PVs	Perforator veins
<i>RFA</i>	Radiofrequency ablation
RFITT	Radiofrequency induced thermotherapy
SEPS	Subfascial endoscopic perforator surgery
SF	Saphenofemoral
SFJ	. Saphenofemoral junction
<i>SP</i>	. Saphenopoplite al
<i>SPJ</i>	$. \ Saphen opop lite al\ junction$
SSV	Small saphenous vein
SVT	Superficial vein thrombosis
<i>TA</i>	Tumescent anesthesia
<i>TIPP</i>	Transilluminated powered phlebectomy
TV	Terminal valve
<i>US</i>	Ultrasound
VCSS	Venous clinical severity score
VVs	Varicose veins