

**"Applicability of a Mathematical Equation in Tooth  
Size Prediction in Mixed Dentition in a Sample of  
Egyptian Adolescents with Cleft Lip and/or Palate"  
A Retrospective Study**

*A Thesis submitted to the Faculty of Dentistry,  
Ain Shams University*

*In Partial Fulfillment of the Requirements for the Master's Degree in  
Pediatric Dentistry*

By

**Muhammad Ahmed Helmi Barghouth**

B.D.S. (2012)  
Ain Shams University

*Faculty of Dentistry  
Ain Shams University  
2018*

## **Supervisors**

### **Prof. Dr. Nadia Ezz El-Din Metwalli**

Professor, Department of Pediatric Dentistry and Dental Public Health  
Former Vice Dean for Environmental Affairs  
Faculty of Dentistry – Ain Shams University

### **Prof. Dr. Marwa Abd El-Wahab El-Kassaby**

Professor, Department of Oral and Maxillofacial Surgery  
Faculty of Dentistry – Ain Shams University

### **Dr. Noha Ibrahim Abd El-Rahman**

Lecturer, Department of Orthodontics  
Faculty of Dentistry – Ain Shams University

## **List of Contents**

| <b><u>Title</u></b>                         | <b><u>Page No.</u></b> |
|---------------------------------------------|------------------------|
| List of Tables                              | i                      |
| List of Figures                             | iii                    |
| List of Abbreviations                       | x                      |
| <br>                                        |                        |
| <b>I</b> Introduction                       | 1                      |
| <b>II</b> Review of Literature              | 3                      |
| <b>III</b> Aim of the Study                 | 29                     |
| <b>IV</b> Subjects and Methods              | 30                     |
| <b>V</b> Results                            | 62                     |
| <b>VI</b> Discussion                        | 78                     |
| <b>VII</b> Summary                          | 93                     |
| <b>VIII</b> Conclusions and Recommendations | 95                     |
| <b>IX</b> References                        | 98                     |
| <b>X</b> Arabic Summary                     | -                      |

**"إمكانية تطبيق معادلة رياضية في توقع حجم الأسنان في مرحلة  
التسنين المختلط في عينة من اليافعين المصريين المصابين بشق الشفة  
و/أو الحلق"  
دراسة استيعادية**

رسالة مقدمة إلى كلية طب الأسنان  
جامعة عين شمس  
للحصول على درجة الماجستير في طب أسنان الأطفال

مقدمة من

**الطبيب/ محمد أحمد حلمي برغوث**

بكالوريوس طب وجراحة الفم والأسنان (2012)

جامعة عين شمس

كلية طب الأسنان  
جامعة عين شمس

2018

## المشرفون

### أ. د. نادية عز الدين متولي

أستاذ بقسم طب أسنان الأطفال والصحة العامة  
الوكيل الأسبق لشئون البيئة  
كلية طب الأسنان – جامعة عين شمس

### أ. د. مروة عبد الوهاب القصبي

أستاذ بقسم جراحة الفم والوجه والفكين  
كلية طب الأسنان – جامعة عين شمس

### د. نهى ابراهيم عبد الرحمن

مدرس بقسم تقويم الأسنان  
كلية طب الأسنان – جامعة عين شمس

## **Dedication**

I would like to dedicate my work in loving memory of my late father and to my mother who has always been my role model.

I would also like to dedicate it to my loving supportive family and friends.

## Acknowledgement

I would like to express my gratitude to **Professor Dr. Nadia Ezz El-Din Metwalli**, Professor of Pediatric Dentistry and Dental Public Health, Faculty of Dentistry, Ain-Shams University for her constant support and guidance. It was an honor working under her supervision.

My deepest gratitude is also extended to **Professor Dr. Marwa Abd El-Wahab El-Kassaby**, Professor of Oral and Maxillofacial Surgery, Faculty of Dentistry, Ain-Shams University. Her expertise and guidance was invaluable to the completion of my work and I'm forever grateful to her.

I would also like to thank **Dr. Noha Ibrahim Abd El-Rahman**, Lecturer of Orthodontics, Faculty of Dentistry, Ain-Shams University. I was truly blessed to have the opportunity to work with her and learn from her due to her professionalism and helpfulness. I've always considered her my mentor ever since she was my instructor as an undergraduate student. I can't thank her enough for all her help and guidance.

Last but not least, I'm thankful to all my professors, colleagues and staff members of the Pediatric Dentistry and Dental Public Health Department, Faculty of Dentistry, Ain-Shams University for their constant help and encouragement.

## List of Tables

| <b><u>Table No.</u></b> | <b><u>Title</u></b>                                                                                                                                                                     | <b><u>Page No.</u></b> |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Table (1):</b>       | Measurements of individual teeth taken from a single CBCT scan of an individual with BCLP.                                                                                              | 56                     |
| <b>Table (2):</b>       | (A-SCPM) of both maxillary quadrants separately, their average (Av. A-SCPM) and the maxillary (P-SCPM) for a CBCT scan of an individual with BCLP.                                      | 57                     |
| <b>Table (3):</b>       | (A-SCPM) of both mandibular quadrants separately, their average (Av. A-SCPM) and the mandibular (P-SCPM) and the sum of lower incisors (SI) for a CBCT scan of an individual with BCLP. | 57                     |
| <b>Table (4):</b>       | (A-SCPM) of both the maxillary cleft and non-cleft sides separately and the maxillary (P-SCPM) for a CBCT scan of an individual with UCLP.                                              | 57                     |
| <b>Table (5):</b>       | Mean, Standard deviation (SD) values of actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (A).                     | 63                     |
| <b>Table (6):</b>       | Mean, Standard deviation (SD) values of actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (B).                     | 65                     |
| <b>Table (7):</b>       | Mean, Standard deviation (SD) values of actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (C).                     | 67                     |



## List of Tables (Cont.)

| <b><u>Table No.</u></b> | <b><u>Title</u></b>                                                                                                                                                                          | <b><u>Page No.</u></b> |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Table (8):</b>       | Mean, Standard deviation (SD) values of actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (D).                          | 68                     |
| <b>Table (9):</b>       | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (A).                   | 70                     |
| <b>Table (10):</b>      | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (B).                   | 71                     |
| <b>Table (11):</b>      | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary permanent canines and premolars for cleft and non-cleft sides within different genders of Group (B). | 72                     |
| <b>Table (12):</b>      | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (C).                   | 73                     |

## List of Tables (Cont.)

| <b><u>Table No.</u></b> | <b><u>Title</u></b>                                                                                                                                                        | <b><u>Page No.</u></b> |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Table (13):</b>      | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (D). | 74                     |
| <b>Table (14):</b>      | Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for all groups.                     | 76                     |

## List of Figures

| <b><u>Figure No.</u></b> | <b><u>Title</u></b>                                                                                                                                      | <b><u>Page No.</u></b> |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Figure (1)</b>        | Diagram showing the Striped-Y Classification.                                                                                                            | 5                      |
| <b>Figure (2)</b>        | Diagram showing the LAHSAL Classification.                                                                                                               | 6                      |
| <b>Figure (3)</b>        | The Clock Diagram.                                                                                                                                       | 7                      |
| <b>Figure (4)</b>        | Diagram showing the grouping of the study sample.                                                                                                        | 32                     |
| <b>Figure (5)</b>        | Diagram showing the case record form.                                                                                                                    | 34                     |
| <b>Figure (6)</b>        | Axial view showing the maxillary arch of a normal individual with completely intact alveolus and palate.                                                 | 35                     |
| <b>Figure (7)</b>        | Axial view showing the maxillary arch of a UCLP individual showing cleft alveolus and palate on one side whereas the other side is completely intact.    | 36                     |
| <b>Figure (8)</b>        | Axial view of a BCLP individual with rudimentary premaxilla showing a small sized premaxilla containing only one central incisor.                        | 37                     |
| <b>Figure (9)</b>        | Sagittal view of a BCLP individual with rudimentary premaxilla showing a retrusive premaxilla with a retroclined central incisor and anterior crossbite. | 37                     |
| <b>Figure (10)</b>       | Soft tissue view of an individual with BCLP with a rudimentary premaxilla showing a retrusive premaxilla and a concave facial profile.                   | 38                     |
| <b>Figure (11)</b>       | Axial view of an individual with BCLP with a well-developed premaxilla showing a normal sized premaxilla containing three incisors.                      | 39                     |

## List of Figures (Cont.)

| <b><u>Figure No.</u></b> | <b><u>Title</u></b>                                                                                                                                                                                          | <b><u>Page No.</u></b> |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Figure (12)</b>       | Sagittal view of an individual with BCLP with a well-developed premaxilla showing a prominent premaxilla containing an incisor with normal faciolingual inclination.                                         | 39                     |
| <b>Figure (13)</b>       | Soft tissue view of an individual with BCLP with a well-developed premaxilla showing a prominent premaxilla and a convex facial profile.                                                                     | 40                     |
| <b>Figure (14)</b>       | Panoramic view of the scan to confirm presence of all teeth to be measured.                                                                                                                                  | 41                     |
| <b>Figure (15)</b>       | Sagittal view showing the default position of the lower left central incisor with malalignment of the coronal axis (Blue) and the axial axis (Red).                                                          | 42                     |
| <b>Figure (16)</b>       | Sagittal view showing the final position of the lower left central incisor with the coronal axis (Blue) parallel to the long axis of the crown.                                                              | 43                     |
| <b>Figure (17)</b>       | Axial view showing the default position of the lower left central incisor with malalignment of both the sagittal axis (Green) and the coronal axis (Blue).                                                   | 44                     |
| <b>Figure (18)</b>       | Axial view showing the final position of lower left central incisor bisected by the sagittal axis (Green) with the coronal axis (Blue) passing through both the mesial and distal anatomical contact points. | 44                     |

## List of Figures (Cont.)

| <b><u>Figure No.</u></b> | <b><u>Title</u></b>                                                                                                                                                                                             | <b><u>Page No.</u></b> |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Figure (19)</b>       | Coronal view showing the default position of the lower left central incisor with malalignment of both the sagittal axis (Green) with the axial axis (Red).                                                      | 45                     |
| <b>Figure (20)</b>       | Coronal view showing the final position of the lower left central incisor bisected by the sagittal axis (Green) with the axial axis (Red) passing through both the mesial and distal anatomical contact points. | 45                     |
| <b>Figure (21)</b>       | Overall view showing the standardized tooth position of the lower left central incisor in relation to all three axes before measurements were taken.                                                            | 46                     |
| <b>Figure (22)</b>       | Coronal view showing the measurement of the maximum mesiodistal width of the lower central incisor from the labial aspect.                                                                                      | 47                     |
| <b>Figure (23)</b>       | Incisal view showing the measurement of the maximum mesiodistal width of the lower central incisor from the incisal aspect.                                                                                     | 47                     |
| <b>Figure (24)</b>       | Sagittal view showing the final position of the permanent canine before measurements were taken.                                                                                                                | 48                     |
| <b>Figure (25)</b>       | Axial view showing the final position of the permanent canine before measurements were taken.                                                                                                                   | 48                     |
| <b>Figure (26)</b>       | Coronal view showing the final position of the permanent canine before measurements were taken.                                                                                                                 | 49                     |

## List of Figures (Cont.)

| <b><u>Figure No.</u></b> | <b><u>Title</u></b>                                                                                                                                  | <b><u>Page No.</u></b> |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Figure (27)</b>       | Overall view showing the final standardized position of the lower left canine in relation to all three axes before measurements were taken.          | 50                     |
| <b>Figure (28)</b>       | Coronal view showing the measurement of the maximum mesiodistal width of the lower left canine from the labial aspect.                               | 51                     |
| <b>Figure (29)</b>       | Incisal view showing the measurement of the maximum mesiodistal width of the lower left canine from the incisal aspect.                              | 51                     |
| <b>Figure (30)</b>       | Sagittal view showing the final position of the permanent lower second premolar before the measurements were taken.                                  | 52                     |
| <b>Figure (31)</b>       | Axial view showing the final position of the permanent lower second premolar before measurements were taken.                                         | 52                     |
| <b>Figure (32)</b>       | Coronal view showing the final position of the permanent lower second premolar before measurements were taken.                                       | 53                     |
| <b>Figure (33)</b>       | Overall view showing the final standardized position of the lower left second premolar in relation to all three axes before measurements were taken. | 54                     |
| <b>Figure (34)</b>       | Coronal view showing the measurement of the maximum mesiodistal width of the lower left second premolar from the buccal aspect.                      | 55                     |

## List of Figures (Cont.)

| <b><u>Figure No.</u></b> | <b><u>Title</u></b>                                                                                                                                   | <b><u>Page No.</u></b> |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Figure (35)</b>       | Occlusal view showing the measurement of the maximum mesiodistal width of the lower left second premolar from the occlusal aspect.                    | 55                     |
| <b>Figure (36)</b>       | Diagram showing a completed case record form of an individual with BCLP.                                                                              | 60                     |
| <b>Figure (37)</b>       | Scatter plot of the first and second measurements.                                                                                                    | 62                     |
| <b>Figure (38)</b>       | Bar chart showing average actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (A). | 64                     |
| <b>Figure (39)</b>       | Bar chart showing average actual and predicted combined mesiodistal widths of maxillary permanent canines and premolars for Group (B).                | 65                     |
| <b>Figure (40)</b>       | Bar chart showing average actual and predicted combined mesiodistal widths of mandibular permanent canines and premolars for Group (B).               | 66                     |
| <b>Figure (41)</b>       | Bar chart showing average actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (C). | 67                     |