

سامية محمد مصطفى



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات لم ترد بالأصل



***Effect Of Vanadate Administration On Renal
Functions And Some Metabolic Aspects In
Diabetic Rats***

Thesis
Submitted In Partial Fulfillment
Of The M.Sc. Degree In Physiology

By

Joseph Fouad Yanny

M.B.B.CH. and demonstrator in Physiology Department
Faculty Of Medicine-Minufiya University


Supervisors



Prof. Dr. Sohair Abd El-Hamid Saleh

Professor & Head Of Physiology Department
Faculty Of Medicine-Minufiya University


Dr. Mohamed Hanafy Ahmed Hassan



Assistant Professor Of Physiology
Faculty Of Medicine-Minufiya University

Dr. Hesham Ahmed Diaa Abd El-Razek

Lecturer Of Physiology
Faculty Of Medicine-Minufiya University




B 14 105

1010

1010

to




My father



My mother



My brother



&

My future wife

2500000000

1941

LIST OF ABBREVIATIONS

ATP	Adenosin tri-phopate
DNA	Deoxy nucleic acid
HLA	Human leucocytic antigen
HDL	High density lipoproteins
IDDM	Insulin dependant diabetes mellitus
LDL	Low density lipoproteins
NADH	Nicotinamide adenine dinucleotide
NIDM	Non- insulin dependant diabetes mellitus
S.E.M	Standard error of mean
B.W.	Body weight

REAL

22

100

21

20

19

when
1000
1000000

LIST OF TABLES

Page

<i>Table (1)</i>	Oral glucose tolerance test and KG value (mg%/minute) in non-diabetic control group of rats.	45
<i>Table (2)</i>	Fasting serum lipids (mg/dl) in non-diabetic control group of rats.	46
<i>Table (3)</i>	Creatinine and urea clearance (ml/min) in non-diabetic control group of rats.	47
<i>Table (4)</i>	Total kidney/body weight ratio in non-diabetic control group of rats.	47
<i>Table (5)</i>	Effect of oral sodium ortho-vanadate administration (5mg/Kg B.W.) for 10 days on oral glucose tolerance test and KG value (mg%/minute) in non-diabetic rats.	50
<i>Table (6)</i>	Effect of oral sodium ortho-vanadate administration (5 mg/Kg B.W.) for 10 days on fasting serum lipids in non-diabetic group of rats.	53
<i>Table (7)</i>	Effect of oral sodium ortho-vanadate administration (5 mg/Kg B. W.) for 10 days on creatinine and urea clearance in non-diabetic group of rats.	55
<i>Table (8)</i>	Effect of oral sodium ortho-vanadate administration (5 mg/Kg B. W.) for 10 days on total kidney/body weight ratio in non-diabetic group of rats.	57

10
The first of the
series of
experiments

10
The second of the
series of
experiments

10
The third of the
series of
experiments

10
The fourth of the
series of
experiments

10
The fifth of the
series of
experiments

10
The sixth of the
series of
experiments

10
The seventh of the
series of
experiments

10
The eighth of the
series of
experiments

10
The ninth of the
series of
experiments

10
The tenth of the
series of
experiments

<i>Table (9)</i>	Effect of alloxan-induced diabetes mellitus (150 mg/Kg B.W.) on oral glucose tolerance test and KG value (mg%/minute) in rats.	61
<i>Table (10)</i>	Effect of alloxan-induced diabetes mellitus (150 mg/Kg B.W.) on fasting serum lipids (mg/dl) in rats.	64
<i>Table (11)</i>	Effect of alloxan-induced diabetes mellitus (150 mg/Kg B.W.) on creatinine and urea clearance (ml/min.) in rats.	66
<i>Table (12)</i>	Effect of alloxan-induced diabetes mellitus (150 mg/Kg B.W.) on total kidney/body weight ratio in rats.	68
<i>Table (13)</i>	Effect of oral sodium ortho-vanadate administration (5mg/Kg B.W.) for 10 days on oral glucose tolerance test and KG value (mg%/minute) in alloxan-diabetic rats.	72
<i>Table (14)</i>	Effect of oral sodium ortho-vanadate administration (5mg/Kg B.W.) for 10 days on fasting serum lipids (mg/dl) in alloxan-diabetic rats.	75
<i>Table (15)</i>	Effect of oral sodium ortho-vanadate administration (5mg/Kg B.W.) for 10 days on creatinine and urea clearance in alloxan-diabetic rats.	77
<i>Table (16)</i>	Effect of oral sodium ortho-vanadate administration (5mg/Kg B.W.) for 10 days on total kidney/body weight ratio in alloxan-diabetic rats.	79
<i>Table (17)</i>	Effect of insulin treatment (5 U/Kg B.W.) for 10 days on oral glucose tolerance test and KG value (mg%/minute) in alloxan-diabetic rats.	83

