

# بسم الله الرحمن الرحيم



**HOSSAM MAGHRABY**



# شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



**HOSSAM MAGHRABY**



# جامعة عين شمس

## التوثيق الإلكتروني والميكروفيلم

### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



## يجب أن


تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



**HOSSAM MAGHRABY**



# بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY





بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

# **Degree of Conversion, Monomer Elution, Depth of Cure and Marginal Leakage of a Bulk Fill Composite**

Thesis

Submitted to the Faculty of Dentistry  
Ain-Shams University

In partial fulfillment of the requirements for the  
Master Degree in Dental Biomaterials

By

**Tarek Mohamed Elshazly**

B.D.S (Ain-Shams University, 2010)

Biomaterials Department  
Faculty of Dentistry  
Ain-Shams University  
2019

## Supervisors

### **Prof. Dr. Dalia Ibrahim El-Korashy**

Professor of Dental Biomaterials  
Head of Biomaterials Department  
Faculty of Dentistry  
Ain-Shams University

### **Dr. Dalia Ibrahim Sherief**

Lecturer of Dental Biomaterials  
Biomaterials Department  
Faculty of Dentistry  
Ain-Shams University

### **Prof. Dr. Christoph Heß**

Professor of Non-metallic Materials  
Faculty of Technology and Bionics  
Hochschule Rhein-Waal (Germany)

# ACKNOWLEDGEMENT

*It is a pleasure to thank those who made this thesis possible;*

*Highest appreciation to **Prof. Dr. Dalia El-Korashy**, for her teaching, mentorship and continuous guidance. Thank you Dr. Dalia for being a great mentor, and treating me as part of your family. It's really my honor to be your student.*

*Deep respect to **Dr. Dalia Sherif** for her great support and precious experience in guiding and teaching me. Thanks Dr. Dalia for your support and your valuable guidance.*

*Great gratitude to **Prof. Dr. Christoph Heß**, for his supervision on this research and for his support and help.*

*Faithful appreciation is owed to **Prof. Dr. Christoph Bourauel**, Chairman of Oral-medicine technology Department, Faculty of Dentistry, Bonn University, for his valuable support and guidance in all my research works.*

*Sincere respect to **Prof. Dr. Amir Fahmi**, Professor of Biomaterials, Rhein-Waal University, for his considerable help and his continuous encouragement.*

*Warm greetings to my friend **Dr. Islam Shahin**, for being always there when I need him.*

*Special thanks to my friend **Dr. Bassam Ahmed** for his great help in statistical analysis of the data.*

*Great Thanks to my sister-in law **Dr. Salma Adam**, for her help and support.*

*Thanks to **3M ESPE, Germany** for providing the required materials for this research project.*

*Last but not least, I offer my regards and blessings to all my Professors and Colleagues in the Biomaterials Department, Faculty of Dentistry, Ain-shams University, especially **Dr. Basma Rozza** and **Dr. Ahmed El-Banna**, for their spiritual support. It's really an honor to be part of this department.*



## DEDICATIONS

*To my **Parents**, to whom I owe everything.*

*To my beloved Wife, **Sumaya**, for her endless support and love.*

*To my dear Sisters, **Nada** and **Ghada**, and my dear Brother **Yasser** for their love and continuous encouragement.*

*To the soul of my **Grandfather**, May Allah have mercy on him.*

# List of Contents

Title	Page No.
List of Tables .....	i
List of Figures.....	iii
List of Abbreviations .....	vi
Introduction .....	1
Review of Literature .....	10
1. Resin based composites .....	10
1.1 General composition of dental resin based composites.....	10
1.2 Classifications of resin based composites .....	16
1.3 Polymerization reaction kinetics .....	17
2. Drawbacks of dental resin based composites.....	19
2.1 Incomplete polymerization .....	19
2.2 Biocompatibility considerations .....	20
2.3 Water sorption .....	21
2.4 Limited depth of cure .....	22
2.5 Polymerization shrinkage and polymerization shrinkage Stresses .....	22
3. Advancements in resin based composites .....	24
3.1 Advancements in filler technology.....	24
3.2 Advancements in matrix technology and polymerization mechanisms .....	25
4. Introduction of bulk fill composites.....	29
5. Evaluation of resin based composite.....	34
5.1 Degree of conversion.....	34
5.2 Monomer Elution .....	39
5.3 Depth of cure .....	43
5.4 Marginal leakage .....	46
Aim of the Study .....	49
Materials and Methods .....	50
Results .....	71
Discussion.....	96
Summary.....	112
References .....	115
Arabic Summary.....	—





# List of Tables

Table No.	Title	Page No.
<b>Table (1):</b>	Materials used in the study, their composition, description and lot number .....	50
<b>Table (2):</b>	Standard pure monomers used for calibration in monomer elution test .....	51
<b>Table (3):</b>	Regression equations of the calibration curves, linear correlation coefficient ( $R^2$ ), limit of detection (LoD) in $\mu\text{g/ml}$ , and limit of quantification (LoQ) in $\mu\text{g/ml}$ , retention times (RT) in minutes of the investigated monomers at 205 nm. ....	64
<b>Table (4):</b>	Effect of different variables and their interactions on degree of conversion. ....	71
<b>Table (5):</b>	Mean $\pm$ standard deviation (SD) values of degree of conversion for different packing techniques and curing times. ....	73
<b>Table (6):</b>	Mean $\pm$ standard deviation (SD) values of degree of conversion for different packing techniques and storage periods.....	75
<b>Table (7):</b>	Mean $\pm$ standard deviation (SD) values of monomer elution ( $\mu\text{g/mg}$ ) for different packing techniques. ....	77
<b>Table (8):</b>	Mean $\pm$ standard deviation (SD) values of monomer elution ( $\mu\text{g/mg}$ ) for different curing times .....	78
<b>Table (9):</b>	Mean $\pm$ standard deviation (SD) values of monomer elution ( $\mu\text{g/mg}$ ) for different monomers .....	79
<b>Table (10):</b>	Mean $\pm$ standard deviation (SD) values of monomer elution ( $\mu\text{g/mg}$ ) for different storage periods and packing techniques .....	80
<b>Table (11):</b>	Mean $\pm$ standard deviation (SD) values of HEMA elution ( $\mu\text{g/mg}$ ) for different packing techniques, curing times and storage periods .....	82
<b>Table (12):</b>	Mean $\pm$ standard deviation (SD) values of TEGDMA elution ( $\mu\text{g/mg}$ ) for different packing techniques, curing times and storage periods.....	84

<b>Table (13):</b> Mean $\pm$ standard deviation (SD) values of UDMA elution ( $\mu\text{g}/\text{mg}$ ) for different packing techniques, curing times and storage periods. ....	86
<b>Table (14):</b> Mean $\pm$ standard deviation (SD) values of Bis-GMA elution ( $\mu\text{g}/\text{mg}$ ) for different packing techniques, curing times and storage periods. ....	88
<b>Table (15):</b> Effect of different variables and their interactions on depth of cure. ....	89
<b>Table (16):</b> Mean $\pm$ standard deviation (SD) values of depth of cure for different curing times and different packing techniques. ....	91
<b>Table (17):</b> Median (Range) values of marginal leakage for different curing times and different packing techniques. ....	93
<b>Table (18):</b> Percentage (%) of marginal leakage scores for different curing times and different packing techniques. ....	95

# List of Figures

<b>Fig. No.</b>	<b>Title</b>	<b>Page No.</b>
<b>Figure (1):</b>	The chemical structure of some monomers.....	11
<b>Figure (2):</b>	Chemical structures of aromatic urethane dimethacrylate (AUDMA) .....	32
<b>Figure (3):</b>	Chemical structures of addition-fragmentation monomers (AFM).....	33
<b>Figure (4):</b>	Chemical structures of 1,12-Dodecanediol dimethacrylate (DDDMA) .....	33
<b>Figure (5):</b>	Chemical structures of urethane dimethacrylate (UDMA) .....	34
<b>Figure (6):</b>	Schematic drawing illustrating the refraction phenomena.....	38
<b>Figure (7):</b>	Schematic drawing illustrates the total internal reflection and the creation of the evanescent wave .....	38
<b>Figure (8):</b>	Schematic drawing illustrates the components of HPLC device.....	42
<b>Figure (9):</b>	Filtek™ Supreme XTE Universal Conventional Composite.....	51
<b>Figure (10):</b>	Filtek™ One Bulk Fill Composite .....	51
<b>Figure (11):</b>	Universal Bond.....	51
<b>Figure (12):</b>	Acid Etchant .....	52
<b>Figure (13):</b>	Flow chart for specimens' grouping.....	53
<b>Figure (14):</b>	Teflon split mold .....	53
<b>Figure (15):</b>	LED light curing unit (left) and radiometer (right) .....	54
<b>Figure (16):</b>	Specimen (Left) – Digital Caliper (right).....	55
<b>Figure (17):</b>	Incubator.....	55
<b>Figure (18):</b>	Molar embedded in resin block at level of CEJ with flattened occlusal surface .....	56
<b>Figure (19):</b>	Drilling machine with a surveying table. ....	57
<b>Figure (20):</b>	The tooth block was mounted on the surveying table, and the parallelism and the machine setting were adjusted to produce a standardized 5mm deep cavity .....	57



<b>Figure (21):</b> Standardized occlusal cylindrical cavity 5 mm deep and 3 mm diameter .....	58
<b>Figure (22):</b> ATR-FTIR spectrometer .....	59
<b>Figure (23):</b> The ATR-Crystal and the pressing arm.....	59
<b>Figure (24):</b> HPLC device .....	61
<b>Figure (25):</b> Standard curves of peak area versus monomer concentration for Bis-GMA.....	62
<b>Figure (26):</b> Standard curves of peak area versus monomer concentration for HEMA.....	63
<b>Figure (27):</b> Standard curves of peak area versus monomer concentration for TEGDMA .....	63
<b>Figure (28):</b> Standard curves of peak area versus monomer concentration for UDMA .....	64
<b>Figure (29):</b> Chromatogram of the standard monomers showing the retention time of HPLC peaks of HEMA, TEGDMA, UDMA, Bis-GMA under the experimental conditions .....	65
<b>Figure (30):</b> Microhardness tester.....	66
<b>Figure (31):</b> Indentation by Vickers Microhardness indenter .....	66
<b>Figure (32):</b> Thermocycler.....	67
<b>Figure (33):</b> A photograph of occlusal restored cavity with the tooth isolated by nail varnish except for the restoration and 1 mm around it .....	68
<b>Figure (34):</b> Automated water-cooled diamond saw .....	68
<b>Figure (35):</b> Stereomicroscope connected to a computer .....	68
<b>Figure (36):</b> Microphotograph 15X of the restoration after dye penetration.....	69
<b>Figure (37):</b> Schematic diagram representing the scoring system.....	69
<b>Figure (38):</b> Bar chart showing mean degree of conversion for different curing time within each packing techniques.....	73
<b>Figure (39):</b> Bar chart showing mean degree of conversion for different packing techniques within each curing time.....	74
<b>Figure (40):</b> Bar chart showing mean degree of conversion for different storage periods within each packing technique ...	75
<b>Figure (41):</b> Bar chart showing mean degree of conversion for different packing techniques within each storage period ...	76