

# بسم الله الرحمن الرحيم



**HOSSAM MAGHRABY**



# شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



**HOSSAM MAGHRABY**



# جامعة عين شمس

## التوثيق الإلكتروني والميكروفيلم

### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



## يجب أن


تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



**HOSSAM MAGHRABY**



# بعض الوثائق الأصلية تالفة



**HOSSAM MAGHRABY**





بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY



Faculty of Science  
Biochemistry Department

# **Development of novel systems for monitoring Hepatitis C Virus genotype 4a Non-Structural 3/4A protease activity**

A thesis submitted for the degree of Ph.D. in Biochemistry

*Submitted by*

**Mohamed Mohamed Naguib Qassium**  
(M.Sc. in Biochemistry 2011)

*Under the supervision of*

**Prof. Dr. Mohamed Ragaa Mohamed**  
Professor of Biochemistry & Molecular Biology  
Faculty of Science  
Ain Shams University

**Dr. Mohamed A. M. Ali**  
Assistant Professor of Biochemistry  
Faculty of Science  
Ain Shams University

**Faculty of Science  
Ain Shams University  
2019**

# Contents

Contents	Page
➤ Acknowledgements	
➤ List of abbreviations	i
➤ List of figures	v
➤ List of tables	vii
➤ Abstract	
➤ Introduction	1
➤ Aim of the work	5
➤ Review of literature	6
Hepatitis C virus and Hepatitis C	6
HCV genotypes	7
HCV viral particle	10
HCV genome and proteins	11
The 5' Untranslated region (UTR)	13
The 3' Untranslated region (UTR)	14
Processing of the viral polyprotein	15
Structural proteins	16
1. Core protein	16
2. Envelope glycoproteins E1 and E2	17
3. Protein p7	19
Non-structural proteins	20
1. NS2 protein	20
2. NS3 protein	21

3. NS4A protein	<b>23</b>
4. NS4B protein	<b>23</b>
5. NS5A protein	<b>24</b>
6. NS5B protein	<b>25</b>
7. ARFP/F protein	<b>26</b>
HCV Life cycle and viral replication	<b>28</b>
1. Attachment and entry	<b>30</b>
2. Polyprotein translation and processing	<b>34</b>
3. RNA replication	<b>36</b>
4. Virion assembly and release	<b>37</b>
Diagnosis of hepatitis C	<b>39</b>
1. Serological assays (Anti-HCV antibody detection)	<b>40</b>
2. HCV RNA measurement	
a) Qualitative assays for HCV RNA detection	<b>41</b>
b) Qualitative RT-PCR	<b>42</b>
c) Quantitative HCV RNA detection	<b>43</b>
d) Competitive PCR	<b>43</b>
e) Branched DNA hybridization assay (Versant HCV RNA 3.0 quantitative assay)	<b>44</b>
f) Real-time PCR-based HCV RNA detection assays	<b>45</b>
Treatment of HCV	<b>48</b>
New drugs for hepatitis C	<b>52</b>
1. NS3/4A protease inhibitors	<b>54</b>
2. NS5B polymerase inhibitors	<b>59</b>
3. NS5A inhibitors	<b>65</b>
4. Compounds targeting viral attachment and entry	<b>67</b>
5. Host factors as targets for HCV treatment	
a) Cyclophilin B inhibitors	<b>67</b>
6. RNA interference-based treatment strategies	<b>68</b>
Model systems for HCV research	<b>69</b>
1. HCV replicon system	<b>70</b>



2. HCV pseudotype virus particles (HCVpp)	72
3. Infectious HCV particles in cell culture (HCVcc)	73
4. Small animal models	74
➤ <b>Materials and Methods</b>	<b>76</b>
<b>Materials</b>	<b>76</b>
1. Purified rabbit anti-GST antibodies	76
2. Bacterial Strains	76
3. Vectors	76
4. Oligonucleotide primers	77
5. Culture Media: Luria-Bertani (LB) medium	77
6. Antibiotics	78
7. PCR reagents	78
8. Enzymes	79
9. Protein analysis reagents and antibodies	79
10. Kits	80
11. Supplies	80
12. Reagents	80
<b>Methods</b>	<b>92</b>
1. Polymerase chain reaction amplification of HCV NS3/4A protease cDNA fragments	92
2. Cloning of amplified HCV NS3 <sub>2-181</sub> segment into pGEM-T vectors followed by bacterial transformation into competent cells	95
a) Ligation reaction	96
b) Preparation of competent cells	97
c) Transformation of competent cells	98
d) Selection of positive transformants	99
• Blue/White color selection	99
• Cracking gel analysis	99
e) Small scale preparation from the white colonies	100
f) Restriction enzyme digestion of recombinant	

pGEM-T vector	<b>103</b>
• Restriction enzyme digestion	<b>103</b>
• Agarose gel electrophoresis	<b>104</b>
3. Subcloning of the HCV NS3/4A cDNA fragments into pGEX-4T-1 expression vector	
a) Preparation and digestion of the expression vector pGEX-4T-1 and the positive recombinant pGEM-T vectors	<b>104</b>
b) Ligation of the digested HCV DNA fragments and expression vector pGEX-4T-1	<b>106</b>
c) Preparation of competent cells and Transformation	<b>107</b>
d) Small scale plasmid DNA preparation of recombinant pGEX-4T-1 construct	<b>108</b>
e) Colony PCR	<b>108</b>
4. Expression of the fusion protein	<b>110</b>
a) Small scale induction of the fusion protein	<b>111</b>
b) Analysis of the expressed proteins	
• SDS-polyacrylamide gel electrophoresis (SDS-PAGE)	<b>111</b>
• Western blot analysis	<b>114</b>
5. Cloning of HCV5A/5B cleavage site into pGEM-T vector followed by transformation into competent cells	
a) Ligation reaction	<b>116</b>
b) Transformation of competent cells, selection of positive transformants and colony PCR	<b>117</b>
6. Co-transformation of the cells containing NS protease with $\beta$ -gal HCV 5A5B and $\beta$ -gal HCV mt5A5B plasmids	<b>117</b>
7. Assessment of the $\beta$ -galactosidase enzyme activity encoded by the recombinant pGEM-T vector containing either the native or mutant NS3/4A	

protease substrate	<b>118</b>
• $\beta$ -galactosidase Assay	<b>119</b>
8. Evaluation of the inhibitory potency of the test compounds on the activity of HCV NS3/4A protease	<b>120</b>
9. An alternative assay for measuring the $\beta$ -galactosidase activity to evaluate the inhibitory potency of the test compounds against HCV NS3/4A protease	<b>123</b>
<b>➤ Results</b>	<b>124</b>
Polymerase chain reaction amplification of HCV NS3/4A cDNA fragment	<b>124</b>
Cloning of the amplified HCV NS3/4A fragment into pGEM-T vector	<b>125</b>
Sub-cloning of the HCV NS3 protease frgment into the pGEX-4T-1 expression vector	<b>127</b>
Expression of the recombinant pGEX4T-1 containing the HCV NS3/4A protease sequence	<b>131</b>
Cloning of HCV5A/5B cleavage site into pGEM-T vector	<b>132</b>
Assessment of the $\beta$ -galactosidase enzyme activity encoded by recombinant pGEM-T vector containing the native or mutant NS3/4A protease substrate	<b>134</b>
Evaluation of the inhibitory potency of the test compounds on the activity of HCV NS3/4A protease	<b>136</b>
An alternative assay for measuring the $\beta$ -galactosidase activity to evaluate the inhibitory potency of the test compounds against HCV NS3/4A protease	<b>138</b>
<b>➤ Discussion</b>	<b>140</b>



➤ Summary	150
➤ References	152
➤ الملخص	
➤ المستخلص	

This thesis has not been submitted  
before to this or any other university

*Mohamed Mohamed Naquib gassium*

# ACKNOWLEDGEMENTS

First of all, cordial thankfulness to "Allah" who enabled me to finish this piece of work appropriately.

I am deeply indebted to **Prof. Dr. Amr Mahmoud Karim**, for his valuable supervision, continuous encouragement, patience and advice during this work.

I would like to express my deep appreciation and gratitude to **Prof. Dr. Mohamed Ragaa Mohamed**, for his consistent supervision, constructive suggestions and above all for his moral support and scientific guidance.

I also owe my sincere thanks and gratitude to **Dr. Mohamed A. M. Ali**, for his great support, helpful advice, valuable technical assistance and fruitful comments.

I wish to acknowledge my professors and colleagues in **Dr. Amr Karim's** laboratory and the Biochemistry Department for their support and assistance.



Finally, I would like to convey my thanks to my family for their support and encouragement.

*Mohamed Mohamed Naquib gassium*