


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم


قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات




يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار






بالرسالة صفحات
لم ترد بالأصل





بعض الوثائق الأصلية تالفة



**RANDOMIZED CONTROLLED DOUBLE MASKED
COMPARISON OF RECTAL MISOPROSTOL WITH
INTRAVENOUS OXYTOCIN AND ERGOMETRINE FOR
ACTIVE MANAGEMENT OF THIRD STAGE OF LABOR**

Thesis

**Submitted for the partial fulfillment of M.Sc. Degree in
Obstetrics & Gynecology**


618-2

A- H-

Presented by

Ahmed Hamdy Nagib Abdel-Rahman

MB. Bch. Ain Shams University, 1995



65804

Under The Supervision of

Prof. Dr. Alaa Eldin M.K Eletriby

Professor of Gynaecology & Obstetrics,
Ain Shams University

Prof. Dr. Khaled Mohammed Aziz Diab

Professor of Gynaecology & Obstetrics,
Ain Shams University

Faculty of Medicine
Ain Shams University
2000

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

﴿قَالُوا سُبْحَانَكَ لَا عِلْمَ

لَنَا إِلَّا مَا عَلَّمْتَنَا إِنَّكَ

أَنْتَ الْعَلِيمُ الْحَكِيمُ﴾

صدق الله العظيم

البقرة/ آية (٣٢)

175
176

Acknowledgement

Before and above all, thanks to ALLAH to whom I always pray to bless my work.

I wish to express my deepest gratitude and appreciation to ***Prof. Dr. Alaa Eldin M.K Eletriby***, Professor of Gynaecology & Obstetrics, Ain Shams University, for his help, sincere guidance and support he offered throughout this work.

I would also like to express my endless appreciation to ***Prof. Dr. Khaled Mohammed Aziz Diab***, Professor of Gynaecology & Obstetrics, Ain- Shams University, for his sincere guidance, meticulous supervision and valuable instructions and suggestions.

I am particularly grateful to colleagues and the patients who so willingly help me to achieve this work.

CONTENTS

Title	Page
• Introduction & Aim of the work	1
• Review of literature	3-82
- Research Study Design	3
- Third Stage of Labor	16
- Misoprostol	44
- Routes of Drug Administration	75
• Material and Methods	83
• Results	87
• Discussion	98
• Summary and Conclusion	105
• References	108
• Arabic summary.	

100

100

LIST OF TABLES

Table No.	Title	Page
1	Shows comparison of demographic data between group A [misoprostol (M) group] and group B [oxytocin-ergometrine (O-E) group] and group C [Ergometrine (Erg) group].....	90
2	Shows comparison between the three groups as regards cervical dilatation and effacement on admission and rupture of membranes-delivery interval	91
3	Shows comparison of data of 1 st and 2 nd stages intervals (total oxytocin units and fluids used, labor type anaesthesia used and fetal weight of the three groups	92
4	Shows comparison of outcome assessment between 3 groups as regard duration of the third stage, blood loss during the third stage, number of patients who need more ecbolics and adverse effects	93
5	Shows comparison of haematological assessment intrapartum and postpartum between the three groups	94
6	Shows comparison of blood pressure postpartum between the three groups after 1 hr, 2 hrs, 3 hrs and 4 hrs	95
7	Shows the number of patients whose systolic blood pressure >140 and diastolic >100 after 1 hr, 2 hrs, 3 hrs and 4 hrs after delivery.....	96
8	Shows comparison of pulse (beat/min) postpartum between the three groups after 1 hr, 2 hrs, 3 hrs and 4 hrs	97

