


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم


قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات




يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار






بالرسالة صفحات
لم ترد بالأصل





بعض الوثائق الأصلية تالفة



Management of Perioperative Hypertension


Comparative Study Between
Isradipine and Hydralazine

**Thesis Submitted for Partial Fulfillment
of M.D. Degree in Anesthesiology**

BY

Ihab Reda Atef

M.B.B.Ch., M.Sc. (Ain Shams)



617.967

I. R

Supervised By

Prof. Dr. Salwa Mehanny Abdel Malek

*Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

65801

Prof. Dr. Ahmed Abdel Kader Sayed Sheesh

*Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

Prof. Dr. Soheir Abbas Sadek


*Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*



Dr. Bassem Boulos Ghabrial

*Lecturer of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

**Faculty of Medicine
Ain Shams University
*** 2000 *****



Acknowledgment

First of all, I thank **God** for enlightenment, knowledge and understanding that he grants us.

It would like to express my deepest gratitude to **Prof. Dr. Salwa Mehanny Abdel Malek**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for her care and concern and constant encouragement for me throughout this work. With her vast scientific knowledge and expertise she followed this work up till it came out to light.

I am greatly indebted to **Prof. Dr. Ahmed Abdel Kader Sayed Sheesh**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his kind and patient supervision, his guidance and sincere advice; his care and concern really touched me.

I feel grateful to **Prof. Dr. Soheir Abbas Sadek**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for her kindness, her guidance and enthusiasm with which she followed up this work.

Last but not least, I would like to express my deepest thanks to **Dr. Bassem Boulos Ghabrial**, Lecturer of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his meticulous supervision and his valuable criticism, discussion and suggestions.

Ihab Reda

List of Contents

	PAGE
Introduction	1
Review of Literature	2 - 40
Perioperative Hypertension	2 - 14
Pregnancy-Induced Hypertension (PIH)	15 - 26
Pharmacology of Isradipine	27 - 35
Pharmacology of Hydralazine	36 - 40
Patients and Methods	41 - 47
Results	48 - 119
Discussion	120 - 131
Summary	132 - 134
References	135 - 148
Arabic Summary	1 - 3

List of Tables

No.	Table	Page
Table (1):	Hypertensive emergencies and urgencies.	3
Table (2):	Hemodynamic variables contributing to hypertension.	6
Table (3):	Conditions commonly associated with severe perioperative hypertension.	6
Table (4):	Pathologic conditions commonly associated with moderate to severe perioperative hypertension.	7
Table (5):	Non-cardiac conditions commonly associated with perioperative hypertension.	8
Table (6):	Mechanism of pulmonary edema in preeclampsia - eclampsia.	20
Table (7):	Types of operations (Group I).	41
Table (8):	Types of operations (Group II)	42
Table (9):	Mean value, standard deviation and statistical significance of age, weight and sex of patients in group I.	49
Table (10):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup A.	50-51
Table (11):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP and HR in the preinduction period in subgroup A.	52
Table (12):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup B.	53-54
Table (13):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP and HR in the preinduction period in subgroup B.	55
Table (14):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup C.	56-58
Table (15):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP and HR in the preinduction period in subgroup C.	59

No.	Table	Page
Table (16):	Mean, standard deviation, minimum and maximum values of the time taken to reach the therapeutic response in the 3 subgroups.	59
Table (17):	ANOVA test for comparison of the mean values of the time taken to reach the therapeutic response between the 3 subgroups.	60
Table (18):	ANOVA test for comparison of the mean values of the change of SBP, DBP, MAP and HR between the 3 subgroups in the preinduction period.	62
Table (19):	ANOVA test for comparison of the mean values of the change of SBP, DBP, MAP and HR at 1 minute after induction and endotracheal intubation between the 3 subgroups.	65
Table (20):	ANOVA test for comparison of the mean change of SBP, DBP, MAP, and HR at 5 minutes after induction and endotracheal intubation between the 3 subgroups.	68
Table (21):	Mean value, standard deviation and statistical significance of age, weight and sex of patients in group II.	71
Table (22):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup A.	72-74
Table (23):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, and HR in subgroup A.	75
Table (24):	ANOVA test for analysis of means of SBP, DBP, MAP, and HR during 30 minutes observation after the therapeutic response was achieved in subgroup A.	76
Table (25):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup B.	77-78
Table (26):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, and HR in subgroup B.	79

No.	Table	Page
Table (27):	ANOVA test for analysis of means of SBP, DBP, MAP, and HR during 30 minutes observation after the therapeutic response was achieved in subgroup B.	80
Table (28):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP and HR in subgroup C.	81-84
Table (29):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, and HR in subgroup C.	85
Table (30):	ANOVA test for analysis of means of SBP, DBP, MAP, and HR during 30 minutes observation after the therapeutic response was achieved in subgroup C.	86
Table (31):	Mean, standard deviation, minimum and maximum values of the time taken to reach therapeutic response in the 3 subgroups.	87
Table (32):	ANOVA test for comparison of the mean values of the time taken to reach the therapeutic response in the 3 groups.	87
Table (33):	ANOVA test for comparison of the mean values of the change of SBP, DBP, MAP, and HR between the 3 subgroups.	89
Table (34):	Mean value, standard deviation and statistical significance of age, weight and sex of patients in group III.	92
Table (35):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP, HR and FHR in subgroup A.	93-95
Table (36):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, HR, and FHR in the preinduction period in subgroup A.	96
Table (37):	Mean, standard deviation, minimum and maximum values of Apgar score at 1st and 5th minutes after delivery in subgroup A.	96
Table (38):	ANOVA test for analysis of mean values of SBP, DBP, MAP, and HR in the postinduction period in subgroup A.	97

No.	Table	Page
Table (39):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP, HR and FHR in subgroup B.	98-100
Table (40):	Mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, HR, and FHR in the preinduction period in subgroup B.	101
Table (41):	Mean, standard deviation, minimum and maximum values of Apgar score at 1st and 5th minutes after delivery in subgroup B.	101
Table (42):	ANOVA test for analysis of mean values of SBP, DBP, MAP, and HR in the postinduction period in subgroup B.	102
Table (43):	The mean, standard deviation, minimum and maximum values of SBP, DBP, MAP, HR and FHR in subgroup C.	103-106
Table (44):	The mean value, standard deviation and statistical significance of the change of SBP, DBP, MAP, HR, and FHR in the preinduction period in subgroup C.	107
Table (45):	Mean, standard deviation, minimum and maximum values of Apgar score at 1st and 5th minutes after delivery in subgroup C.	107
Table (46):	ANOVA test for analysis of mean values of SBP, DBP, MAP, and HR in the postinduction period in subgroup C.	108
Table (47):	Mean, standard deviation, minimum and maximum values of the time taken to reach the therapeutic response.	109
Table (48):	ANOVA test for comparison of the mean values of the change of SBP, DBP, MAP, HR, and FHR in the preinduction period between the 3 subgroups.	110
Table (49):	ANOVA test for comparison of the mean values of the time taken to reach the therapeutic response in the 3 subgroups.	113
Table (50):	ANOVA test for comparison of the mean values of Apgar score between the 3 subgroups.	115
Table (51):	ANOVA test for comparison between the 3 subgroups as regard the mean values of change of SBP, DBP, MAP, and HR at 1 minute after induction and endotracheal intubation.	117