#### B-type Natriuretic Peptide (BNP) and Troponin I (Tnl) As Possible Predictive Biomarkers for Cardiotoxicity Induced by Tricyclic Antidepressant and Antipsychotics Overdose

#### Thesis

# Submitted for Partial Fulfillment of Master Degree in Clinical Coxicology

#### By

#### Aya Sabry Mohamed Mohamed

Demonstrator of Forensic Medicine and Clinical Toxicology Department Faculty of Medicine-Ain shams University

#### Under Supervision of

#### **Prof. Manal El-Said Abdel Salam**

Professor and Head of Forensic Medicine and Clinical Toxicology Department Faculty of Medicine – Ain Shams University

#### Prof. Hoda Mohamed Salah Eldin Abd El Aziz

Assistant Professor in Forensic Medicine and Clinical Toxicology Department Faculty of Medicine - Ain Shams University

> Faculty of Medicine Ain Shams University 2019



سورة البقرة الآية: ٣٢

#### Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Manal El-Said**Abdel Salam, Professor and Head of Forensic Medicine and Clinical Toxicology Department, Faculty of Medicine – Ain Shams University, for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Prof. Hoda**Mohamed Salah Eldin Abd El Aziz,

Assistant Professor in Forensic, Medicine and Clinical Toxicology Department, Faculty of Medicine - Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I would like to express my hearty thanks to all my family and my friends for their support till this work was completed.

Aya Sabry

### List of Contents

Title	Page No.
List of Tables	i
List of Figures	vi
List of Abbreviations	ix
Introduction	1
Aim of the Work	16
Review of Literature	
Cyclic Antidepressants	17
Antipsychotics	43
Cardiovascular Biomarkers	68
Patients and Methods	83
Results	101
Discussion	141
Conclusion	166
Recommendations	167
Summary	168
References	171
Arabic Summary	

### List of Tables

Table No.	Title Page No.
<b>Table (1):</b>	Modified list of some of cyclic antidepressants and their trade names
<b>Table (2):</b>	Mechanism of Tricyclic Antidepressant Cardiovascular Toxicity
<b>Table (3):</b>	Clinical features and complications of tricyclic antidepressant overdose
<b>Table (4):</b>	List of most commonly used antipsychotics 44
<b>Table (5):</b>	Classification of antipsychotics according to potency
<b>Table (6):</b>	Characteristics of an ideal cardiac marker 68
<b>Table (7):</b>	Classification of biomarkers
<b>Table (8):</b>	Suggested Cutoff Values for Clinical Applications of Natriuretic Peptides
<b>Table (9):</b>	Normal Ranges and Suggested Febrile Thresholds for Human Body Temperature
<b>Table (10):</b>	Categories of BP in Adults 85
<b>Table (11):</b>	Normal vital signs at various ages 85
<b>Table (12):</b>	Reed's classification of the level of consciousness
<b>Table (13):</b>	Poison severity score
<b>Table (14):</b>	Used sheet for data collection
<b>Table (15):</b>	Chi-Square statistical analysis showing comparison between the two studied groups as regards type of drug
<b>Table (16):</b>	Student's T-Test statistical analysis of age distribution in the studied groups

Table No.	Title	Page No.
Table (17):	Chi-Square statistical analysis Demographic and exposure chara among patients in the two groups	cteristics
<b>Table</b> (18):	Chi-Square statistical analysis comparison between the two groups a vital data	as regard
<b>Table (19):</b>	Chi-Square statistical analysis comparison between the two studied regard vital data	drugs as
<b>Table (20):</b>	Chi-Square statistical analysis comparison between the two groups a grading of coma	as regard
<b>Table (21):</b>	Chi-Square statistical analysis comparison between the two studied regard grading of coma	drugs as
<b>Table (22):</b>	Chi-Square statistical analysis co seizures and agitation between the tw	
<b>Table (23):</b>	Chi-Square statistical analysis comparison between the two studie (TCAs & Antipsychotics) as regard and agitation	ed drugs seizures
<b>Table (24):</b>	Chi-Square statistical analysis show finding in the two groups	_
<b>Table (25):</b>	Chi-Square statistical analysis comparison between the two studie (TCAs & Antipsychotics) as regardinding	ed drugs rd ABG
<b>Table (26):</b>	Chi-Square statistical analysis Na+&K+ abnormality in the two group	O

Table No.	Title	Page No.
Table (27):	Chi-Square statistical analysis comparison between the two studie (TCAs & Antipsychotics) as regard abnormality	ed drugs Na+&K+
<b>Table (28):</b>	Chi-Square statistical analysis showing observations in the two groups	•
<b>Table (29):</b>	Chi-Square statistical analysis comparison between the two studie (TCAs & Antipsychotics) as regard observations	ed drugs rd ECG
<b>Table (30):</b>	Student's t-test statistical analysis of and QT <sub>C</sub> in the studied groups	. •
<b>Table (31):</b>	Student's t-test statistical analysis mean length of stay in ICU and total stay in the two groups	hospital
<b>Table (32):</b>	Student's t-test statistical analysis mean length of stay in ICU and total stay in the two studied drugs (Antipsychotics)	hospital ΓCAs &
Table (33):	Chi-Square statistical analysis outcome in the two groups	
Table (34):	Chi-Square statistical analysis comparison between the two studie (TCAs & Antipsychotics) as regroutcome	ed drugs ard the
<b>Table (35):</b>	Chi-Square showing complications in groups	

Table No.	Title	Page No.
Table (36):	Chi-Square statistical analysis comparison between the two studied regard complications	drugs as
<b>Table (37):</b>	Student's t-test statistical analysis mean PSS score in the two groups	
<b>Table (38):</b>	Student's t-test statistical analysis mean PSS score in the two studio (TCAs & Antipsychotics)	ed drugs
Table (39):	Student's t-test statistical analysis mean Troponin I and BNP level in groups	the two
<b>Table (40):</b>	Student's t-test statistical analysis mean Troponin I and BNP level in studied drugs (TCAs & Antipsychotics	the two
<b>Table (41):</b>	Student's t-test/one way ANOVA s analysis showing mean Troponin I relation to gender, pulse, bl.pr a finding	level in nd ECG
<b>Table (42):</b>	Student's t-test/one way ANOVA s analysis showing mean BNP level in to gender, pulse, bl.pr and ECG findir	relation
<b>Table (43):</b>	Correlation between biomarke cardiotoxicity to PSS	
<b>Table (44):</b>	Correlation between biomarks cardiotoxicity to length of ICU &total stay	hospital
<b>Table (45):</b>	Correlation of biomarker levels	to ECG

Table No.	Title	Page No.
Table (46):	Sensitivity and specificity of BNP I in diagnosis of cardiotoxicity	-
Table (47):	Sensitivity and specificity of PSS of cardiotoxicity	•

## List of Figures

Fig. No.	Title	Page No.
Figure (1):	The chemical structure of antidepressants	-
Figure (2):	Polymorphic ventricular tachyo Torsade de pointes type	
Figure (3):	The electrocardiogram of a poisoned by a tricyclic antidepress tracing shows mild tachycardia interval lengthening in additionoticeable terminal R wave in least	sant; The and QRS on to a
Figure (4):	Brugada type 1 ECG pattern in with TCA intoxication	-
Figure (5):	12-lead ECG from a patient poiso a TCA before and after bicarbonate therapy	$\operatorname{sodium}$
Figure (6):	Classification and structure antipsychotic drugs	
Figure (7):	Type of drug among patients in groups	
Figure (8):	Distribution of age in betwee groups	
Figure (9):	Grading of coma among the two g	roups108
<b>Figure (10):</b>	Grading of coma according to typ (TCAs & Antipsychotics)	_
<b>Figure (11):</b>	Seizures and agitation in the two	groups 110
<b>Figure</b> (12):	Seizures and agitation according drug (TCAs & Antipsychotics)	v <b>-</b>
<b>Figure</b> (13):	ABG finding in the two groups	112

#### List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (14):	ABG finding according to type (TCAs & Antipsychotics)	
<b>Figure (15):</b>	Na+&K+ abnormality in the two gr	oups 114
<b>Figure (16):</b>	Na+&K+ abnormality according to drug (TCAs & Antipsychotics)	· -
<b>Figure (17):</b>	ECG observations in the two groups	s116
<b>Figure</b> (18):	ECG observations according to drug (TCAs & Antipsychotics)	
<b>Figure (19):</b>	The mean length of hospital stay two groups.	
<b>Figure (20):</b>	The mean length of ICU stay in groups.	
Figure (21):	The mean length of hospital according to type of drug (To Antipsychotics).	CAs &
Figure (22):	The mean length of ICU stay according type of drug (TCAs & Antipsychotic	•
<b>Figure (23):</b>	The outcome in the two groups	123
<b>Figure (24):</b>	The outcome according to type (TCAs & Antipsychotics)	
<b>Figure (25):</b>	Complications in the two groups	125
<b>Figure (26):</b>	Complications according to type (TCAs & Antipsychotics)	
<b>Figure (27):</b>	Mean PSS score in the two groups.	127
Figure (28):	Mean PSS score according to type (TCAs & Antipsychotics)	_
<b>Figure (29):</b>	Mean troponin I level in the two gro	oups 129

## List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (30):	Mean BNP level in the two groups.	130
<b>Figure</b> (31):	Mean troponin I level according to drug (TCAs & Antipsychotics)	v <b>-</b>
<b>Figure (32):</b>	Mean BNP level according to type (TCAs & Antipsychotics)	_
<b>Figure (33):</b>	Mean Troponin I level in relagender	
<b>Figure</b> (34):	Mean BNP level in relation to pressure	
<b>Figure (35):</b>	Correlation of BNP level to $QT_{\mathrm{C}}$ int	erval 137
<b>Figure (36):</b>	ROC curve of BNP for the diagrandiotoxicity.	
<b>Figure</b> (37):	ROC curve of cTnI for the diagrandiotoxicity.	
<b>Figure (38):</b>	ROC curve of PSS score for the di	· ·

#### List of Abbreviations

Abb.	Full term
°C	Dograa Calsius
	. Arterial blood gases
	. Acute Decompensated Heart Failure
	. Alanine aminotransferase
	. Atrial natriuretic peptide
Aps	
_	. Acute respiratory distress syndrome
	. Aspartate aminotransferase
	. Arginine vasopressin
	. Brugada electrocardiographic pattern
	. Body mass index
	. B-type natriuretic peptide
	. Cyclic antidepressants
CK	
	. C-type natriuretic peptide
	. Central nervous system
	. Chronic obstructive pulmonary disease
	. Cardiac troponins
	. Cardiovascular system
	Distolic Blood Perssure
	$.\ Electrocardiogram$
	. Electroconvulsive therapy
	. Ejection fraction
	. Enzyme Linked Immunosorbent Assay
	. Extrapyramidal syndrome
	. Flavin-containing monooxygenase

## List of Abbreviations (Cont...)

Abb.	Full term
<i>HF</i>	Heart failure
	. Heart-type fatty acid binding protein
	. Horseradish peroxidase
	. Intensive Care Unit
<i>IL</i>	. Interleukin
<i>ILE</i>	. Intravenous lipid emulsion
	. Intravenous push
K	. Potassium
LV	. Left ventricular
LVEF	. Left ventricular ejection fraction
<i>MAP</i>	. Mean arterial pressure
mEq/L	. Milliequivalent/liter
mg	. Milligram
mg/dl	. Milligram / deciliter
<i>MI</i>	. Myocardial infarction
mmHg	. Millimeter mercury
mmol/L	. millimol/liter
<i>MPO</i>	. Myeloperoxidase
msec	$.\ Millisecond$
<i>NAFLD</i>	. Non-alcoholic fatty liver disease
<i>NE</i>	. Norepinephrine
<i>NMS</i>	. Neuroleptic malignant syndrome
PCC-ASUH	. Poison Control Center of Ain Shams University Hospitals
Pg/mL	. Picogram / milliliter
<i>PSS</i>	. Poisoning severity score

#### List of Abbreviations (Cont...)

Abb.	Full term
<i>RAD</i>	Right-axis deviation
<i>RBS</i>	Random blood sugar
<i>RV</i>	Right ventricular
<i>SBP</i>	Systolic Blood Pressure
TCAs	Tricyclic antidepressants
<i>TdP</i>	Torsades de Pointes
TNF	Tissue necrosis factor
VF	Ventricular fibrillation