

سامية محمد مصطفى



شبكة المعلومات الجامعية

# بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



سامية محمد مصطفى



شبكة المعلومات الجامعية



# شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



# بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل



Zagazig University  
Faculty of Science  
Physics Department.

**COMPARATIVE STUDY BETWEEN PLANNER  
SCINTIGRAPHY AND SPECT IN CASES  
WITH BONE METASTASES**

*A thesis*

Submitted in Partial Fulfillment for the Requirements of the  
Master Degree of Science in Nuclear Physics

*By*

*Abd-Elghany Abd-Elfattah Hassan*

*B.Sc., Physics, 1992*

*Under the supervision of*

*Prof. Dr. B. A. Tartoure*

Professor of Physics and Vice Dean  
Faculty of Science - Zagazig University

*Prof. Dr. G. A. Ziada*

Professor of Nuclear Medicine  
Faculty of Medicine -  
Cairo University

*Prof. Dr. F. A. Tantawy*


Professor and the Head of Radiology  
Department Faculty of Medicine -  
Zagazig University

B

1995

1357C





قالوا سبحانك

لا يعلم لنا إلا ما علمتنا إنك أنت الحكيم الحكيم

مدن الله العظيم

سورة البقرة آية ٢٢



## ACKNOWLEDGEMENT

I wish to express my deepest thanks and sincere gratitude to *Prof. Dr. B. A. Tartoure*, Professor of Physics, and Vice Dean of the Faculty of Science, Zagazig University, for his kind supervision, fruitful discussions and helpful criticism. In fact, I am deeply indebted to him for his indispensable and valuable time devoted in preparing this thesis.

I wish also to express my sincere gratitude and deepest thanks to *Prof. Dr. F. A. Tantawy*, Professor and Head of Radiology department, Faculty of Medicine, Zagazig University, for his valuable guidance, kind help and stimulating discussions.

My everlasting thanks and high appreciation to *Prof. Dr. G. A. Ziada*, Professor of Nuclear Medicine, Faculty of Medicine, Cairo University, for his kind help, valuable guidance and continuous encouragement throughout the course of research.

I am pleased to express special thanks to *Prof. Dr. Z. A. Awwad*, Professor and Head of Physics department, Faculty of Science, Zagazig University, for his kind assistance and cooperation.

I wish also to express my sincere gratitude and deepest thanks to *Prof. Dr. A. H. Bassyouni*, Professor of atomic Physics, and Dean of the Faculty of Science, Zagazig University, for his kind assistance and cooperation.

I am pleased to express special thanks also to *Dr. T. Talaat*, Lecturer of Physics, Faculty of Science, Zagazig University, for his kind assistance and cooperation.

Thanks are extended to all the group of the Nuclear Medicine Unit, for their kind help during the research.



# CONTENTS

	Page
<b>ACKNOWLEDGEMENT</b> .....	I
<b>CONTENTS</b> .....	II
<b>LIST OF FIGURES</b> .....	VI
<b>ABSTRACT</b> .....	VIII
<b>INTRODUCTION</b> .....	1
<b>CHAPTER I: SCINTILLATION GAMMA CAMERA</b>	
1.1 Introduction and Over View .....	8
1.2 Collimators .....	9
1.2.1 Pinhole Collimator .....	9
1.2.2 Parallel - Hole Collimator .....	11
1.2.3 Converging Collimator .....	12
1.2.4 Diverging Collimator .....	13
1.3 Detectors .....	14
1.3.1 Scintillation Crystal .....	15
1.3.2 Photomultiplier Tube Array .....	16
1.4 Electronics .....	19
1.4.1 High - Voltage Power Supply .....	19
1.4.2 Preamplifier .....	20
1.4.3 Amplifier .....	20
1.4.4 Positioning Circuits .....	21
1.4.5 Pulse - Height Analyzers .....	21
1.4.6 Lower Level Discrimination .....	22
1.4.7 Spectrometry .....	23

1.4.8 The Gamma Spectrum .....	24
1.4.9 Rotation And Orientation .....	25
1.4.10 Cathode Ray Tube Display CRT .....	26
1.4.11 Scaler - Timer System .....	27
1.5 Operational Characteristics of Scintillation Cameras	27
1.5.1 Sensitivity .....	27
1.5.2 Resolving Time .....	28
1.5.3 Spatial Resolution .....	30
1.5.4 Object Contrast .....	33
1.6 Digital Gamma Camera Model GCA-901A/HG Toshiba .....	34
1.7 Multicrystal Camera .....	36

## **CHAPTER II: TOMOGRAPHY**

2.1 Introduction .....	46
2.2 Acquisition Parameters .....	49
2.2.1 Matrix Selection .....	50
2.2.2 Projections Per Rotation .....	51
2.2.3 Acquisition Time .....	52
2.2.4 Radius of Rotation .....	53
2.3 Processing Techniques .....	54
2.3.1 Filters .....	54
2.3.2 Noise .....	55
2.3.3 Frequency .....	55
2.3.4 Ramp Filter .....	57
2.3.5 Three - Dimensional Filtering .....	58
2.4 Mathematics of Filters/Window Used in SPECT Reconstruction .....	60

2.4.1 Ramp Filter without a Window Function .....	61
2.4.2 Shepp and Logan without the Ramp Filter .....	61
2.4.3 Ramp with Shepp and Logan .....	62
2.4.4 Ramp Filter when Multiplied to the Shepp & Logan .....	62
2.4.5 Butterworth Filter with a Ramp Filter Overlay .....	63
2.4.6 Ramp Filter Multiplied to the Butterworth Filter ...	63
2.5 SPECT Routine Quality Control .....	64
2.5.1 Center of Rotation .....	64
2.5.2 Uniformity Correction .....	65
2.5.3 Pixel Sizing .....	67
2.6 Bone SPECT .....	68
2.7 SPECT Data - Collection Example .....	70

### **CHAPTER III: BONE SCAN**

3.1 Introduction .....	72
3.1.1 Anatomy .....	73
3.1.2 Physiology .....	73
3.1.3 Formation .....	75
3.1.4 Mineralization .....	75
3.1.5 Normallysis .....	76
3.1.6 Circulation .....	76
3.1.7 Bone Imaging Purpose .....	77
3.1.8 Indications for Bone Scanning .....	78
3.2 Radiopharmaceuticals .....	79
3.2.1 Introduction .....	79
3.2.2 Generators .....	80
3.2.3 <sup>99</sup> MO- <sup>99m</sup> Tc Generator system .....	81
3.2.4 Technetium .....	82

3.2.5 $^{99m}\text{Tc}$ -Labelled Phosphates & Mechanism of Uptake	83
3.2.6 $^{99m}\text{Tc}$ -Radiopharmaceuticals for Bone Imaging	87
3.3 MDP-Methylene Diphosphonate	90
3.3.1 Formula	90
3.3.2 Storage	90
3.3.3 Action	90
3.3.4 Indications and Dosage	90
3.3.5 Contraindications	91
3.3.6 Radiation dosimetry	91

#### **CHAPTER IV: MATERIALS AND METHOD**

4.1 Materials	97
4.2 Methods	98

#### **CHAPTER V: RESULTS, DISCUSSION AND CONCLUSION**

5.1 Results	101
5.2 Discussion	127
5.3 Conclusion	134

<b>REFERENCES</b>	135
-------------------	-----

#### **ARABIC SUMMARY**