


بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HOSSAM MAGHRABY

جامعة عين شمس


التوثيق الإلكتروني والميكروفيلم
قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HOSSAM MAGHRABY



بعض الوثائق

الأصلية تالفة




HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل




HOSSAM MAGHRABY

**Endoscopic Subfascial Perforator
Interruption And Its Role In
Varicose Ulcer Healing**

B11109

Thesis



Submitted in partial fulfillment of the
M.D. degree in general surgery

By

Mostafa El-Syed Saleh

M.B.B.Ch., M.Sc.

Supervised by

PROF. DR. HAMED RASHAD

Prof. and head of surgery department
Benha faculty of medicine

PROF. DR. AHMED SHAWKI

Prof. of general surgery
Benha faculty of medicine

PROF. DR. MAHMMOUD EL GAMAL

Ass. Prof. Of general surgery
Benha faculty of medicine

DR . ATEF ABD EL GHANY

Lecturer of general surgery
Benha faculty of medicine

Benha Faculty of Medicine

Zagazig University

2002

7-113

... by ...
...

...
...

ACKNOWLEDGEMENT

Thanks to God for helping me to complete this work.

*I would like to express my unlimited and deepest appreciation and great thanks to **Prof. Dr. Hamed Rashed**, Professor and Head of General, Surgery, Benha Faculty of Medicine, Zagazig University, for his precious advice, kind instructions, close supervision and continuous encouragement that were very helpful in finishing this work.*

*Actually, it was a great honor to be supervised by **Prof. Dr. Ahmed Shawki**, Professor of General surgery, Benha Faculty of Medicine, Zagazig university.*

*I would like to express my sincere thanks to **Prof. Dr. Mahmmound El Gamal**, Ass. Prof. Of General surgery, Benha Faculty of Medicine, Zagazig University and **Dr. Atef Abd El Ghany**, Lecturer of General surgery, Benha Faculty of Medicine, Zagazig University for their kind help, precious thoughts and valuable supervision.*



1927-1928

200



Acknowledgment



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قَالَ لَوْلَا أُسْبِحُ بِكَ لَأَجَلِي

لِنَارِ الْأَمْنِ وَالسُّنَنِ

أَنْتَ الْعَلِيمُ الْكَابِرُ

صدق الله العظيم

آية رقم ٣٢ من سورة البقرة

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

List of Figures

Review of literature

	Page
Fig (1) Low termination of the great saphenous vein	7
Fig (2) Sapheno femoral junction – variation	9
Fig (3) Level of penetration of deep fascia by short saphenous veins	11
Fig (4) Level of sapheno popliteal junction	12
Fig (5) : Varieties of communications between the deep femoral and superficial femoral veins	15
Fig (6) Medial superficial & perforating veins of the leg	18
Fig (7) Superficial & perforating veins in the medial side of leg (cross- section)	19
Fig (8) Compartment & medial veins of the leg (cross – section)	19
Fig (9) Representation of a longitudinal section through a venous valve	23
Fig (10) Representation of the location of valves & direction of flow	24
Fig (11) Relative distribution and Frequency of valves in the deep system from inguinal ligament to the knee	27
Fig (12) Relative distribution and Frequency of valves in the deep system Proximal to inguinal ligament	28
Fig (13) Different zones of the leg	30
Fig (14) Arrangement of the two lamellae of the deep fascia	32
Fig (15) Extensions of the deep fascia.	33
Fig (16) Cutaneous vascular territories	35
Fig (17) Cutaneous vascular bed	37
Fig (18) Transverse section at the gaiter area shows fascio-cutaneous perforators	38
Fig (19) Venous pressure at different points	41
Fig (20) Distribution of blood volume	42
Fig (21) Cross section of venous lumen at various transluminal pressure	43
Fig (22) Flow through collapsible tube	46
Fig (23) Dynamics of venous blood flow in response to calf muscle contraction in a normal limb	48
Fig (24 A, B) Normal and pathological function of the calf pump	54-55
Fig (25) Increased capillary permeability	61
Fig (26) Atrophic microangiopathy pattern	63
Fig (27) Hypertrophic microangiopathy pattern	64
Fig (28) Diffusion block (fibrin cuff).....	66
Fig (29) A-V shunts	68
Fig (30) White cell mechanisms suggested to be important in the production of venous ulcer... 72	72
Fig (31) Mechanisms suggested that results in venous ulceration	73
Fig (32 A, B) Cutaneous manifestations of chronic venous insufficiency	78-79
Fig (33) Telangiectases. Reticular veins and varicose veins	80
Fig (34) Patient with varicose veins being assessed by duplex ultrasound	84
Fig (35) Color – flow duplex ultrasound showing thrombosis in the popliteal vein	84
Fig (36) Application of medicated past bandage.....	91
Fig (37) Femoro- femoral cross- over graft	100
Fig (38) In situ sapheno popliteal anastomosis	101
Fig (39) Valve repair	104
Fig (40) Valve transplantation.....	105
Fig (41) Small incision for subfascial ligation of perforators	108
Fig (42) Correct method for subfascial ligation of perforators	109
Fig (43) Linton's procedure for subfascial ligation of perforators.....	111
Fig (44) Rob type of subfascial ligation of perforators	111
Fig (45) Olympus endoscope designed for subfascial perforator ligation	113
Fig (46) Application of ports used in SEPS	113
Fig (47) A stretched incompetent perforating vein (endoscopic view)	116
Fig (48) Division of perforating vein with endoscopic scissors	116
Fig (49) The process of take	120
Fig (50) Lower leg muscles available for transposition	123
Fig (51) Transposition of tibialis for transposition	125
Fig (52) Gracilis free muscle flap	129

Patients, Methods and Results

	Page
Fig (1 - a): Color duplex view of incompetent perforators	13
Fig (1-b): Color duplex view of incompetent perforators	13
Fig (1-c) : Color duplex view of saphenofemoral incompetence	13
Fig (2): Show the ulcer sites of ankle perforators after sterilization of the limb with marks over the blow outs	138
Fig (3) : Tourniquet is applied	138
Fig (4) : 1st incision showing the fascia opened	139
Fig (5) : 1st 10 mm laproscopic port is applied for insufflation	139
Fig (6) : The 2nd incision showing fascia underneath	140
Fig (7) : 2nd laproscopic port is applied through the 2nd incision	140
Fig (8-a): Showing a large perforating vein before dissection.	141
Fig (8-b): Showing the same case after the dissection	141
Fig (8-c): Showing another large perforating vein before the dissection	142
Fig (8-d) : showing endoscopic views of the perforating veins in the subfascial space	142
Fig (9): Shows the 5-mm Bipolar diathermy probe used in the study.	143
Fig (10): Shows endoscopic view of diathermy probe applied to one of the perforating veins	143
Fig (11) : Shows endoscopic view during application of diathermy current.....	144
Fig (12) : Shows endoscopic view of the diathermized perforating vein.	144
Fig (13) : Shows the endoscopic scissors used to cut the diathermized perforating vein.	145
Fig (14) : Shows endoscopic view of the divided ends of the diathermized vein.	145
Fig (15) : Shows the incisions after closure using 2/0 Vicryl suture.....	146
Fig (16) : Shows age and sex distribution among our 40 patients	148
Fig (17): Show the sex distribution of these finding among our 40 patients.	150
Fig (18): Shows presenting symptoms and signs of our 40 patients.....	152
Fig (19): Clinical data on venous ulcer of our 40 patients	154
Fig (20): Data gained from preoperative color flow duplex ultrasound scanning on the lower limb veins in our 40 patients.	156
Fig (21): Mean values of some parameters in the study.	158
Fig (22): Operative procedures done on our 40 patients	160
Fig (23) Postoperative color flow duplex scanning.	162
Fig (24) : Early postoperative complications in our 40 patients	164
Fig (25): Postoperative outcome of ulcer healing	167
Fig (26): Ancillary procedures done in our 40 patients in relation to the postoperative outcome of ulcer healing	168
Fig (27): Color flow duplex finding in relation to postoperative outcome of ulcer healing	169

List of Tables

Review of literature

	Page
Table (1) Functions of different Growth factors	69
Table (2) Clinical classification of CVI	76
Table (3) Sclerotherapy (Fegan's method)	93
Table (4) Patency rates of long saphenous vein ligation	97

Results

Table (1) : Shows age and sex distribution among our 40 patients.....	147
Table (2): Show the sex distribution of these finding among our 40 patients.	149
Table (3): Shows presenting symptoms and signs of our 40 patients	151
Table (4) : Clinical data on venous ulcer of our 40 patients	153
Table (5): Data gained from preoperative color-flow duplex ultrasound scanning on the lower limb veins in our 40 patients	155
Table (6): mean values of some parameters in the study	157
Table (7): Operative procedures done for our 40 patients	159
Table (8): postoperative color-flow duplex scanning.	161
Table (9): Early postoperative complications in our 40 patients	163
Table (10): The postoperative outcome of ulcer healing in relation to operative procedures and Duplex Finding	166