



Optical Characterization of Highly Efficient Nanostructured Solar Cells

Thesis Submitted to Faculty of Science-Ain Shams
University in partial fulfillment for Degree of
Master in Physics

By
Amr Hisham Khalaf Mahmoud
B.Sc. in Physics 2014

Supervisors

Assoc.Prof Dr. Hala Mohamed Hosny

> Physics Department Faculty of Science Ain Shams University

Assoc.Prof Dr. Mohamed Farahat Othman

Mathematics and Engineering Physics Department Faculty of Engineering Mansoura University

Assoc.Prof Dr. Mohamed Hassan Abdel-Aziz

Basic Science Department
Faculty of computers and information Sciences
Ain Shams University

CERTIFICATION OF APPROVAL

Optical Characterization of highly efficient nanostructured solar cells

Amr Hisham Khalaf Mahmoud

| | Signature |
|--|-----------|
| Assoc.Prof | |
| Dr Hala Mohamed Hosny | ••••• |
| Physics Department | |
| Faculty of Science | |
| Ain Shams University | |
| | |
| | |
| Assoc.Prof | |
| Dr Mohamed Hassan Abdel-Aziz | ••••• |
| Basic Science Department | |
| Faculty of computers and information Sciences | |
| Ain Shams University | |
| A Design | |
| Assoc.Prof | |
| Dr Mohamed Farahat Othman | ••••• |
| Mathematics and Engineering Physics Department | |
| Faculty of Engineering | |
| Mansoura University | |

Optical Characterization of highly efficient nanostructured solar cells

Name: Amr Hisham Khalaf Mahmoud

Degree: M.Sc

Department: Physics

Faculty: Science

University: Ain Shams

Graduation Date: 2014 - Ain Shams University

Registration Date: 3/2016

Grant Date: 2019



Contents

| Acknowledgments | ₩ 7•• |
|---------------------------|-------|
| Abstract | Vii |
| List of Publications | ix |
| | Xi |
| List of Symbols | xii |
| List of Abbreviations | v:- |
| List of Figures | Xiv |
| List of Table | xvi |
| | xxii |
| Chapter (1) Introduction | 1 |
| 1.1 Renewable Energy | _ |
| 1.2 Rise of Nanophotonic | 2 |
| | 5 |
| 1.3 Why Thin Solar Cells? | 5 |
| 1.3.1-Reduced Cost | |
| 1.3.2-Flexibility | 6 |
| | 6 |
| 1.4 Importance of Silicon | 7 |
| 1.5 Thesis objective | _ |
| 1.6 Summary | 7 |
| | 7 |

| - | er 2 Basic Physics of Solar Cells | 9 |
|-----------|------------------------------------|----|
| 2.1 Int | roduction | 9 |
| 2.1.1 | Solar Irradiance | 10 |
| 2.1.2 | Atmosphere | 11 |
| 2.1.3 | Air mass 1.5G reference spectrum | 11 |
| 2.1.4 | Semiconductors | 11 |
| 2.1.5 | Bandgap | 12 |
| 2.1.6 | Intrinsic carriers | 13 |
| 2.1.7 | Doping | 13 |
| 2.1.8 | Equilibrium carrier concentrations | 14 |
| 2.1.9 | Light absorption | 15 |
| 2.1.10 | Absorption depth | 16 |
| 2.1.11 | Carrier movement | 16 |
| 2.1.12 | Diffusion | 17 |
| 2.1.13 | | 18 |
| | Recombination | |
| 2.1.15 | Surface recombination | 18 |
| 2.2 PN | -junction | 20 |
| 2.2.1 | Dark behavior | 21 |
| | | 23 |

| 2.2.2 | Solar Cell behavior | 23 |
|---------|---|----|
| | Ideal solar cell equations | 25 |
| 2.2.4 | Shockley-Queasier limit or detailed balance | 26 |
| 2.3 Los | ss mechanisms | 27 |
| 2.3.1 | Optical losses | 27 |
| 2.3.2 | Resistive losses | |
| | Recombination losses | 29 |
| 2.4 Ge | nerations of Solar Cells | 30 |
| 2.4.1 | First Generation PV | 31 |
| 2.4.1.1 | Monocrystalline solar panels | 32 |
| | .a Advantages | 32 |
| | .b Disadvantages | 32 |
| | Polycrystalline Silicon Solar Cells | 33 |
| | .a Advantages | 33 |
| | .b Disadvantages | 34 |
| 2.4.2 | Second Generation PV | 34 |
| 2.4.2.1 | ` ' | 34 |
| 1.4.2.1 | .a Advantages | 35 |
| 1.4.2.1 | .b Disadvantages | 36 |
| 2.4.3 | Third Generation | 36 |
| | | 38 |

| 2.4.3.1 | Dye-Sensitized Solar Cell Technology | | | |
|------------------|---|--|--|--|
| | 2 Perovskite solar cells | | | |
| | trapping in solar cell | | | |
| 2.5.1 N | Nanowire Solar Cell | | | |
| | Plasmonic Solar Cell | | | |
| 2.5.3 S | urface Texturing Solar Cell | | | |
| 2.6 Sumi | mary | | | |
| _ | 3: Computational techniques | | | |
| 3.1 Why | computational modeling? | | | |
| 3.2 Over nano | view of numerical methods for highly efficient structured Solar Cells | | | |
| 3.3 Adva | ntages of FDTD method | | | |
| | view of FDTD method | | | |
| • | uency - dependent materials in FDTD Method | | | |
| 3.6 Boun | dary conditions | | | |
| | iodic boundary conditions (PBCs) | | | |
| | fectly matched layers (PML) | | | |
| | erical FDTD solutions | | | |
| | to avoid the divergence in FDTD simulation? | | | |
| 3.8.1 Dt | · | | | |
| 3.8.2 PM | L considerations | | | |
| | | | | |

| 3.9 The electrical Simulator |
|--|
| 3.10 Summary |
| Chapter 4: Highly Efficient Nanopyramid Solar Cell |
| 4.1 Introduction |
| 4.2 Optical and electrical simulation strategy |
| 4.3 Results and discussion |
| 4.3.1 Optical analysis |
| 4.3.2 Electrical analysis |
| 4.3 Summary |
| Chapter 5: Conclusions and future work |
| 5.1 Conclusions |
| 5.2 Future work |
| References |
| |

Acknowledgments

I would like to thank all professors and colleagues who supported me to the research work presented in this thesis.

I would like to dedicate this thesis to the soul of Dr. Hala Hosny. I am indebted to Dr. Hala Hosny, Associate Professor at the department of Physics, Faculty of Science, Ain Shams University, for her encouragement, advice and guidance throughout this envelopment and in the completion of this work. Deep appreciation is owed to her for providing me interesting ideas, sharing her knowledge and aiding me through writing theses.

I would like to thank Dr. Mohammed Farahat, Associate Professor at Nanotechnology Engineering Program, University of Science and Technology, Zewail City of Science and Technology and ASSOC Professor at Mathematics and Engineering Physics Department, Faculty of Engineering, Mansoura University for suggesting a novel and excellent point of research along with his continuous encouragement, valuable and abundant discussions throughout this work. His careful reading of the manuscript is greatly acknowledged.

My deepest gratitude goes to Dr. Hassan Ramdan and Dr. Mohammed Hassan both from Basic Science department at faculty of Computer and Information Sciences, Ain Shams University for their most enlightening support and encouragement. This dissertation was accomplished with the help and support of several collaborators. I would like to express my deep gratitude to Dr. Mohamed Hussien, Assistant Professor of photonics at Zewail City of Science and Technology as well as at Department of Physics, Faculty of Science, Ain Shams University, for his continuous and invaluable guidance. His professional capabilities and the endless support that he has given me through my study will always be recalled and appreciated. He was always willing to answer and discuss any questions.

I am very fortunate to have been able to work with a number of very dedicated and talented research colleagues at photonics in Zewail City of Science and Technology. I would like to thank Dr.Shimaa ali for collaborations through training in clean room.

I would like to specially thank Prof. Salah Obayya the Director of the Center for Photonics and Smart Materials (CPSM) at Zewail City in being an inspiration for me to take up the field of photonics not only as a field of research but also as a career. I appreciate all his contributions of time, ideas, and getting fund to make all research work from CPSM are experience stimulating and productive.

I would like to specially thank Prof. Ahmed Zewail for the opportunity to contribute to the Egypt National project: Zewail City of Science and Technology.

I thank the CPSM researchers for effective suggestions and discussions.

I would like to dedicate my work to my beloved mother and sister as well as my uncle. None of my achievements would not have been possible without their absolute love and support.