

# بسم الله الرحمن الرحيم



HOSSAM MAGHRABY



# شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



HOSSAM MAGHRABY

# جامعة عين شمس

## التوثيق الإلكتروني والميكروفيلم

### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HOSSAM MAGHRABY



# بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

**PREVALENCE OF MAXILLARY DIASTEMA  
IN A GROUP OF EGYPTIAN POPULATION  
(EPIDEMIOLOGICAL STUDY)**

B14477

A Thesis

Submitted To The Faculty Of Oral And  
Dental Medicine Cairo University  
For Partial Fulfillment Of  
The Master Degree  
In Orthodontics

محمد أحمد فكري  
14/1/2004

أ. د. م. م. م.

أ. د. م. م. م.

أ. د. م. م. م.

By

**Ahmed Fekry Ahmed Sabaa**

B.D.S. (Cairo)



**Faculty of Oral and Dental Medicine  
Cairo University**

2004

## ***Supervisors***

### ***Prof. Mohamed Amgad Kaddah***

Professor of Orthodontics  
Faculty of Oral and Dental Medicine  
Cairo University

محمد أمجد قده  
٢٠٠٤/٧/١

أ.د.  
كده

### ***Prof. Amr Emad El-Dakroury***

Professor of Orthodontics  
Faculty of Oral and Dental Medicine  
Cairo University

## *Dedications*

*I dedicate this work to*

*My father's soul*

*My mother*

*My wonderful wife*

# ACKNOWLEDGMENTS

## *Acknowledgments*

*I would like to express my sincere and deepest gratitude to professor **Dr. Mohamed Amgad Kaddah**, Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, for his great help, superior guidance and scientific supervision.*

*My deepest gratitude is extended to professor **Dr. Amr Emad El-Dakrouy**, Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, and Head of the Orthodontic Department, Faculty of Oral and Dental Medicine, Minia University for his very kind effort, his considerable support throughout this work, continuous encouragement and for being so much understanding and co-operative.*

*A special appreciation goes to **Dr. khaled Helmy** for his informative contribution to the statistical analysis of the results of this study.*

*I am also grateful to all the staff members and technicians of the orthodontics department, Faculty of Oral and Dental Medicine, Cairo University, for facilitating this work.*

# **CONTENTS**

|                               | <b>PAGE</b> |
|-------------------------------|-------------|
| •INTRODUCTION.....            | <b>1</b>    |
| •REVIEW OF LITERATURE .....   | <b>3</b>    |
| •AIM OF THE STUDY.....        | <b>21</b>   |
| •MATERIAL AND METHODS .....   | <b>22</b>   |
| •RESULTS.....                 | <b>32</b>   |
| •DISCUSSION.....              | <b>62</b>   |
| •SUMMARY AND CONCLUSIONS..... | <b>76</b>   |
| •REFERENCES.....              | <b>78</b>   |
| •APPENDIX.....                |             |
| •ARABIC SUMMARY.....          |             |

# ***LIST OF FIGURES***

|                                                                                                                                          | <b>Page</b> |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>Fig. (1):</b> A study model photograph for a subject with maxillary midline diastema.....                                             | <b>24</b>   |
| <b>Fig. (2):</b> A photograph showing the diastema width measurement by using the Boley gauge.....                                       | <b>25</b>   |
| <b>Fig. (3):</b> A photograph showing the overjet measurement by using the millimetric ruler of the Boley gauge.....                     | <b>27</b>   |
| <b>Fig. (4):</b> A photograph showing the overbite measurement by using the Boley gauge.....                                             | <b>28</b>   |
| <b>Fig. (5):</b> A photograph showing the use of Boley gauge for measuring of the mesiodistal width of the maxillary anterior teeth..... | <b>30</b>   |
| <b>Fig. (6):</b> Illustrating diagram showing the prevalence of maxillary midline diastema among the Egyptian population sample .....    | <b>33</b>   |
| <b>Fig. (7):</b> Pie chart showing the prevalence of maxillary midline diastema among the Egyptian population.....                       | <b>34</b>   |

|                                                                                                                                       | Page |
|---------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Fig. (8):</b> Illustrating diagram showing the distribution of diastema in both sexes.....                                         | 35   |
| <b>Fig. (9):</b> Pie chart showing the distribution of diastema in different sexes.....                                               | 36   |
| <b>Fig.(10):</b> Illustrating diagram showing the prevalence of diastema in each sex.....                                             | 38   |
| <b>Fig. (11):</b> Bar graph showing the prevalence of diastema in each sex.....                                                       | 39   |
| <b>Fig. (12):</b> Bar graph showing the relation between mean diastema width and sex.....                                             | 42   |
| <b>Fig. (13):</b> Bar graph showing the diastema width in relation to the age group.....                                              | 44   |
| <b>Fig. (14):</b> Bar graph showing the etiologic factors of diastema.....                                                            | 47   |
| <b>Fig. (15):</b> Intraoral photograph showing the genetic background as a causative factor of maxillary diastema.....                | 48   |
| <b>Fig. (16):</b> Intraoral photograph showing the abnormally attached labial frenum as a causative factor of maxillary diastema..... | 49   |

|                   |                                                                                                                                                                              |           |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Fig. (17):</b> | <b>Intraoral photographs showing the congenitally missed maxillary lateral incisors as a causative factor of maxillary diastema (a) frontal view, (b) occlusal view.....</b> | <b>50</b> |
| <b>Fig. (18):</b> | <b>Intraoral photograph showing the congenitally small teeth as a caustive factor of maxillary diastema.....</b>                                                             | <b>51</b> |
| <b>Fig. (19):</b> | <b>Intraoral photographs showing the displaced maxillary lateral incisor as a causative factor of maxillary diastema (a) frontal view, (b) occlusal view .....</b>           | <b>52</b> |
| <b>Fig. (20):</b> | <b>Intraoral photograph showing the persistent thumb sucking habit as a causative factor of maxillary diastema.....</b>                                                      | <b>53</b> |
| <b>Fig. (21):</b> | <b>Intraoral photograph showing the impacted maxillary canine as a causative factor of maxillary diastema.....</b>                                                           | <b>55</b> |
| <b>Fig. (22):</b> | <b>Periapical radiograph showing the impacted maxillary canine.....</b>                                                                                                      | <b>55</b> |

|                                                                                                                                                           | <b>Page</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>Fig. (23):</b> Intraoral photograph showing the abnormal tongue function and position as a causative factor of maxillary diastema.....                 | 56          |
| <b>Fig. (24):</b> Intraoral photograph showing the midline diastema resulted from the nasopalatine cyst ....                                              | 57          |
| <b>Fig. (25):</b> periapical radiograph showing a midline well-defined radiolucent area surrounded with a radiopaque margin of the nasopalatine cyst..... | 57          |
| <b>Fig. (25):</b> Bar graph showing the maxillary diastema in relation to facial forms and variations in overbite and overjet.....                        | 61          |