



Ain Shams University
Faculty of Science
Biochemistry Department

**Association of relative telomere length with
progression of diabetic nephropathy in
Egyptians**

A Thesis

Submitted for the Ph.D. Degree of Sciences in Biochemistry

Presented by

Asmaa Mohammed Soliman Saad

(M.Sc. Molecular Cell Biology, 2014)

Under Supervision of

Prof.Dr.Eman Mohammed Abd El Azeem

Professor of Biochemistry
Faculty of Science
Ain Shams University

Prof.Dr.Ibrahim Ali Emara

Professor of Clinical Biochemistry
National Institute for Diabetes
and Endocrinology (NIDE)

Dr.Abd El Rahman B. Abd El Ghaffar

Assistant professor of Biochemistry
Faculty of Science
Ain Shams University

Dr.Elham Taha Awad

Assistant professor of Microbiology
Teaching Hospitals

2019



Declaration

I declare that this thesis has not been submitted to this or any other University. I have composed it for the PhD degree in science.

Asmaa Mohammed Seliman Saad



Dedication

To soul of my father, my mother, my father in law, my mother in law, my husband, my sisters, my brother, my daughter and sons. Their love, encourages, makes studies possible to me and helped me to achieve my father dream.

Asmaa Mohammed Sofian Saad.

Acknowledgment

First and foremost thanks to Allah

I express my deepest thanks to **Prof. Dr. Eman M. Abd El Azeem**, Prof. of Biochemistry, Faculty of Science, Ain Shams University for her valuable supervision, meticulous advice, sincere guidance, constructive suggestion and whole hearted support all the time, for excellent communications. She taught me how to work in team, she did not give me the fish but she taught me how to fish it. Not once did she meet me without a smile.

I would like to express my deep gratitude to **Prof. Dr. Ibrahim Ali Emara Ali**, Prof. of clinical Biochemistry, National Institute for Diabetes and Endocrinology, for his support, his moral help and valuable assistance.

I would like also to express my deep gratitude to Asst. **Prof. Dr. Abd El Rhman B. Abd El Ghaffar**, Faculty of Science, Ain Shams University, for his support, his tutorial guidance, his moral help and valuable assistance and advises.

I am also grateful to **Asst. Prof .Dr. Elham Taha Awad Taha**, Shibin El Kom Teaching Hospitals, for her continuous encouragement, her guidance, her moral help, and valuable assistance and advice.

	Page No
List of figures	i - iv
List of tables	v - vi
Abbreviation	vii- x
Abstract	xi- xii
Introduction	1- 2
Aim of the work	3
Review of literature	4-32
• Diabetes mellitus.....	4
• Prevalance of diabetes mellitus in Egypt.	4
• Complications of DM.....	5
• Diabetic nephropathy	5
• Prevalance of DN in Egypt.	6
• Mechanism and pathophysiology of DN.....	7
• Risk Factors for Prevalence of Diabetic Nephropathy.....	9
• Biochemical markers of Diabetic Nephropathy	12
• Oxidative stress biomarkers	14
• Some glomerular biomarkers.....	15

• Some tubular biomarkers.....	15
• Some inflammatory biomarkers.....	16
• Telomere structure	18
• Telomere binding proteins.....	18
• Telomere function.....	20
• Methods for Determination of Telomere Length.....	21
• Telomerase.....	24
• Protein components of human telomerase.....	26
• Factors affecting telomere length.....	27
• Oxidative stress and Telomere length.....	29
• Telomere attrition in patients with diabetes.....	30
Subjects and methods.....	33 - 67
▪ Subjects.....	33
▪ Samples collection.....	35
▪ Blood specimens.....	35
▪ Urine specimens.....	35
Methods.....	36
▪ Quantitative determination of glucose.....	36

▪ Determination of glycohemoglobin A1c (HbA1c)	37
▪ Quantitative determination of C-peptide.....	39
▪ Determination of CBC	41
▪ Quantitative determination of urea.....	42
▪ Quantitative determination of creatinine in serum and urine.....	43
▪ Quantitative Determination of Urinary Albumin.....	45
▪ Quantitative determination of serum malondialdehyde Level.....	46
▪ Quantitative determination of (8-OhdG).	47
▪ Determination of transforming growth factor beta1.....	50
▪ Estimation of absolute telomere length by real-time PCR.....	52
▪ Extraction of DNA.....	55
▪ Amplification step using the syber green master mix.....	58
▪ Preparation of Standard.....	58
▪ Adjustment of DNA concentration by RNase free water...	59
▪ Preparation of Primer.....	59
▪ Amplification step and rotor gene programming for	

determination of total telomere length	60
▪ Procedure for Determination of 36B (Single strand DNA	63
▪ Statistical Analysis of the Data.....	66
Results.....	67-92
• Descriptive data and mean plots.....	67
• Correlation between different studied parameters.....	90
Discussion.....	93-104
Conclusion and Recommendation.....	103
Summary	105- 108
Refrences	109-138
المخلص.....	ت - ح
المستخلص.....	أ - ب

LIST of FIGURES

Figure.No	Figure Title	Page
1	Pathophysiology of diabetic nephropathy.	8
2	Nature history and renal changes in type 1 diabetes m	13
3	The structure of mammalian telomeres.	19
4	Secondary structure and known protein components of the human telomerase holoenzyme	27
5	Schematic representation of telomere elongation by telomerase enzyme	31
6	p53-mediated β - cell dysfunction and impaired insulin secretion	32
7	Standard Curve of C-peptide	41
8	Serial dilutions of 8-OhdG standards	48
9	Standard Curve of 8-OhdG	50
10	Serial dilutions of TGF β 1 standard.	51
11	Standard Curve of TGF β 1.	53
12	DNA curve at Nanodrop show an asymmetric peak at 260 nm with A260/A280 ratio (2.123) and concentration 27.1 ng/ μ l.	56
13	Syber green of telomere standard curve.	61

14	The standard curve of the telomere.	61
15	Melting curve for telomere standards and its beaks.	63
16	Syber green of 36B standard curve	64
17	Standard curve of 36B and random samples	65
18	Melting curve for 36B of standards.	66
19	Mean plots \pm SD of FBG in control and patient groups.	71
20	Mean plots \pm SD of Glycated heamoglobin in control and patient groups.	71
21	Percentage change of FBS and HbA1c between patient groups and control group.	72
22	Mean plots \pm SD of systolic and diastolic blood pressure in control and patient groups.	74
23	Percentage change of systolic and diastolic blood pressure between patient groups and control group	74
24	Mean plots \pm SD of urea in control and patient groups.	77
25	Mean plots \pm SD of creatinine in control and patient groups.	77
26	Percentage change of urea and creatinine between patient groups and control group.	78

27	Mean plots \pm SD of TGF β 1 in control and patient groups.	80
28	Mean plots \pm SD of MDA in control and patient groups.	80
29	Percentage change of MDA and TGF β 1 between patients groups and control group.	81
30	Mean plots \pm SD of telomere length per single copy gene in control and patient groups.	84
31	Mean plots \pm SD of 8-OhdG in control and patient groups.	84
32	Percentage change of TL and 8-OhdG between patient groups and control group.	85
33	Descriptive agarose gel indicated purity and integrity of extracted DNA	86
34	Row data of syber green of telomere standards	87
35	Linear standard curve of telomere standards	88
36	Row curves of syber green of 36B of standard and some studied subjects	89
37	Linear standard curve of 36B	89
38	Negative correlation between AER with TL in diabetic	91