

Association of Serum Uric Acid Levels with Lupus Nephritis in Patients with Normal Renal Functions

Thesis
Submitted for Partial Fulfillment of the
Master Degree in Internal Medicine

Presented by

Mohamed Gamal El-deen Hassan

M.B.B.CH

Faculty of Medicine Ain Shams University

Under supervision of

Prof. Dr. Eman Ahmed Hafez

Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain-Shams University

Prof. Dr. Sameh Abd El-Mottleb Hassan

Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain-Shams University

Dr. Fatma Mohamed Badr

Lecturer of Internal Medicine and Rheumatology Faculty of Medicine - Ain-Shams University

> Faculty of Medicine Ain-Shams University 2019



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Eman Ahmed Hafez**, Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain-Shams University for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Prof. Dr. Sameh Abd El-Mottleb Hassan**, Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain-Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Fatma Mohamed Badr,**Lecturer of Internal Medicine and Rheumatology Faculty of
Medicine - Ain-Shams University, for her great help, active
participation and guidance.

Mohamed Gamal El-deen Hassan

List of Contents

Title	Page No.
List of Tables	i
List of Figures	iv
List of Abbreviations	x
Introduction	1
Aim of the Work	3
Review of Literature	
Systemic Lupus Erythromatosus	4
Lupus Nephritis	40
 Hyperurecimeia And Lupus Nephritis 	58
Patients and Methods	69
Results	76
Discussion	137
Summary	148
Conclusion & Recommendations	150
References	152
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table (1):	2012 SLICC Classification Cr Systemic Lupus	
Table (2):	New ACR & EULAR criteria for cla of SLE.	
Table (3):	Neuropsychiatric syndromes obs systemic lupuserythematosus	
Table (4):	Autoantibodies of systemic erythematosus	lupus
Table (5):	Investigations of SLE and monitodiagnosis	_
Table (6):	Further investigations in SLE	28
Table (7):	Indications for renal biopsy in pat systemic lupus erythematosus	
Table (8):	International Society of Nephrol Pathology Society 2003 classification nephritis	logy/Renal on of lupus
Table (9):	Activity and chronicity index nephritis by National Institute of H	in lupus
Table (10):	Clinical features of different classes nephritis.	es of lupus
Table (11):	Systemic Lupus Erythermatosus Activity Index (SLEDAI)	s Disease
Table (12):	Demographic data among students	lied SLE
Table (13):	Weight & BMI among studied SLE	patients 77
Table (14):	SLEDAI score among studied SLE	patients77
Table (15):	Renal SLEDAI score among stupatients	
Table (16):	Drug intake among studied SLE pa	
Table (17):	Clinical manifestations among stu	
14010 (11)1	patients	

List of Cables Cont...

Table No.	Title	Page No.
Table (18):	Serological markers among stuc	
Table (19):	Laboratory variables in the students	
Table (20):	Renal biopsy classes in lupus pati nephritis (group 1)	
Table (21):	Renal biopsy indices in lupus patinephritis (group 1)	
Table (22):	Comparison between the two regarding age, sex & disease duration	
Table (23):	Comparison between the two regarding weight, BMI	
Table (24):	Comparison between two groups SLEDAI score	
Table (25):	Comparison between two groups renal SLEDAI score	
Table (26):	Comparison between two groups Drug intake	
Table (27):	Comparison between two groups different clinical manifestations	
Table (28):	Comparison between two groups different serological markers	
Table (29):	Comparison between two groups different laboratory findings	
Table (30):	Comparison between two groups serum uric acid	•
Table (31):	Comparison between two groups renal laboratory findings	
Table (32):	Relation between serum uric demographic data, drugs, cinical fi all studied SLE patients	indings in

List of Cables Cont...

Table No.	Title	Page No.
Table (33):	Relation between serum uric laboratory findings in all stupatients	idied SLE
Table (34):	Relation between Uric acid and dedata, drug intake, clinical and findings in group 1	laboratory
Table (35):	Relation between Uric acid and dedata, drugs, clinical and laborato in group 2	ry findings
Table (36):	Correlation between serum uric demographic data, SLEDAI, findings & urine output in all st patients	laboratory tudied SLE
Table (37):	Correlation between Serum Uric demographic data, disease activing group	ity in each
Table (38):	Correlation between serum ur different laboratory findings in each	ic acid &
Table (39):	Correlation between serum uric renal laboratory findings	acid and
Table (40):	Serum uric acid as predictor nephritis in SLE patients	of lupus

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Disease mechanisms and tissue da	-
Figure (2):	Butterfly rash in SLE	16
Figure (3):	Oral ulcer in SLE	17
Figure (4):	Raynaud's phenomenon in SLE	18
Figure (5):	Libman Sacks endocarditis	20
Figure (6):	Alveolar heamorrhage in SLE patier	nt 22
Figure (7):	Pathogenesis of lupus nephritis	42
Figure (8):	Histopathological classification of nephritis 0adapted	-
Figure (9):	Induction treatment for CLASS III/I	V 51
Figure (10):	Treatment of class V wi proliferative changes and with nepl range proteinuria	nrotic
Figure (11):	Uric acid production and remova	al in
Figure (12):	Causes of hyperuricemia	
Figure (13):	Distribution of sex among studied	
8 , ,	patients	
Figure (14):	Distiribution of clinical manifesta among studied SLE patients	
Figure (15):	Distribution of renal biopsy class	
	lupus patients with nephritis (group	
Figure (16):	Comparison between two gregarding sex	_
Figure (17):	Comparison between two gregarding age	
Figure (18):	Comparison between two gregarding disease duration	roups

Fig. No.	Title		Page No.
Figure (19):	Comparison betwee regarding weight group 1 (P-value < 0.	Weight is r	nore in
Figure (20):	Comparison between regarding SLEDAI shigher in group 1(P-	core SLEDAI	score is
Figure (21):	Comparison between regarding renal SLE		
Figure (22):	Comparison between regarding recent drugs	immunosup	pressive
Figure (23):	Comparison between regarding cyclophosy	een two	groups
Figure (24):	Comparison between regarding different manifestations	ferent	clinical
Figure (25):	Comparison between regarding different s		-
Figure (26):	Comparison betw regarding serum alb	een two	groups
Figure (27):	Comparison betw regarding lymphocyt	een two	groups
Figure (28):	Comparison betw regarding hemoglobi	een two	groups
Figure (29):	Comparison between regarding platlets co	een two	groups
Figure (30):	Comparison betw regarding serum uri	een two	groups
Figure (31):	Comparison betw regarding urea	een two	groups

Fig. No.	Title	Page No.
Figure (32):	Comparison between two regarding serum creatinine	
Figure (33):	Comparison between two regarding creatinine clearance	· -
Figure (34):	Comparison between two regarding albuminuria	
Figure (35):	Comparison between two regarding hematuria	groups
Figure (36):	Comparison between two regarding pyuria	
Figure (37):	Comparison between two regarding 24 h urinary protein	
Figure (38):	Relation between serum uric ac discoid rash in all studied SLE pat	eid and
Figure (39):		acid & studied
Figure (40):	Relation between serum uric a renal manifestations in all studie patients	ed SLE
Figure (41):	Relation between serum uric cardiac manifestations in all studi	acid & ed SLE
Figure (42):	-	acid &
Figure (43):	_	acid &
Figure (44):	Relation between serum uric a pyuria in all studied SLE patients.	acid &
Figure (45):	Relation between serum uric acid in urine in all studied SLE patient	& casts

Fig. No.	Title	Page No.
Figure (46):	Relation between serum uric acid discoid rash in group 1 group	
Figure (47):	Relation between serum uric acid neurological manifestations in group	
Figure (48):	Relation between serum uric acid renal manifestations in group1	
Figure (49):	Relation between serum uric acid casts in urine in group1	
Figure (50):	Correlation between serum uric ac disease duration in all studied patients	SLE
Figure (51):	Correlation between serum uric ac SLEDAI score in all studied patients	SLE
Figure (52):	Correlation between serum uric acrenal SLEDAI score in all studied patients	cid & SLE
Figure (53):	Correlation between serum uric achemoglobin level in all studied patients	cid & SLE
Figure (54):	Correlation between serum uric ac ESR in all studied SLE patients	cid &
Figure (55):	Correlation between serum uric ac serum albumin in all studied patients	SLE
Figure (56):	Correlation between serum uric acurea in all studied SLE patients	cid &
Figure (57):	serum creatinine in all studied	SLE
	patients	123

Fig. No.	Title	Page No.
Figure (58):	Correlation between serum uric a creatinine clearance in all studied patients	d SLE
Figure (59):	Correlation between serum uric a p/c ratio in all studied SLE patients	
Figure (60):	Correlation between serum uric a 24 h urinary protein in all studied patients	d SLE
Figure (61):	Correlation between serum uric a biopsy class in all studied SLE patie	
Figure (62):	Correlation between serum uric a biopsy activity index in all studied patients	d SLE
Figure (63):	Correlation between serum uric a biopsy chronicity index in all st SLE patients.	icid & tudied
Figure (64):	Correlation between serum uric acidisease duration in group 1	
Figure (65):	Correlation between serum uric aci SLEDAI score in group 1	
Figure (66):	Correlation between serum uric actrenal SLEDAI score in group 1	129
Figure (67):	Correlation between serum uric act age in group 2	
Figure (68):	Correlation between serum uric acturea in group 1	
Figure (69):	Correlation between serum uric act protein / creatinine ratio in group 1	
Figure (70):	Correlation between serum uric aci 24 h urinary protein in group 1	

Fig. No.	Title	Page No.
Figure (71):	Correlation between serum uric acrenal biopsy class in group 1	
Figure (72):	Correlation between serum uric ac biopsy activity index in group 1	
Figure (73):	Correlation between serum uric ac renal biopsy chronicity index in gro	
Figure (74):	Correlation between serum uric accreat. clearance in group 2	
Figure (75):	ROC curve for the diagnostic accurserum uric acid in prediction of with lupus nephritis	f cases

List of Abbreviations

Abb.	Full term
ACE	. Angiotensin converting Enzyme
ACL	
ACR	. American college of rheumatology
ANA	. Anti-Nuclear Antibody
anti-dsDNA	. Anti-double stranded Deoxyribonucleic acid
	. Antigen presenting cells
<i>APLs</i>	. Anti-Phospholipid antibodies
<i>aPTT</i>	. Activated partial thromboplastin time
ARBs	. Angiotensin receptor blockers
<i>AZA</i>	. Azathioprine
BANK1	. B-Cell Scaffold protein with Ankyrin Repeats 1
<i>BILAG</i>	. British Isles Lupus Activity Group
<i>BLK</i>	. B lymphoid tyrosine kinase
<i>BLM</i>	. Belimunab
BlyS	. B-lymphocyte stimulator
C1q	. Complement 1
<i>C</i> 2	. Complement 2
<i>C</i> 3	. Complement 3
C4	. Complement 4
<i>CAPS</i>	. Catastrophic antiphospholipid syndrome
<i>CBC</i>	. Complete Blood count
<i>CD</i>	. Cluster of differentiation
CH50	. 50% hemolytic complement
<i>CKD</i>	. Chronic kidney disease
<i>CNI</i>	. Calcineurin inhibitors
<i>CQ</i>	. Cloroquine
<i>CRP</i>	. C-reactive protein
<i>CSA</i>	. Cyclosporin A
CTLA4	. Cytotoxic T-lymphocyte-associated antigen 4

List of Abbreviations Cont...

Abb.	Full term
CYC	Cyclophosphamide
	Discoid lupus erythematosus
	Deoxyribonucleic Acid
	Dilute Russell viper venom time
	Double-stranded DNA
<i>EBV</i>	Epstein Barr Virus
ECLAM	European Consensus Lupus Activity Measurement
ELISA	Enzyme –linked immunosorbent assay
	Estrogen receptors alpha and beta
•	European Renal Association-European Dialysis and Transplant Association
<i>ESR</i>	Erythrocyte sedimentation rate
	End Stage Renal Disease
	European League Against Rheumatism
FCGR2A	Fc fragment of IgG receptor IIa
<i>FDA</i>	Food and Drug Administration
<i>GFR</i>	Glomerular filtration rate
<i>GLUT</i>	Glucose Transporter type 4
GWAS	Genome-wide association studies
HCQ	Hydroxychloroquine
<i>HGB</i>	Heamoglobin
HLA-DR	Human Leukocyte Antigen - antigen D Related
<i>IC</i>	Immune complex
<i>IFN</i>	Type 1 interferon
<i>IgM</i>	Immunoglobulin M
<i>IL</i>	Interleukin
<i>INF</i> γ	Interferon-γ
<i>IRAK</i>	Interleukin receptor-associated kinase