

# بسم الله الرحمن الرحيم



-Call 1600-2

COERCE CORRECTO





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



CORRECT CORRECTOR



### **جامعة عين شمس** التمثية الالكتاءني والمكاوفيلم

التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



COEFFEC CARBURATOR





بعض الوثائق

الأصلية تالفة



COLEGO COLEGORIO






بالرسالة صفحات

لم ترد بالأصل



COEFECT CARGINATION

# MATERNITY NURSES KNOWLEDGE ABOUT TETANUS NEONATORUM IN DAKAHLIA GOVERNORATE



#### **THESIS**

Submitted to the Faculty of Nursing

University of Alexandria, in Partial fulfillment of the requirements for the Master Degree in Maternity and Gynaecologic Nursing

By

HALA AHMED THABET MOHAMED

(B.Sc.Nursing) Assuit

1998

# Supervisors

#### Prof.Dr. Magda Y.H.Mourad

Professor of Maternity and

**Gynaecologic Nursing** 

**Faculty of Nursing** 

University of Alexandria

#### Prof.Dr. Bassiouni A. Bassiouni

Prof. of Obstetric and Gynaecology

**Faculty of Medicine** 

**EL-Mansoura University** 

#### Dr. Dalal Aly Mohamed

**Lecturer of Maternity** 

& Gynaecologic Nursing

**Faculty of Nursing** 

University of Alexandria



To my family, parents, Husband and daughters Radwa and Rawan

#### **(ACKNOWLEDGMENT)**

I would like to express my sincere gratitude and appreciation to Prof. Dr. MagdaY.H.Mourad, Professor of Maternity and Gynaecologic Nursing, Faculty of nursing, Alexandria University for her humanity, maturely encouragement, valuable advice and unlimited help.

I wish to express my deepest regards and gratitude to **Prof.Dr. Bassiouni A. Bassiouni,** Professor of Obstetric and Gynaecology, Faculty of Medicine, University of Mansoura, for his valuable remarks, suggestion and guidance through this thesis.

My thanks and deep appreciation to Dr. Dalal Aly Mohamed, Lecturer of Maternity and Gynaecologic Nursing, Faculty of Nursing, Alexandria University, for her kind supervision, support and unlimited help.

Last, but not least, my sincerest thanks to all those who contributed their time and cooperation toward the fulfillment of this thesis.

## CONTENTS

|                 | CHAPTER                                       | PAGE |
|-----------------|---|------|
| ,<br><b>I</b> . | INTRODUCTION                                  | . 1  |
|                 | * Extent and magnitude of tetanus             | 1    |
|                 | neonatorum problem                            |      |
|                 | * Occurrence of tetanus neonatorum            | 3    |
|                 | * Infectious process                          | 5    |
|                 | *Socio-cultural factors contributing to the   | 7    |
|                 | persistence of tetanus neonatorum             |      |
|                 | * Clinical picture of tetanus neonatorum      | 8    |
|                 | *Complications                                | 10   |
|                 | *Management of new born with tetanus          | 10   |
|                 | * Prognosis                                   | 13   |
| •               | *Neonatal tetanus elimination                 | 14   |
|                 | * Steps for elimination of tetanus neonatorum | 15   |
|                 | *Preventive measures                          | 18   |
| П               | Aim of the Study                              | 20   |
| m               | Material and Methods                          | 21   |
| IV              | Results                                       | 26   |
| V               | Discussion                                    | 92   |
| VI              | Conclusion and Recommendation                 | 106  |
| VII             | Summary                                       | 110  |
| VIII            | References                                    | 114  |
| *               | Appendix                                      |      |
| *               | Protocol                                      | :    |
| *               | Arabic Summary                                |      |

| ·           | LIST OF TABLES                            |      |
|-------------|---|------|
| TABLE       |   | PAGE |
| Table - I   | General characteristics of the sample     | 29   |
| Table - II  | Number and percent distribution of the    | 32   |
|             | study sample according to their knowledge |      |
|             | regarding definition, prevalence,         |      |
|             | incidence, causes and manifestation of    |      |
|             | tetanus neonatorum, and their place of    |      |
|             | work.                                     |      |
| Table - III | Number and percent distribution of the    | 35   |
|             | study sample according to their knowledge |      |
|             | regarding epidemiology of tetanus         |      |
|             | neonatorum and their place of work.       |      |
| Table - IV  | Number and percent distribution of the    | 38   |
|             | study sample according to their knowledge |      |
|             | about predisposing factors to tetanus     |      |
|             | neonatorum, availability of treatment and |      |
|             | dangers of untreated baby and their place |      |
|             | of work.                                  |      |
| Table -V    | Number and percent distribution of the    | 41   |
| ٠           | study sample according to their knowledge |      |
|             | regarding tetanus immunization and        |      |
|             | methods of prevention of tetanus          |      |
|             | nagnatorum and their place of work        |      |

| IABLE        |  | PAGE |
|--------------|--|------|
| Table -VI    | Number and percent distribution of the     | 44   |
|              | study sample according to their knowledge  |      |
|              | regarding methods of sterilization to      |      |
|              | prevent tetanus neonatorum and their       | ÷    |
|              | place of work.                             |      |
| Table - VII  | Number and percent distribution of the     | 47   |
|              | study sample according to their knowledge  |      |
|              | regarding to nursing care of babies with   |      |
|              | tetanus neonatorum, control of convulsion, |      |
|              | factors leading to increase or repeat      |      |
|              | convulsion, advantage of incubator and     |      |
|              | counselling given to their mothers and     |      |
| •            | their place of work.                       |      |
| Table - VIII | Number and percent distribution of the     | 49   |
|              | study sample according to their knowledge  |      |
|              | regarding to tetanus neonatorum            |      |
|              | preventive measures during pregnancy,      |      |
| ·            | labour, puerperium and their place of      |      |
|              | work.                                      |      |
| Table - IX   | Number and percent distribution of the     | 52   |
|              | study sample according to their knowledge  |      |
|              | regarding definition, prevalence,          |      |
|              | incidence, causes and manifestation of     |      |
|              | tetanus neonatorum, and their level of     |      |
|              | education.                                 |      |

| <b>TABLE</b> |   | PAGE      |
|--------------|---|-----------|
| Table - X    | Number and percent distribution of the study sample according to their knowledge regarding epidemiology of tetanus neonatorum and their level of education. | 54        |
| Table - XI   | Number and percent distribution of the  | 57        |
|              | study sample according to their knowledge   |           |
| ٠.           | about predisposing factors to tetanus   |           |
|              | neonatorum, availability of treatment and   |           |
|              | dangers of untreated baby and their level of  |           |
|              | education.  |           |
| Table - XII  | Number and percent distribution of the  | <b>60</b> |
|              | study sample according to their knowledge   |           |
|              | regarding tetanus immunization and  |           |
|              | methods of prevention of tetanus  |           |
|              | neonatorum and their level of education.  |           |
| Table - XIII | Number and percent distribution of the  | 62        |
|              | study sample according to their knowledge   |           |
|              | regarding methods of sterilization to   |           |
|              | prevent tetanus neonotorum and their level  |           |
| ,            | of education.   |           |
| Table - XIV  | Number and Percent distribution of the  | 65        |
|              | study sample according to their knowledge   |           |
|              | regarding to nursing care of babies with  |           |
|              | tetanus neonatorum, control of convulsion,  |           |
|              | factors leading to increase or repeat   |           |
|              | convulsion, advantage of incubator and  |           |
|              | counselling given to the mothers and their  |           |
|              | level of education  |           |
|              | in the or amountain .   |           |

| <b>TABLE</b>  |   | PAGE      |
|---------------|---|-----------|
| Table - XV    | Number and percent distribution of the    | 67        |
|               | study sample according to their knowledge |           |
|               | regarding to tetanus neonatorum           |           |
|               | preventive measures during pregnancy,     |           |
|               | labour, puerperium and their level of     |           |
|               | education.                                |           |
| Table - XVI   | Number and percent distribution of the    | <b>70</b> |
|               | study sample according to their knowledge |           |
|               | regarding definition, prevalence,         |           |
|               | incidence, causes and manifestation of    |           |
|               | tetanus neonatorum, and their years of    |           |
|               | experience.                               |           |
| Table - XVII  | Number and Percent distribution of the    | 73        |
|               | study sample according to their knowledge |           |
|               | regarding epidemiology of tetanus         |           |
|               | neonatorum and their years of experience. |           |
| Table - XVIII | Number and Percent distribution of the    | <b>76</b> |
|               | study sample according to their knowledge | ·         |
|               | about predisposing factors to tetanus     |           |
|               | neonatorum, availability of treatment and |           |
|               | dangers of untreated baby and their years |           |
|               | of experience.                            |           |
| Table - XIX   | Number and Percent distribution of the    | <b>79</b> |
|               | study sample according to their knowledge |           |
|               | regarding tetanus immunization and        |           |
|               | methods of prevention of tetanus          |           |
|               | neonatorum and their years of experience. |           |