

Color change and degree of solubility of glass ionomer cements containing chlorhexidine

Thesis submitted to Operative Dentistry Department, Faculty of
Dentistry, Ain Shams University, in partial fulfilment of the
requirements of Academic Master Degree in Operative Dentistry.

By

Salma Magdy Gaber

B.D.S., Misr International University (2013)

Ain Shams University

2019

بسم الله الرحمن الرحيم

"قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ الْعَلِيمُ

الْحَكِيمُ"

صدق الله العظيم

(البقرة - الآية 32)

Supervisors

Prof. Dr. Mokhtar Nagy Ibrahim

Professor of Operative Dentistry

Faculty of Dentistry, Ain Shams University

Prof. Dr. Omaila Hassan Ghallab

Professor and Head of Operative Dentistry Department

Faculty of Dentistry, Ain Shams University

Dr. Dena Safwat Mohamed Mustafa

Lecturer of Operative Dentistry

Faculty of Dentistry, Ain Shams University

Acknowledgements

First, grace and foremost thanks to **Allah** for his countless blessings.

Words stand short when coming to express my deepest gratitude and appreciation to **Prof. Dr. Mokhtar Nagy Ibrahim** (may Allah rest your kind soul in peace), Professor of Operative Dentistry, Faculty of Dentistry, Ain Shams University. He has been a great mentor and supporter. His devoted efforts, insight valuable scientific contribution and sincere guidance paved the road throughout my master's journey.

I would like to express my sincere gratitude to **Prof. Dr. Omaina Hassan Ghallab**, Professor and Head of Operative Dentistry, Faculty of Dentistry, Ain shams University for her endless help, support, continuous education and encouragement. Thank you for being a great example to follow on both the scientific and humane level.

I wish also to express my appreciation to **Dr. Dena Safwat Mohamed Mustafa**, Lecturer of Operative Dentistry, Faculty of Dentistry, Ain shams University, for her time and help despite the hard times. Thank you.

My deepest thanks to **Dr. Maha Nasr**, Associate Professor of Analytical Chemistry, Faculty of Pharmacy, Ain-Shams University and **Dr. Reham EL-Gogary**, Lecturer of Analytical Chemistry, Faculty of Pharmacy Ain-Shams University for their valuable assistance in completing the preparation of chlorhexidine concentrations.

Special thanks go to **Dr. Dina Diab**, Assistant Lecturer of Operative Dentistry, Faculty of Dentistry, Egyptian-Russian University for her precious help.

I dedicate this work to:

the memory of my *grandfather*, may Allah rest his kind soul.

my *mother* and *father*, your endless love, friendship, support and prayers keeps me going. I hope I raise your heads up high.

my beloved *sister* and *brother*, for their unconditional support and help.

my dear *husband*, thanks for being my friend first and a great partner through every step of the way.

my *father* and *mother in law*, for their continuous help and prayers.

Dr. Mahmoud Montasser and *Dr. Aisha Hassan*, for giving me the time and support to complete my master's journey.

and lastly, to all *my friends especially Dalia Mohamed*, thank you so much.

Contents

List of Contents

	<u>Page</u>
List of Tables	ii
List of Figures	iv
Introduction	1
Review of Literature	3
Aim of the Study	22
Materials and Methods	23
Results	39
Discussion	57
Summary and Conclusions	64
References	66
Arabic Summary	-

<u>Table No.</u>	<u>Table Title</u>	<u>Page</u>
Table 1:	Materials, Compositions, Manufacturers and Lot numbers.	24
Table 2:	Percentage of chlorhexidine, Volume of chlorhexidine and Volume of Ketac TM Molar Easymix liquid.	26
Table 3:	Percentage of chlorhexidine, Volume of chlorhexidine and Volume of Vitremer TM liquid.	26
Table 4:	Variables and levels of the study of color change (ΔE), water sorption (W_{sp}) and solubility (W_{sl}) tests.	28
Table 5:	Interaction of the variables of the study of color change (ΔE) testing.	29
Table 6:	Interaction of the variables of the study of water sorption (W_{sp}) and solubility (W_{sl}) testing.	29
Table 7:	Two-way ANOVA of the different variables of the study and their interactions on color change (ΔE).	40
Table 8:	Mean \pm standard deviation (SD) of color change (ΔE) for different chlorhexidine concentrations.	41
Table 9:	Mean \pm standard deviation (SD) of color change (ΔE) for different glass ionomer types.	43
Table 10:	The interaction of different chlorhexidine concentrations and glass ionomer types on color change (ΔE).	45

Table 11:	Two-way ANOVA of the different variables of the study and their interactions on water sorption ($\mu\text{g}/\text{mm}^3$).	47
Table 12:	Mean \pm standard deviation (SD) of water sorption ($\mu\text{g}/\text{mm}^3$) for different chlorhexidine concentrations.	48
Table 13:	Mean \pm standard deviation (SD) of water sorption ($\mu\text{g}/\text{mm}^3$) for different glass ionomer types.	49
Table 14:	The interaction of different chlorhexidine concentrations and glass ionomer types on water sorption ($\mu\text{g}/\text{mm}^3$).	51
Table 15:	Two-way ANOVA for the effect of different variables of the study and their interactions on water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$).	52
Table 16:	Mean \pm standard deviation (SD) of water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$) of different chlorhexidine concentrations.	53
Table 17:	Mean \pm standard deviation (SD) of water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$) of different glass ionomer types.	54
Table 18:	The interaction of different chlorhexidine concentrations and glass ionomer types on water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$).	56

<u>Figure No.</u>	<u>Figure Title</u>	<u>Page</u>
Figure 1:	Setting reaction of high-viscosity glass ionomers.	5
Figure 2:	Setting reaction of resin-modified glass ionomers.	6
Figure 3:	Chemical structure of chlorhexidine.	8
Figure 4:	Double beam spectrophotometer.	12
Figure 5:	Chlorhexidine gluconate solution in dark container.	25
Figure 6:	Ketac TM Molar Easymix glass ionomer filling material.	26
Figure 7:	Vitremer TM core buildup/ restorative material.	26
Figure 8:	An example of the equation used to incorporate CHX into GIC.	27
Figure 9:	Ketac TM Molar Easymix liquid containing CHX with different concentrations in clear vials.	27
Figure 10:	Vitremer TM liquid containing CHX with different concentrations in dark vials.	27
Figure 11:	Split Teflon mold for specimens; a) disassembled, b) assembled.	30
Figure 12:	500 g copper weight on glass slab pressing the mixed GIC within the mold to extrude the excess material and air bubbles.	30
Figure 13:	Split Teflon mold containing the set GIC covered by polyethylene strips.	31

List of Figures

Figure 14:	Representative diagram of 5 overlapping segments of light curing for the specimen.	31
Figure 15:	Contra angle SDI radii plus+ LED light cured placed over cylindrical Teflon ring of 2 mm thickness to cure the specimen.	32
Figure 16:	Teflon mold and prepared specimen.	32
Figure 17:	BT1010, BTC Incubator.	33
Figure 18:	Color change specimen was immersed individually in a tightly sealed, dark vial containing distilled water.	33
Figure 19:	Cary 5000 spectrophotometer used to measure the color change (ΔE) of the specimens.	34
Figure 20:	Desiccator with anhydrous self-indicating silica gel containing GIC specimens; covered.	35
Figure 21:	Calibrated electronic balance during specimen weighing.	36
Figure 22:	Digital caliper measuring: a) the specimen's diameter, b) the specimen's thickness.	36
Figure 23:	Representative diagrams of specimen volume measurements; a) lines representing the two diameters recorded, b) small circles representing the 5 points in which the thickness was recorded.	37
Figure 24:	Bar chart showing the mean color change (ΔE) of different CHX concentrations.	42

List of Figures

Figure 25:	Bar chart showing the mean color change (ΔE) of different CHX concentrations.	42
Figure 26:	Bar chart showing the mean color change (ΔE) of different GIC types.	43
Figure 27:	Bar chart showing the mean color change (ΔE) of different CHX concentrations and different GIC types.	46
Figure 28:	Bar chart showing the mean water sorption ($\mu\text{g}/\text{mm}^3$) of different CHX concentrations.	48
Figure 29:	Bar chart showing the mean of water sorption ($\mu\text{g}/\text{mm}^3$) of different GIC types.	49
Figure 30:	Bar chart showing the mean of water sorption ($\mu\text{g}/\text{mm}^3$) of different CHX concentrations and different GIC types.	51
Figure 31:	Bar chart showing the mean of water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$) of different CHX concentrations.	53
Figure 32:	Bar chart showing the mean of water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$) of different GIC types.	54
Figure 33:	Bar chart showing the mean water solubility ($\mu\text{g}/\text{mm}^3 \cdot 10^{-3}$) of different CHX concentrations and different GIC types.	56

Introduction