الاسم / عمرو سيد محمد موسى

01002836877
التليفون 2834mr_saymousa@yahoo.com

EVALUATION OF THE ROLE OF THE ACCENT METHOD OF VOICE THERAPY AFTER MICROLARYNGEAL PHONOSURGERY

A Thesis submitted for the partial fulfillment of the Doctoral Degree of Phoniatrics

By

Amr Sayed Mohamed Mousa

M.B.B.Ch, M.Sc. Medical Military Academy Supervised by

Prof. Dr. Samia El-Sayed Bassiouny

Professor of Phoniatrics Faculty of Medicine, Ain-Shams University

Prof. Dr. Alia Mahmoud El-Shobary

Professor of Phoniatrics Faculty of Medicine, Ain-Shams University

Prof. Dr. Nirvana Gamal El-Dien Hafez

Professor of Phoniatrics Faculty of Medicine, Ain-Shams University

Prof. Dr. Ayman Mohamed Shawky

Professor of Phoniatrics Medical Military Academy Faculty of Medicine
Ain-Shams University
2019



سورة العلق: آية (1-4)

Acknowledgement

First last of all, praise belongs to "ALLAH" the lord of all being, the kind and the merciful, who gave me the power to perform and complete this work. And prayer and peace be upon the most honorable of Messengers" MOHAMAD", prayers and peace be upon him.

I am much indebted to express my true respect and my deepest, warmest gratitude to my great supervisor **Prof. Dr. Samia El-Sayed Bassiouny**, Professor of phoniatrics, Faculty of medicine, Ain-Shams University who in addition to her valuable guidance and supervision, has provided me with a great deal of support, encouragement and knowledge.

I would like to express my sincere gratitude and cordial thanks to **Prof. Dr. Alia Mahmoud El-Shobary**, Professor of phoniatrics, Faculty of medicine, Ain-Shams University who gave me so much of his valuable time and immense knowledge to produce this work in its present form.

Particular deep thanks to **Prof. Dr. Nirvana Gamal El-Din Hafez**, Professor of phoniatrics, Faculty of medicine, Ain-Shams University. The present work could not have been done without her help, creative mind together with her encouragement, excellent guidance and sympathetic attitude.

The good advice, support, experience and friendship of **Prof. Dr. Ayman Mohamed Shawky**, Professor of phoniatrics, Medical Military Academy, has been invaluable on both academic and personal level, for which I am extremely grateful.

It is of great pleasure to extend my heartful gratitude to all my **Professors** of the Phoniatric unit, Faculty of medicine, Ain-Shams University for giving me the utmost honor to work under their supervision with their bright ideas, remarks and constant support.

I would like to thank all my **Colleagues** of the Phoniatric unit, Faculty of medicine, Ain-Shams University for their continuous advice and cooperation.

My deepest thanks to all staff members in the phoniatric unit of **Ain-Shams Specialized Hospital** for their constant support and encouragement.

However, I reserve a special place for the individual without whom this work could never have been completed, the **Patients** who are the real surprise, the inadvertent educator with all the complex physical, cultural and psychological intricacies that make no two alike, an antidote to complacency, continuously keeping the clinical life interesting and rewarding.

I am deeply obliged to **Prof. Dr. Mohamed Ali Barakah**, Professor of phoniatrics, Faculty of medicine, Ain-Shams University, an expert phonosurgeon for his meticulous deal with the surgery and his moral support were really valuable to this work.

Also, I would like to thank my family especially my mother for her great help and endless support.

I greatly thank **my wife**, my guiding light for every progress I make, every step I take and I do thank her for her intimate care during the entire work.

Lastly, this work is to my sweet heart, my children **Revan**, **Mazen**, **Basel** and I wish them a bright future.

Amr Mousa.

LIST OF CONTENTS

Contents	Page
• List of Figures.	I
• List of Tables.	XIX
• List of Abbreviations.	XXIV
• Introduction.	1
• Aim of the Work.	8
Review of literature:	
- Structure of the vocal folds.	9
- Benign vocal fold lesions.	14
- Microlaryngeal phonosurgery.	39
- The Accent method of voice therapy.	60
- Role of the Accent method of voice	
therapy after microlaryngeal	
phonosurgery.	64
• Subjects and Methods.	69
• Results.	113
• Discussion.	206

🕏 List of Contents 🗷

• Conclusion and Recomendations.	224
• Summary.	228
• References.	231
• Arabic summary.	-



LIST OF FIGURES

No.	Figures	Page
1	Ultra structure of the vocal fold.	10
2	Diagram showing phonatory and respiratory	
	glottis.	13
3	Bilateral pointed V.F. nodules.	17
4	Symmetrical vocal fold nodules.	17
5	Vocal fold nodules at its characteristic site.	18
6	Asymmetrical V.F. nodules.	19
7	Pedunculated lt. vocal fold polyp.	21
8	Broad-based rt. vocal fold polyp.	21
9	Rt. vocal fold cyst.	24
10	Epidermoid rt. vocal fold cyst.	25
11	An ovoid cyst on the upper surface of the lt.	
	vocal fold.	26
12	Lt. V.F. cyst with rt. reaction.	28
13	Lt. V.F. cyst having the same complexion of the	30
	vocal folds.	



14	Reinke's space edema.	31
15	Polypoid degeneration.	32
16	Reink's edema of one vocal fold.	32
17	Bilateral vocal process granuloma over the vocal	
	process.	35
18	Superficial ulceration of the rt. vocal process	
	granuloma.	36
19	Large granuloma attached to the rt. vocal process	
	by a stalk, and moved up and down in	
	airstream during breathing.	37
20	Microscopic removal of lt. V.F. cyst.	50
21	Phonosurgery for the vocal fold Reinke's edema.	56
22	Histogram representation of the mean difference	
	in the improvement of APA between study	
	group (G1) and control group (G2) after the	
	2nd. assessment (microlaryngeal	
	phonosurgery to both groups).	117
23	Histogram representation of the mean difference	
	in the improvement of APA between study	
	group (G1) and control group (G2) after the	
	3rd. assessment (Accent exercises given to G1	
	only and voice hygienic advice to both	



	groups).	119
24	Histogram representation of the mean values in	
	the improvement of the APA between three	
	assessments in the vocal fold polyp subgroup	
	(n = 21) who received the Accent exercises in	
	(G1).	121
25	Histogram representation of the mean values in	
	the improvement of the APA between three	
	assessments in the vocal fold cyst subgroup (n	
	= 14) who received the Accent exercises in	
	(G1).	123
26	Histogram representation of the mean values in	
	the improvement of the APA between three	
	assessments in the vocal fold Reinke's space	
	edema and polypoid degeneration subgroups	
	(n = 12) who received the Accent exercises in	
	(G1).	125
27	Histogram representation of the mean difference	
	in the improvement of high-speed video-	
	kymography parameters between study group	
	(G1) and control group (G2) after the 2 ^{nd.}	
	assessment (microlaryngeal phonosurgery to	
<u> </u>		



	both groups).	128
28	Histogram representation of the mean difference	
	in the improvement of the high-speed video-	
	kymography parameters between study group	
	(G1) and control group (G2) after the 3 ^{rd.}	
	assessment (Accent exercises given to G1	
	only and voice hygienic advice to both	
	groups).	130
29	Pie chart representation of the percent change in	
	mucosal waves and amplitude (of right V.F.)	
	for the three high-speed video-kymography	
	assessments of G1.	132
30	Pie chart representation of the percent change in	
	mucosal waves and amplitude (of left V.F.)	
	for the three high-speed video-kymography	
	assessments of G1.	133
31	Pie chart representation of the percent change in	
	phase closure for the three high-speed video-	
	kymography assessments of (G1).	135
32	Baseline assessment (pre-operative) of rt. vocal	
	fold polyp (high-speed video-kymography	
	showing diminished mucosal waves and	



	asymmetry between both vocal folds).	136
33	2 ^{nd.} assessment (post-operative) of rt. vocal fold	
	polyp (high-speed video-kymography showing	
	asymmetry between both vocal folds and	
	inconsistent phase closure).	137
34	3 ^{rd.} assessment (post Accent exercises of voice	
	therapy course) of rt. vocal fold polyp (high-	
	speed video-kymography showing normal	
	symmetrical mucosal waves between both	
	vocal folds).	138
35	Baseline assessment (pre-operative) of lt. vocal	
	fold polyp (high-speed video-kymography	
	showing diminished mucosal waves with	
	asymmetry between both vocal folds and open	
	phase closure).	139
36	2 ^{nd.} assessment (post-operative) of lt. vocal fold	
	polyp (high-speed video-kymography showing	
	asymmetry between both vocal folds and open	
	phase closure).	140
37	3 ^{rd.} assessment (received only voice hygienic	
	advice) of lt. vocal fold polyp (high-speed	
	video-kymography showing diminished	



	mucosal waves with asymmetry between both	
	vocal folds and inconsistant phase closure).	141
38	Baseline assessment (pre-operative) of rt. vocal	
	fold cyst (high-speed video-kymography	
	showing absent mucosal waves and	
	asymmetry between both vocal folds).	142
39	2 ^{nd.} assessment (post-operative) of rt. vocal fold	
	cyst (high-speed video-kymography showing	
	asymmetry between both vocal folds and	
		143
4.0	inconsistent phase closure).	143
40	3 ^{rd.} assessment (post Accent exercises of voice	
	therapy course) of rt. vocal fold cyst (high-	
	speed video-kymography showing normal	
	symmetrical mucosal waves between both	
	vocal folds).	144
41	Baseline assessment (pre-operative) of rt. vocal	
	fold cyst (high-speed video-kymography	
	showing diminished mucosal waves with	
	asymmetry between both vocal folds and open	
	phase closure).	145
42		110
42	2 ^{nd.} assessment (post-operative) of rt. vocal fold	
	cyst (high-speed video-kymography showing	



	diminished mucosal waves and very short	
	closed phase closure).	146
43	3 ^{rd.} assessment (received only voice hygienic	
	advice) of rt. vocal fold cyst (high-speed	
	video-kymography showing diminished	
	mucosal waves with asymmetry between both	
	vocal folds and short closed phase closure).	147
44	Baseline assessment (pre-operative) of bilateral	
	Reinke's space edema (high-speed video-	
	kymography showing increased mucosal	
	waves and asymmetry between both vocal	
	folds).	148
45	2 ^{nd.} assessment (post-operative) of bilateral	
	Reinke's space edema (high-speed video-	
	kymography showing asymmetry between	
	both vocal folds and inconsistent phase	
	closure).	149
46	3 ^{rd.} assessment (post Accent exercises of voice	
	therapy course) of bilateral Reinke's space	
	edema (high-speed video-kymography	
	showing normal symmetrical mucosal waves	
	between both vocal folds).	150