Ain Shams University Faculty of Science



Detailed Crustal Structure Study of Sinai Peninsula, Egypt

A Thesis submitted for the Doctor of Philosophy Degree (Ph.D.) of Science in Geophysics

By

Ahmad Mohammad Faried Mansour

(Assistant Researcher – Egyptian National Seismological Network – National Research Institute of Astronomy and Geophysics)

To

Geophysics Department Faculty of Science Ain Shams University

Supervised by

Prof. Abd Elnaser Mohammed Abd Elhalim Helal

Professor of Geophysics
Geophysics Department-Faculty of Science
-Ain Shams University

Assoc. Prof. Karam Samir Ibrahim Farag

Associate Professor of Geophysics Geophysics Department- Faculty of Science -Ain Shams University

Prof. Ahmed Hosny Ali

Professor of Seismology Seismology Department -National Research Institute of Astronomy and Geophysics

Assoc. Prof. Mahmoud Salah El-Hadidy

Associate Professor of Seismology Seismology Department -National Research Institute of Astronomy and Geophysics

Cairo - 2019

Approval Sheet

Detailed Crustal Structure Study of Sinai Peninsula, Egypt

A Thesis submitted for award the degree of Doctor of Philosophy (Ph.D.) in Science, Geophysics

By

Ahmad Mohammad Faried Mansour

B.Sc. in Geophysics -Faculty of Science, Mansoura University- 2008 M.Sc. in Geophysics- Geology Department- Faculty of Science – Mansoura University-2013

To

Geophysics Department Faculty of Science Ain Shams University

<u>Advisors</u> <u>Approved</u>

Prof. Abd Elnaser Mohammed Abd Elhalim Helal (Ain Shams University)

Prof. Ahmed Hosny Ali (NRIAG)

Assoc. Prof. Karam Samir Ibrahim Farag (Ain Shams University)

Assoc. Prof. Mahmoud Salah El-Hadidy (NRIAG)

H	I	9	a	d	l	C)1	f	(<u> </u>	ì(•	C	1)	h	Ţ	y	S	i	C	25	3	I	\mathcal{L}	()	p	2	11	1	1	Y	1	e	r	11	t		

Prof. Dr. Samy Hamed Abdel-Naby

Supervisors

Prof. Abd Elnaser Mohammed Abd Elhalim Helal

Professor of Geophysics Department of Geophysics - Faculty of Science - Ain Shams University

Prof. Ahmed Hosny Ali

Professor of Seismology General Seismological Lab- Department of Seismology -NRIAG

Assoc. Prof. Karam Samir Ibrahim Farag

Associate Professor of Applied Geophysics, Department of Geophysics - Faculty of Science - Ain Shams University

Assoc. Prof. Mahmoud Salah El-Hadidy

Associate Professor of Seismology General Seismological Lab- Department of Seismology -NRIAG

Acknowledgements

First and foremost, I express my honest gratitude to the most-merciful & almighty Assam, who granted me believe and patience to carry out this research.

Agreat dept goes to Prof. Abd El-Nasser Helal (Geophysics Department, Faculty of Science, Ain Shams University) for his supervision, support and guidance throughout this study. I would like to express my sincere gratitude for my supervisor Prof. Ahmed Hosni (Seismology department, National Research Institute of Astronomy and Geophysics, NRIAG) for choosing the point of research, and his continuous support, also gratefulness extends to ass. Prof. Dr. Mahmoud El-Hadidy (Seismology department, NRIAG) for helping choosing to the point of research. My sincere thanks go to ass. Prof. Dr. Karam Farag (Geophysics Department, Faculty of Science, Ain Shams University) for his great efforts, reviewing the manuscript and helping me in this work.

Great gratitude to ass. Prof. Dr. Mohamed Farouk for giving the tomography code and the initial velocity model and his helpful comments and advises for inversion calculation. Also, the author would like to thank RNDr. František Gallovič, (Geophysics Department, faculty of mathematics and physics MFF, University of Charles, Prague) for his hosting and helping me to learn the principals of Location enhancement. My deep thanks to Prof. Dr. Oldřich Novotný University of Charles, for his helping, and providing me with the code of Wadati enhancement.

I wish also to thank the missions' sector in the ministry of higher education and scientific research for funding my research accommodation in Czech. Many thanks to all the staff of the seismology Department at National Research Institute of Astronomy and Geophysics. I want to thank all the Department of Geophysics, Faculty of science, Ain Shams University.

I dedicate this dissertation to my parents and my sisters and would like to expressmy deepest appreciation and thanks to all of themfor their continuous support in all my life, their love and devotion kept me going and I amextremely grateful to themfor their encouragement and support.

Finally, I would like to express my heartfelt thanks to my wife for her patience, Support and understanding. I thank my child (Mohammad), for everything he did (make me busy when I want to get rest), but after all you are the best thing in my life, (I love You).

Ahmad M. Faried

TABLE OF CONTENTS

<u>Subject</u>	Page
ACKNOWLEDGEMENTS	I
TABLE OF CONTENTS	III
LIST OF FIGURES	VI
LIST OF TABLES.	XII
LIST OF ABBREVIATIONS	XIII
ABSTRACT	XIV
CHAPTER 1: INTRODUCTION	
1.1 General Background.	1
1.2 Study Area and Importance	2
1.3 Scope and Objectives of the Present Work	4
1.4 Methodology	6
CHAPTER 2: GEOLOGY AND PREVIOUS CRUSTAL STUDIES	
2.1 Geomorphology	9
2.2 General Background	10
2.3 Tectonic Setting	11
2.3.1 Introduction	11
2.3.2 Northern Red Sea	14
2.3.3 Gulf-of-Suez	15
2.3.4 Gulf-of-Aqaba–Dead Sea Transform Fault	17
2.4 Seismicity	18

2.4.1 Northern Red Sea	
2.4.2 Gulf-of-Suez	2
2.4.3 Gulf-of-Aqaba	,
2.5 Previous Crustal Studies	,
CHAPTER 3: SINAI PENINSULA SEISMICITY	
RELOCATION	
3.1 Introduction	2
3.2 Seismicity Data	4
3.2.1 Egypt's Seismological Stations	
3.2.2 Saudi Seismological Stations	
3.2.3 Levant Seismological Stations	
3.3 Methodology	
3.3.1 Least-Square Method	
3.3.2 Wadati Method	
3.3.3 Re-location by Hypoinverse-2000	
3.4 Results	
3.5 Conclusion.	
CHAPTER 4: 3D CRUSTAL TOMOGRAPHIC MODEL	
4.1 Introduction	
4.2 Methodology	
4.3 Seismic Data	
4.4 Tomographic Procedures	
4.4.1 Initial Model	
4.4.2 Inversions Procedures	

4.4.2.1 Applying Tomotools Program	76
4.4.2.2 Damping parameter	76
4.4.2.3 Checkerboard Test and Grid Pattern	78
4.5 Results	82
4.6 Discussion and Conclusions	93
CHAPTER 5: REVISION ON FOCAL MECHANISM USING	
NEW VELOCITY STRUCTURE	
5.1 Introduction.	108
5.2 Previous studies	109
5.3 Objective and Data outfitting	115
5.4 Methodology	120
5.5 Results	123
5.6 Discussion and Conclusions	128
CHAPTER 6: SUMMARY AND CONCLUSIONS	
6.1 Summary	130
6.2 Conclusions.	136
6.3 Recommendations and Future Studies	137
APPENDICES	141
References	162
Arabic Summary	175

LIST OF FIGURES

<u>Figure</u>	Figure Caption	Page
1.1	The study area (red square) and earthquakes epicenters	3
2.1	A satellite image of the study area (red square)	9
2.2	Geological map of the study area with the main tectonic features, major folds in Sinai are Maghara (M), Yellleg (Y), Halal (H), Ramon (R), Kurnub (K) and Qatan (Q). (combined and modified after Moustafa, 2010 and Sobh et al., 2019)	13
2.3	Schematics of the general tectonic setting of Gulf-of-Suez (after Meshref, 1990)	16
2.4	Location of the accommodation zone segmentations and the rift in the Northern Red Sea. Closed squares represent the location of the cells of magmatic extension as a way for establishment of the spreading axis (after Metwally, 2016)	20
2.5	Rose diagram showing trends of faults in Gulf-of-Suez (after Metwally,2016)	22
2.6	Observed seismicity within Gulf-of-Suez between 1997 and 2014	22
2.7	The location map of earthquake swarms of 1983, 1990 and 1993(after Abou Karaki et al., 1993)	25
2.8	Rose diagram showing trends of faults in Gulf-of-Aqaba (after Metwally, 2016)	25
2.9	Historical and instrumental seismicity of Northeast Egypt (from 2000 BC till 2016) and main tectonic (after Gorshkov et al., 2019)	26
2.10	Earthquake locations and Egyptian geological survey EGS faults in the study area from 1997 to 2014	27

2.11	The present-day stress field distribution in Egypt (after Hussein et al, 2013)	28
3.1	Seismological stations used in re-location from Egypt, KSA and Levant	50
3.2	Quakes located only by the Egyptian National Seismic Network (ENSN), red dot represents dataset of the seismic activity in study area from 1997 to 2014	51
3.3	Re-picking all the 1814 earthquakes, trying to increase the number of phases for each event in order to improve reliable locations to all seismic data and to apply Wadati enhancement	52
3.4	The resulted average RMS error after using three commoner velocity models	53
3.5	Iterative approach for the optimal level of Wadati STD error (Max=2)	55
3.6	Final Wadati enhancement after contributing regional phases	56
3.7	The enhancement in the location through re-picking, Wadati and Hypoinverse re-location stages	57
3.8	The final location of the dataset	59
3.9	The largest 50 events in dislocation	60
3.10	The obtained RMS, Horizontal (RH) and vertical (RV) errors enhancements throughout the re-location steps	60
3.11	Final horizontal and vertical dislocation histogram for the dataset	61
3.12	Latitude and longitude profiling for the dataset	61
3.13	The final locations of the dataset and the seismological stations with ray paths involved in every epicentral solution	63
3.14	The enhanced seismicity for the Gulf-of-Suez from 1997	6.1

3.15	The enhanced seismicity for the Gulf-of-Aqaba from 1997 to 2014	65
3.16	The enhanced seismicity for the Northern Red Sea from 1997 to 2014	66
4.1	Illustration of the 3D ray tracing algorithm by Zhao, (1991) and Zhao et al. (1992), (after Zhao, 2015)	72
4.2	Conrad and Moho Depth distributions respectively (after Abdelwahed et al., 2013)	75
4.3	Appling different damping values on the data inversion and the resulting normalization and residuals	77
4.4	Damping values against both model and data variations statistically	78
4.5	Map for the chosen spatial configuration of 3D grid. The red points represent the earthquakes locations and triangles represent the station locations	79
4.6	Checkerboard resolution result for a depth of 0.0 km	79
4.7	Checkerboard resolution result for a depth of 03 km	80
4.8	Checkerboard resolution result for a depth of 06 km	80
4.9	Checkerboard resolution result for a depth of 10 km	80
4.10	Checkerboard resolution result for a depth of 15 km	80
4.11	Checkerboard resolution result for a depth of 20km	81
4.12	Checkerboard resolution result for a depth of 25 km	81
4.13	Checkerboard resolution result for a depth of 30 km	81
4.14	Checkerboard resolution result for a depth of 35 km	81
4.15	Checkerboard resolution result for a depth of 40 km	82
4.16	Velocity perturbation percentage of the compressional and shear waves velocities (V _P and V _S) and its' Poisson ratio (V _P /V _S),	9.2

4.17	Velocity perturbation percentage of the compressional and shear waves velocities (V _P and V _S) and its' Poisson ratio (V _P /V _S), respectively, observed at the depth of 03 km	84
4.18	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 06 km	85
4.19	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of $10~km$	86
4.20	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 15 km	87
4.21	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 20 km	88
4.22	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 25 km	89
4.23	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 30 km	90
4.24	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 35 km	91
4.25	Velocity perturbation percentage of the compressional and shear waves velocities (V_P and V_S) and its' Poisson ratio (V_P/V_S), respectively, observed at the depth of 40 km	92
4.26	Profile (A1), location map and anomalies illustration of the velocity perturbations for V _P , V _S and V _P /V _S ratio, downwards respectively. Dark stars are the enhanced locations of earthquakes, the velocity perturbations are represented by a scale bar on the right side	102
4.27	Profile (A2), location map and anomalies illustration of the velocity perturbations for V_P , V_S and V_P/V_S ratio,	