

**Ain Shams University  
Faculty of Science  
Chemistry Department**



**Excited state intramolecular charge transfer versus hydrogen bonding effect on the photophysical properties of fluorescent compounds**

**A Thesis**

submitted for the degree of Master of Science

As a partial fulfillment for the requirements of Master of Science

**"Chemistry Department"**

**By**

**Asmaa Mohamed Ahmed Dappour**

B.Sc in chemistry, Faculty of Science

Ain Shams University, 2012

**Under the Supervision of**

**Prof. Dr. Ayman Ayoub Abdel-Shafi**

*Prof. of inorganic chemistry, Faculty of science, Ain Shams University*

**Prof. Dr. Mohamed A. Ismail**

*Prof. of organic chemistry, Faculty of science, Mansoura University*

**Dr. Gehad El-Sayed Attia**

*Lecturer of inorganic chemistry, Faculty of science, Ain Shams University*

**2019**

**Ain Shams University  
Faculty of Science  
Chemistry Department**



## **Approval Sheet**

**Excited state intramolecular charge transfer versus hydrogen bonding effect on the photophysical properties of fluorescent compounds**

**By**

**Asmaa Mohamed Ahmed Dappour**

B.Sc in chemistry, Faculty of Science

Ain Shams University, 2012

This thesis for the master degree has been approved by:

**Prof. Dr. Ayman Ayoub Abdel-Shafi**

*Prof. of inorganic chemistry, Faculty of science, Ain Shams University*

**Prof. Dr. Mohamed A. Ismail**

*Prof. of organic chemistry, Faculty of science, Mansoura University*

**Dr. Gehad El-Sayed Attia**

*Lecturer of inorganic chemistry, Faculty of science, Ain Shams University*

**Head of Chemistry Department**

**Prof. Dr. Ayman Ayoub Abdel-Shafi**

**2019**

**Ain Shams University  
Faculty of Science  
Chemistry Department**



**Student Name: Asmaa Mohamed Ahmed Dappour**

**Scientific Degree: Master of Science**

**Faculty Name: Faculty of science**

**Graduation Year: 2012**

**Granting Year: 2019**

**Head of Chemistry Department**

**Prof. Dr. Ayman Ayoub Abdel-Shafi**

## Acknowledgement

First and foremost, I do thank **Allah** the most merciful for helping me finishing this project.

I would like to thank **Prof. Dr. Ayman Ayoub Abdel-Shafi**, professor of inorganic chemistry, Faculty of Science, Ain Shams University, for the patient guidance, motivations, encouragement and advices. The door to **Dr. Ayman** office was always open whenever I ran into a trouble spot or had a question about my research or writing. He consistently allowed this project to be my own work but steered me in the right direction whenever he thought I needed it. I wish to thank him greatly for considering me not only his student but also as his daughter.

I'm indebted to **Prof. Dr. Mohamed A. Ismail**, professor of organic chemistry, Faculty of Science, Mansoura University, for giving me the chance to be one of his students. He has helped me in all the time of my project, writing this thesis and responded to all my questions and queries so promptly.

Last but not the least; I would like to thank my parents for supporting me and praying for me all the time.

My sincere thanks go to **Dr. Gehad El-Sayed Attia** Lecturer of inorganic chemistry, Faculty of science, Ain Shams University, for helping me in a way more than what I needed. He has suggested some important points in the project.

Last but not the least; Special thanks go to my family.

Asmaa Mohamed Ahmed Dappour

Signature:

---

# *Contents*

---

## Contents

List of tables .....	i-ii
List of figures .....	iii-xi
List of abbreviations.....	xii-xiv
Aim and plan of work .....	xv
Summary.....	xvi-xvii
Abstract.....	xviii

### Chapter 1: Introduction

<b>1.1. Phenomena of fluorescence</b> .....	1
<b>1.2. Theoretical Basis of Absorption Spectra</b> .....	3
<b>1.3. Photophysical Processes in the Excited State</b> .....	4
<b>1.4. Push-pull compound</b> .....	8
<b>1.5. Solvent and Environmental Effects</b> .....	11
<b>1.5.1. Linear Free-Energy Relationships</b> .....	16
<b>1.5.2. The Effects of solvent on UV/vis Absorption Spectra</b> .....	18
<b>1.5.3. The Stokes shift</b> .....	21
<b>1.5.4. Empirical Parameters of Solvent Polarity from UV/vis Spectroscopic Measurements</b> .....	23
<b>1.5.4.1. The Kamlet-Taft model</b> .....	23
<b>1.5.4.2. The Catalan model</b> .....	23
<b>1.5.4.3. Laurence model</b> .....	24

# Contents

<b>1.6. Photophysical properties of bithiophene derivatives</b>	<b>26</b>
---	-----------

## Chapter 2: Experimental

<b>2.1. Materials</b>	<b>29</b>
<b>2.2. Instruments and measurements</b>	<b>30</b>

## Chapter 3: DM TTC Results and discussion

<b>3.1. Spectroscopic studies</b>	<b>31</b>
<b>3.2. The used solute-solvent treatments</b>	<b>35</b>
<b>3.2.1. Lippert-Mataga equation</b>	<b>35</b>
<b>3.2.2. Reichardt polarity scale</b>	<b>37</b>
<b>3.2.3. Ravi et al correlation</b>	<b>41</b>
<b>3.2.4. Multiple linear regression analysis of solvent dependent photophysical parameters</b>	<b>46</b>
<b>3.2.4.1. Kamlet- Taft correlation</b>	<b>46</b>
<b>3.2.4.2. Catalan correlation</b>	<b>51</b>
<b>3.2.4.3. Laurence correlation</b>	<b>56</b>
<b>3.3. Fluorescence decay of DM TTC in different solvents</b>	<b>64</b>

## Chapter 4: DM TTC A Results and discussion

<b>4.1. Spectroscopic studies</b>	<b>78</b>
<b>4.2. Reichardt-Ravi equation</b>	<b>83</b>
<b>4.3. Multiple linear regression analysis of solvent dependent photophysical parameters using Kamlet-Taft, Catalán and Laurence et al</b>	<b>86</b>

## Contents

---

<b>4.4. Fluorescence decay of DMTTCA in different solvents.</b>	
...	.....91

### Chapter 5: References

<b>References</b>	.....103
-------------------	----------

---

# *List of Tables*

---

## List of Tables

Table number	Description	Page
<b>Table (3.1)</b>	Wavelength of maximum absorption, $\lambda_{\text{abs}}$ , wavelength of maximum emission, $\lambda_{\text{em}}$ , Stokes shift, $\Delta\nu$ , fluorescence quantum yield, $\Phi_f$ , excited state lifetime, $\tau$ , radiative rate constant, $k_r$ , and non-radiative rate constant, $k_{\text{nr}}$ , for DMTTC in different solvents (Errors unless otherwise stated are $\leq 10\%$ ).	<b>34</b>
<b>Table (3.2)</b>	solute-solvent interactions examination by three multiple-linear solvation energy correlations according to Kamlet-Taft, Catalán and Laurence et al.	<b>61-62</b>
<b>Table (4.1)</b>	Wavelength of maximum absorption, $\lambda_a$ (nm), wavelength of maximum emission, $\lambda_f$ (nm), Stokes shift, $\Delta\nu$ ( $\text{cm}^{-1}$ ), fluorescence quantum yield, $\Phi_f$ , results of the biexponential fit, $a_1, \tau_1$ (ns), $a_2, \tau_2$ (ns) and $\chi^2$ for DMTTCA in different solvents (Errors are $\leq 10\%$ ).	<b>82</b>

---

# *List of Figures*

---

## List of Figures

Figure number	Description	Page
Fig. (1.1)	Jablonski scheme representing the typical photophysical processes in molecules	6
Fig. (1.2)	A Jablonski diagram adjusted to show stabilizing solvent effects ( $S_1'$ and $S_1$ )	9
Fig. (1.3)	Limiting resonance forms and UV/Vis spectra for model D- $\pi$ -A systems based on nitroaniline	11
Fig. (1.4)	Jablonski diagram for fluorescence with solvent relaxation.	20
Fig. (1.5)	Photograph and emission spectra of DNS in solvents of increasing polarity. H, hexane; CH, cyclohexane; T, toluene; EA, ethyl acetate; Bu, n-butanol.	21
Fig. (3.1)	Absorption spectra of DMTTC in different solvents	31
Fig. (3.2)	Normalized fluorescence emission spectra of DMTTC in different solvents collected with excitation wavelength, $\lambda_{ex}$ , equals to $\lambda_{abs}^{max}$ .	33
Fig. (3.3)	Dependence of $\Delta\nu$ on the solvent polarity parameter $\Delta f$ for DMTTC.	36
Fig. (3.4)	Plot of the absorption energy versus versus the solvent polarity parameter $E_T^N$ .	38
Fig. (3.5)	Plot of emission energy, $\nu_f$ , versus the solvent polarity parameter $E_T^N$ .	39
Fig. (3.6)	Plot of Stokes' shift, $\Delta\nu$ , versus the solvent polarity parameter $E_T^N$ .	40
Fig. (3.7)	plot of the fluorescence quantum yield, $\Phi_f$ versus the solvent polarity parameter $E_T^N$ .	42
Fig. (3.8)	the excited state lifetime, $\tau$ , versus the solvent polarity parameter $E_T^N$ .	43
Fig. (3.9)	radiative rate constant, $k_r$ , versus the solvent polarity parameter $E_T^N$ .	43
Fig. (3.10)	Plot of non-radiative rate constant, $k_{nr}$ , versus the solvent polarity parameter $E_T^N$ .	44

## List of Figures

Fig. (3.11)	Kamlet-Taft linear solvation energy relationship plot of the calculated values of the absorption energy, $\nu_a$ against their corresponding experimental data.	48
Fig. (3.12)	Kamlet-Taft linear solvation energy relationship plot of the calculated values of the emission energy, $\nu_r$ against their corresponding experimental data.	49
Fig. (3.13)	Kamlet-Taft linear solvation energy relationship plot of the calculated values of the Stokes's shift, $\Delta\nu$ against their corresponding experimental data.	49
Fig. (3.14)	Kamlet-Taft linear solvation energy relationship plot of the calculated values of the radiative rate constant, $k_r$ against their corresponding experimental data.	50
Fig. (3.15)	Kamlet-Taft linear solvation energy relationship plot of the calculated values of the non-radiative rate constant, $k_{nr}$ , against their corresponding experimental data.	50
Fig. (3.16)	Percentage contribution of solvent parameters obtained from Kamlet-Taft analysis (Eq.1.5) for different spectroscopic properties of DMTTC.	51
Fig. (3.17)	Catalán's linear solvation energy relationship plot of the calculated values of the absorption energy, $\nu_a$ against their corresponding experimental data.	53
Fig. (3.18)	Catalán's linear solvation energy relationship plot of the calculated values of the emission energy $\nu_r$ , against their corresponding experimental data.	54
Fig. (3.19)	Catalán's linear solvation energy relationship plot of the calculated values of the Stokes's shift, $\Delta\nu$ against their corresponding experimental data.	54
Fig. (3.20)	Catalán's linear solvation energy relationship plot of the calculated values of the radiative rate constant $k_r$ against their corresponding experimental data.	55
Fig. (3.21)	Catalán's linear solvation energy relationship plot of the calculated values of the non-radiative rate constant, $k_{nr}$ , against their corresponding experimental data.	55
Fig. (3.22)	Percentage contribution of solvent parameters obtained from Catalán's analysis for different spectroscopic properties of DMTTC.	56

## List of Figures

Fig. (3.23)	Laurence's linear solvation energy relationship plot of the calculated values of the absorption energy, $\nu_a$ against their corresponding experimental data.	57
Fig. (3.24)	Laurence's linear solvation energy relationship plot of the calculated values of the emission energy, $\nu_f$ against their corresponding experimental data.	58
Fig. (3.25)	Laurence's linear solvation energy relationship plot of the calculated values of stokes shift, $\Delta\nu$ against their corresponding experimental data.	58
Fig. (3.26)	Laurence's linear solvation energy relationship plot of the calculated values of radiative rate constant, $K_r$ against their corresponding experimental data.	59
Fig. (3.27)	Laurence's linear solvation energy relationship plot of the calculated values of non-radiative rate constant, $K_{nr}$ against their corresponding experimental data.	59
Fig. (3.28)	Percentage contribution of solvent parameters obtained from Laurence's analysis for different spectroscopic properties of DM TTC	60
Fig. (3.29)	Fluorescence decay of DM TTC in Ethanol with 375 nm LED as a source of excitation	64
Fig. (3.30)	Fluorescence decay of DM TTC in Methanol with 375 nm LED as a source of excitation	65
Fig. (3.31)	Fluorescence decay of DM TTC in Propanol with 375 nm LED as a source of excitation	66
Fig. (3.32)	Fluorescence decay of DM TTC in Butanol with 375 nm LED as a source of excitation	67
Fig. (3.33)	Fluorescence decay of DM TTC in DMSO with 375 nm LED as a source of excitation	68
Fig. (3.34)	Fluorescence decay of DM TTC in DMF with 375 nm LED as a source of excitation	69
Fig. (3.35)	Fluorescence decay of DM TTC in ACN with 375 nm LED as a source of excitation	70
Fig. (3.36)	Fluorescence decay of DM TTC in Dioxane with 375 nm LED as a source of excitation	71