"Applicability of a Mathematical Equation in Tooth Size Prediction in Mixed Dentition in a Sample of Egyptian Adolescents with Cleft Lip and/or Palate" A Retrospective Study

A Thesis submitted to the Faculty of Dentistry, Ain Shams University

In Partial Fulfillment of the Requirements for the Master's Degree in Pediatric Dentistry

By

Muhammad Ahmed Helmi Barghouth

B.D.S. (2012) Ain Shams University

Faculty of Dentistry
Ain Shams University
2018

Supervisors

Prof. Dr. Nadia Ezz El-Din Metwalli

Professor, Department of Pediatric Dentistry and Dental Public Health Former Vice Dean for Environmental Affairs Faculty of Dentistry – Ain Shams University

Prof. Dr. Marwa Abd El-Wahab El-Kassaby

Professor, Department of Oral and Maxillofacial Surgery Faculty of Dentistry – Ain Shams University

Dr. Noha Ibrahim Abd El-Rahman

Lecturer, Department of Orthodontics Faculty of Dentistry – Ain Shams University

List of Contents

	<u>Title</u>	Page No.
	List of Tables	i
	List of Figures	iii
	List of Abbreviations	X
I	Introduction	1
II	Review of Literature	3
III	Aim of the Study	29
IV	Subjects and Methods	30
\mathbf{V}	Results	62
VI	Discussion	78
VII	Summary	93
VIII	Conclusions and Recommendations	95
IX	References	98
X	Arabic Summary	-

"إمكانية تطبيق معادلة رياضية في توقع حجم الأسنان في مرحلة التسنين المختلط في عينة من اليافعين المصريين المصابين بشق الشفة و/أو الحلق" دراسة استعادية

رسالة مقدمة إلى كلية طب الأسنان جامعة عين شمس للحصول على درجة الماجستير في طب أسنان الأطفال

مقدمة من الطبيب/ محمد أحمد حلمي برغوث الطبيب/ محمد أحمد حلمي برغوث بكالوريوس طب وجراحة الفم والأسنان (2012) جامعة عين شمس

كلية طب الأسنان جامعة عين شمس 2018

المشرفون

أ. د. نادية عز الدين متولى

أستاذ بقسم طب أسنان الأطفال والصحة العامة الوكيل الأسبق لشئون البيئة كلية طب الأسنان – جامعة عين شمس

أ. د. مروة عبد الوهاب القصبي

أستاذ بقسم جراحة الفم والوجه والفكين كلية طب الأسنان – جامعة عين شمس

د. نهى ابراهيم عبد الرحمن

مدرس بقسم تقويم الأسنان كلية طب الأسنان — جامعة عين شمس

Dedication

I would like to dedicate my work in loving memory of my late father and to my mother who has always been my role model.

I would also like to dedicate it to my loving supportive family and friends.

Acknowledgement

I would like to express my gratitude to **Professor Dr. Nadia Ezz El-Din Metwalli**, Professor of Pediatric Dentistry and Dental Public Health, Faculty of Dentistry, Ain-Shams University for her constant support and guidance. It was an honor working under her supervision.

My deepest gratitude is also extended to **Professor Dr. Marwa Abd El-Wahab El-Kassaby**, Professor of Oral and Maxillofacial Surgery, Faculty of Dentistry, Ain-Shams University. Her expertise and guidance was invaluable to the completion of my work and I'm forever grateful to her.

I would also like to thank **Dr. Noha Ibrahim Abd El-Rahman**, Lecturer of Orthodontics, Faculty of Dentistry, Ain-Shams University. I was truly blessed to have the opportunity to work with her and learn from her due to her professionalism and helpfulness. I've always considered her my mentor ever since she was my instructor as an undergraduate student. I can't thank her enough for all her help and guidance.

Last but not least, I'm thankful to all my professors, colleagues and staff members of the Pediatric Dentistry and Dental Public Health Department, Faculty of Dentistry, Ain-Shams University for their constant help and encouragement.

List of Tables

Table No.	<u>Title</u>	Page No.
Table (1):	Measurements of individual teeth taken from a single	56
	CBCT scan of an individual with BCLP.	
Table (2):	(A-SCPM) of both maxillary quadrants separately, their	57
	average (Av. A-SCPM) and the maxillary (P-SCPM) for	
	a CBCT scan of an individual with BCLP.	
Table (3):	(A-SCPM) of both mandibular quadrants separately, their	57
	average (Av. A-SCPM) and the mandibular (P-SCPM)	
	and the sum of lower incisors (SI) for a CBCT scan of an	
	individual with BCLP.	
Table (4):	(A-SCPM) of both the maxillary cleft and non-cleft sides	57
	separately and the maxillary (P-SCPM) for a CBCT scan	
	of an individual with UCLP.	
Table (5):	Mean, Standard deviation (SD) values of actual and	63
	predicted combined mesiodistal widths of maxillary and	
	mandibular permanent canines and premolars for Group	
	(A).	
Table (6):	Mean, Standard deviation (SD) values of actual and	65
	predicted combined mesiodistal widths of maxillary and	
	mandibular permanent canines and premolars for Group	
	(B).	
Table (7):	Mean, Standard deviation (SD) values of actual and	67
	predicted combined mesiodistal widths of maxillary and	
	mandibular permanent canines and premolars for Group	
	(C).	

List of Tables (Cont.)

Table No.	<u>Title</u>	Page No.
Table (8):	Mean, Standard deviation (SD) values of actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group (D).	68
Table (9):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (A).	70
Table (10):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (B).	71
Table (11):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary permanent canines and premolars for cleft and non-cleft sides within different genders of Group (B).	72
Table (12):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for different genders in Group (C).	73

List of Tables (Cont.)

Table No.	<u>Title</u>	Page No.
Table (13):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and	74
	mandibular permanent canines and premolars for different genders in Group (D).	
Table (14):	Mean, Standard deviation (SD) values of actual combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for all	76
	groups.	

List of Figures

Figure No.	<u>Title</u>	Page No.
Figure (1)	Diagram showing the Striped-Y Classification.	5
Figure (2)	Diagram showing the LAHSAL Classification.	6
Figure (3)	The Clock Diagram.	7
Figure (4)	Diagram showing the grouping of the study sample.	32
Figure (5)	Diagram showing the case record form.	34
Figure (6)	Axial view showing the maxillary arch of a normal	35
	individual with completely intact alveolus and palate.	
Figure (7)	Axial view showing the maxillary arch of a UCLP	36
	individual showing cleft alveolus and palate on one side	
	whereas the other side is completely intact.	
Figure (8)	Axial view of a BCLP individual with rudimentary	37
	premaxilla showing a small sized premaxilla containing	
	only one central incisor.	
Figure (9)	Sagittal view of a BCLP individual with rudimentary	37
	premaxilla showing a retrusive premaxilla with a	
	retroclined central incisor and anterior crossbite.	
Figure (10)	Soft tissue view of an individual with BCLP with a	38
	rudimentary premaxilla showing a retrusive premaxilla	
	and a concave facial profile.	
Figure (11)	Axial view of an individual with BCLP with a well-	39
	developed premaxilla showing a normal sized premaxilla	
	containing three incisors.	

Figure No.	<u>Title</u>	Page No.
Figure (12)	Sagittal view of an individual with BCLP with a well-developed premaxilla showing a prominent premaxilla	39
	containing an incisor with normal faciolingual	
Figure (13)	inclination. Soft tissue view of an individual with BCLP with a well-developed premaxilla showing a prominent premaxilla	40
E: (14)	and a convex facial profile.	41
Figure (14)	Panoramic view of the scan to confirm presence of all teeth to be measured.	41
Figure (15)	Sagittal view showing the default position of the lower	42
	left central incisor with malalignment of the coronal axis (Blue) and the axial axis (Red).	
Figure (16)	Sagittal view showing the final position of the lower left central incisor with the coronal axis (Blue) parallel to the	43
Figure (17)	long axis of the crown. Axial view showing the default position of the lower left central incisor with malalignment of both the sagittal axis	44
E' (10)	(Green) and the coronal axis (Blue).	4.4
Figure (18)	Axial view showing the final position of lower left central incisor bisected by the sagittal axis (Green) with the coronal axis (Blue) passing through both the mesial and distal anatomical contact points.	44

Figure No.	<u>Title</u>	Page No
Figure (19)	Coronal view showing the default position of the lower	45
	left central incisor with malalignment of both the sagittal	
	axis (Green) with the axial axis (Red).	
Figure (20)	Coronal view showing the final position of the lower left	45
	central incisor bisected by the sagittal axis (Green) with	
	the axial axis (Red) passing through both the mesial and	
	distal anatomical contact points.	
Figure (21)	Overall view showing the standardized tooth position of	46
	the lower left central incisor in relation to all three axes	
	before measurements were taken.	
Figure (22)	Coronal view showing the measurement of the maximum	47
	mesiodistal width of the lower central incisor from the	
	labial aspect.	
Figure (23)	Incisal view showing the measurement of the maximum	47
	mesiodistal width of the lower central incisor from the	
	incisal aspect.	
Figure (24)	Sagittal view showing the final position of the permanent	48
	canine before measurements were taken.	
Figure (25)	Axial view showing the final position of the permanent	48
	canine before measurements were taken.	
Figure (26)	Coronal view showing the final position of the permanent	49
	canine before measurements were taken.	

Figure No.	<u>Title</u>	Page No.
Figure (27)	Overall view showing the final standardized position of the lower left canine in relation to all three axes before	50
Figure (28)	measurements were taken. Coronal view showing the measurement of the maximum mesiodistal width of the lower left canine from the labial	51
Figure (29)	aspect. Incisal view showing the measurement of the maximum mesiodistal width of the lower left canine from the incisal	51
Figure (30)	aspect. Sagittal view showing the final position of the permanent lower second premolar before the measurements were	52
Figure (31)	taken. Axial view showing the final position of the permanent lower second premolar before measurements were taken.	52
Figure (32)	Coronal view showing the final position of the permanent lower second premolar before measurements were taken.	53
Figure (33)	Overall view showing the final standardized position of the lower left second premolar in relation to all three axes	54
Figure (34)	before measurements were taken. Coronal view showing the measurement of the maximum mesiodistal width of the lower left second premolar from the buccal aspect.	55

Figure No.	<u>Title</u>	Page No
Figure (35)	Occlusal view showing the measurement of the maximum mesiodistal width of the lower left second	55
Figure (36)	premolar from the occlusal aspect. Diagram showing a completed case record form of an	60
	individual with BCLP.	
Figure (37)	Scatter plot of the first and second measurements.	62
Figure (38)	Bar chart showing average actual and predicted combined mesiodistal widths of maxillary and mandibular permanent canines and premolars for Group	64
	(A).	
Figure (39)	Bar chart showing average actual and predicted combined mesiodistal widths of maxillary permanent canines and premolars for Group (B).	65
Figure (40)	Bar chart showing average actual and predicted combined mesiodistal widths of mandibular permanent canines and premolars for Group (B).	66
Figure (41)		67