

**PHYSIOLOGICAL AND BIOTECHNOLOGICAL
STUDIES ON CELERY PLANT (*Apium graveolens* L.
var.dulce mill.)**

By

SAMIR SABRY ABDEI FATTAH ISSA SALLAM
B.Sc. Agric. Sci. (Biotechnology), Fac. Agric., Cairo Univ., Egypt, 2001
M.Sc. Agric. Sci. (Plant physiology), Fac. Agric., Cairo Univ., Egypt, 2012

THESIS

**Submitted in Partial Fulfillment of the
Requirements for the Degree of**

DOCTOR OF PHILOSOPHY

In

**Agricultural Sciences
(Plant Physiology)**

**Department of Agricultural Botany
Faculty of Agriculture
Cairo University
EGYPT**

2019

Format Reviewer

Vice-Deen of Graduate Student

APPROVAL SHEET

PHYSIOLOGICAL AND BIOTECHNOLOGICAL STUDIES ON CELERY PLANT (*Apium graveolens* L. var.dulce mill.)

Ph.D. Thesis

In

Agric. Sci. (Plant physiology)

By

SAMIR SABRY ABDEI FATTAH ISSA SALLAM

B.Sc. Agric. Sci. (Biotechnology), Fac. Agric., Cairo Univ., Egypt, 2001
M.Sc. Agric. Sci. (Plant physiology), Fac. Agric., Cairo Univ., Egypt, 2012

APPROVAL COMMITTEE

Dr Said Awad Mohamed Shehata
Professor of Plant Physiology, Fac. Agric., Ain Shams University

Dr. Eglal Mohamed Zaki Harb.....
Professor of Plant Physiology, Fac. Agric., Cairo University

Dr Mohamed Khalil Khalil.....
Professor of Plant Physiology, Fac. Agric., Cairo University

Dr Mohamed R.A. Nesiem.....
Professor of Plant Physiology, Fac. Agric., Cairo University

Date: 22 / 12 /2019

SUPERVISION SHEET

**PHYSIOLOGICAL AND BIOTECHNOLOGICAL
STUDIES ON CELERY PLANT (*Apium graveolens* L.
var.dulce mill.)**

**Ph.D. Thesis
In
Agri. Sci. (Plant physiology)**

By

SAMIR SABRY ABDEI FATTAH ISSA SALLAM
B.Sc. Agric. Sci. (Biotechnology), Fac. Agric., Cairo Univ., Egypt, 2001
M.Sc. Agric. Sci. (Plant physiology), Fac. Agric., Cairo Univ., Egypt, 2012

SUPERVISION COMMITTEE

Dr. MOHAMED RAMADAN Abou-Ella NESIEM
Professor of Plant Physiology, Fac. Agric., Cairo University

Dr. MOHAMED KHALIL KHALIL
Professor of Plant Physiology, Fac. Agric., Cairo University

Dr. KAMILIA FOLY TAHA
Professor of medicinal plants and natural products, National Organization
for Drug Control And Research (NODCAR), Ministry of Health

Name of Candidate: Samir Sabry Abdel Fattah Sallam **Degree:** Ph.D.

Title of Thesis: Physiological and biotechnological studies
on celery plant (*Apium graveolens* L. var. dulce mill.)

Supervisors: Dr. Mohamed Ramadan Abou-Ella Nesiem

Dr. Mohamed Khalil Khalil

Dr. Kamilia Foly Taha

Department: Agricultural Botany

Branch: Plant Physiology

Approval: 22 / 12 / 2019

ABSTRACT

This work was carried out during two successive seasons of 2014/15 and 2015/16 at Biotechnology, Phytochemistry Department and Farm of Applied Research Center of Medicinal Plants affiliated to the National Organization for Drug Control And Research(NODCR).

The present work aimed to study the effect of inoculation *Apium graveolens* L. seeds with biofertilizers [arbuscular mycorrhizal (AM) and/or microbein and/or plants sprayed with Thidiazuron (TDZ) fertilized with half or full dose of NPK on soil microbial activity, plant characteristics, chemical composition, as well as seed phytochemical analysis. The most important results could be summarized as follow:

The results in both seasons showed, inoculation of celery seeds with mycorrhiza and microbein under full or half NPK fertilizers increased soil microbial activity (number of AM fungi spores and its colonization % as well as hydrogenase and nitrogenase activities). Also, plant growth characteristics, chemical constituents, photosynthetic pigments, mineral nutrients and non- structural carbohydrates) as well as number of umbel and seed yield / plant were significantly increased with the inoculation of celery seeds with mycorrhiza and microbein under full NPK dose. However, the reduction% in seed yield/plant induced from 1/2 NPK inoculated with mycorrhiza and microbein reached 14.3% comparing with uninoculated full NPK dose. Moreover, the reduction in volatile oil yield reached 11.5% , from SDS-PAGE protein profile, no protein banding was found between 1/2 and full NPK dose. Meanwhile, three protein bands (53, 55 and 57 KDa). were found after inoculation with mycorrhiza. whereas, Two protein bands (20 and 37KDa) were found after inoculation with microbein comparing with uninoculated treatments.

Key words. Celery, *Apium graveolens* L., chemical fertilizer, mycorrhizae, microbein, TDZ. Volatil oil.

DEDICATION

I dedicate this work to whom my heartfelt thanks; to my father, mother, wife Saadeya, my sons Moatasem and Shehab, my daughter Youmna and my uncle prof. Abdel Halim Sallam this work dedicated my friends. Dalia Abdel Halim and Nora Ahmed for the support they lovely offered throughout the period of my post graduation.

ACKNOWLEDGEMENT

First of all, my praise to ALLAH, , for helping me throughout this work,

I wish to express my sincere thanks, deepest gratitude and appreciation to Dr. Mohamed K, Khalil, Professor of Plant Physiology , faculty of Agriculture, Cairo University, Dr. Kamilia F. Taha, Professor of Medicinal Plants and Natural Products, NODCAR for thir kindn supervision, and solving the problems.

Sincere thanks to Dr. Mohamed R, nesiem, Professor of Plant Physiology, Faculty of Agriculture, Cairo University for suggesting, solving the problems, supervision and his guidance throughout the course of study.

Grateful thanks to Dr. Amal Z. Al. abdein Professor of Medicinal Plants and Natural Products, (NODCAR) for her help, advice and support.

Many thanks to my colleagues and staff members, of Biotechnology and Tissue culture Departments, NODCAR for their help, advice and support.

LIST OF ABBREVIATIONS

a.i.	Active ingredient
AM	Arbascular Mycorrhiza
Chl. a	Chlorophyll a
Chl. b	Chlorophyll b
DAP	Day after planting
dd	distilled deionized water
DPPH	2,2'-diphenyl,1-picryl hydrazyl
FM or FYM	Farmyard manure
FRAP	Ferric reducing ability of plasma
GA ₃	Gibberellic acid
GAE	Gallic acid equivalents
GLC	Gas liqued chromatogrphy
IAA	Indole-3- acetic acid
IBA	Indole-3- butyric acid
KDa	Kilo dalton
Kin.	Kintein
M. W.	Molecular weight
My	Mycorrhiza
Mi	Microbein
NODCAR	National Organization for Drug Control And Research
PGPR	Plants growth promoting rhizobacteria
ppb	Part per billion
ppm	Part per millllion
PSB	Phosphate solublizing bacteria
PTZ	Pentylentetrazol
RBC	Red blood cells
TDZ	Thiodiazuran
TPF	Triphenyl formazon
TTC	Triphenyltetrazolium chloride
VAM	Vesicular arbascular mycorrhizae

CONTENTS

<u>Subjects</u>	<u>Page</u>
INTRODUCTION.....	1
REVIEW OF LITERATURE.....	5
1. Scientific classification of celery	5
2. Distribution and botanical description of celery	5
3. Chemical composition of celery	7
4. Pharmacological effects of celery	8
5. Effect of N, P and K chemical fertilizers on celery.....	10
a. Effect on celery vegetative growth and yield.....	10
b. Effect on celery chemical composition.....	12
6. Effect of biofertilizers on celery	14
a. Effect on celery vegetative growth and yield.....	15
b. Effect on celery chemical composition.....	18
7. Effect of bio and chemical fertilizer combinations on celery.....	20
a. Effect on celery vegetative growth and yield.....	20
b. Effect on celery chemical composition.....	23
8. Effect of Thidiazuran (TDZ) on celery	26
MATERIALS AND METHODS.....	28
1. MATERIALS.....	28
2. METHODS	28
A. Soil microbial activity	30
1. Determination of number of Am fungi spores.....	30
2. Determination of number of AM fungi colonization.....	30
3. Dehydrogenase activity	31
4. Nitrogenase activity.....	31
B. Celery growth characteristics.....	32
C. Celery chemical composition.....	32
1. Determination of photosynthetic pigments.....	32
2. Determination of Non-structural carbohydrates.....	33
3. Determinations of N, P and K.....	33
D. Seed phytochemical analysis	34
1. Essenstial oil yield	34
2. Oil specific gravity.....	34
3. Refractive index.....	34
4. Essential oil analysis by GLC.....	35
5. Determination of total phenolic.....	36