

بسم الله الرحمن الرحيم



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات




يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار

HOSSAM MAGHRABY



بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

**SYNTHESIS OF SOME NEW QUINOLINE
DERIVATIVES OF ANTICIPATED
BIOLOGICAL ACTIVITY**

B1EVCN

A Thesis Submitted

To

**Faculty of Science
Ain Shams University**

For

**The Degree of Doctor of Philosophy (Ph.D.)
(Chemistry)**

Presented By

**MOGEDDA EMAM HAIBA
(M.Sc.)**

1998

SYNTHESIS OF SOME NEW QUINOLINE DERIVATIVES OF ANTICIPATED BIOLOGICAL ACTIVITY

Thesis approved

Prof. Dr. M. Habashi M. M. Habashi

Dr. M. Refai Mahmoud Mahmoud R

Prof. Dr. Mohsen M. Kamel M. M. Kamel

Prof. Dr. Z. M. Nofal Z. M. Nofal

Head of chemistry department

A. F. M. Fahmy

Prof. Dr. A. F. M. Fahmy

1871

CONTENTS

	Page
Acknowledgements.....	
Aim and summary.....	i
Introduction.....	1
1.1. Chemotherapeutic importance of quinoline compounds	1
1.2. Synthesis and chemistry of 4-hydroxy-2-methyl- quinolines.....	10
1.2.1. Synthesis	10
1.2.2. Chemical properties.....	14
1.2.2.1. Reactions of 4-hydroxy group.....	14
1.2.2.2. Reactions of 2-methyl group.....	20
2. Discussion	
2.1. Section 1	
6-Bromo-4-hydroxy, 2-methyl quinoline in the Mannich reaction	30
2.2. Section 2	
One pot reaction for the synthesis of 3-cyano-2(1H)-oxo (or imino) pyridines incorporated into 4-anilino-quinolines and other related analogues	41
2.2.1. Synthesis of 6-chloro-4-[p-(4-aryl-3-cyano-4- substituted-2(1H)-oxo-pyridin -6-yl)phenyl]amino- 2-methylquinolines	41
2.2.2. Synthesis of -6-bromo-4-[p-(4-aryl-3-cyano-2(1H) imino-pyridin-6-yl)phenyl]amino-2-methylquinolines	47
2.2.3. Synthesis of some new thiosemicarbazone derivatives of possible biological activity.....	49

	Page
2.3. Section 3	
Some Reactions with p-(6-bromo-2-methylquinolin-4-yl)- amino benzoic acid hydrazide and synthesis of some new quinoline-sulfa drugs.....	53
a) Synthesis of p-[N-6-bromo-2-methylquinolin-4-yl)]- aminobenzoic acid hydrazide Schiff bases and their corresponding cyclization products	57
b) Synthesis of the pyrazole derivatives	61
c) Synthesis of 6-bromo-2-methyl-4-[p-(N-substituted sulfamoyl)phenyl]aminoquinolines	64
2.4. Section 4	
New p-substituted phenoxy-2-mehtylquinolines of possible biological activity	67
2.5. Section 5	
Synthesis of some new thiazolo[4,5-b]quinolines of possible biological activity.....	77
3. The Biological part	
3.1. Antitumor evaluation of some newly synthesized compounds against Ehlich ascites carcinoma	135
3.2. Cytotoxic activity against p338 Leukemia cells	137
3.3 .Antimicrobial screening.....	138
Experimental part.....	140
References	170
Summary in Arabic.....	

ACKNOWLEDGEMENT

First of all, I thank **ALLAH** for giving me the potential to achieve this work.

I would like to express my deepest appreciation to *Prof. Dr. Mohamed Habashi*, Professor of Organic Chemistry, Faculty of Science, Ain Shams University and *Dr. Mahmoud Refai*, Assistant Professor of Organic Chemistry, Dept. of Chemistry, Faculty of Science, Ain Shams University for their encouragement, kindness and generous help during this work.

Sincere thanks and appreciation are due to *Prof. Dr. Mohsen Mohamed Kamel*, Professor of Therapeutical Chemistry, National Research Centre, for his supervision and planning the course of investigation, helpful co-operation and valuable advice offered by him were the principal factors which brought this work to the present standard.

I am also deeply grateful to Professor *Dr. Zeinab Mahmoud Nofal*, Head of Therapeutical Chemistry Dept., National Research Centre, for her supervision, encouragement and help during this work.

Also, I would like to express my thanks to *Dr. H. H. Fahmy*, Assistant Professor of Therapeutical Chemistry, National Research Centre for her help during this work.

My thanks to *Prof. Dr. M.R. Maharan*, Professor of Organic Chemistry, National Research Centre, for his valuable discussion of the spectroscopic data and to *Dr. Abdel Mohsen Soliman*, Assistant Prof. of Therapeutical Chemistry, National Research Centre for his help in the biological screening.

Deep thanks to every member in National Research Centre who helped and supported me during this work.

MOGEDDA EMAM HAIBA



SUMMARY

