

بسم الله الرحمن الرحيم



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار

HOSSAM MAGHRABY



بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

PREMATURE OVARIAN FAILURE

AN ESSAY

B I E V E O

Submitted In Partial Fulfillment of
The Master Degree (M.Sc.) in
OBSTETRICS AND GYNECOLOGY

By:

Rana Mohammed Abdel Samie' Abdella
(M.B., B.Ch., Cairo University).

Supervised by:

Prof. Dr. Maher Mohamed Ahmed Abdel-Wahab
Professor of Obstetrics and Gynecology
Faculty of Medicine, Cairo University

Prof. Dr. Omayma Abdel-Fattah Edris
Prof. of Obstetrics and Gynecology
Faculty of Medicine, Cairo University

Dr. Fareed Mustafa Abdel-Hady
Lecturer of Obstetrics and Gynecology
Faculty of Medicine, Cairo University

Faculty of Medicine
Cairo University
2002

03V31 (7)

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

10. The first of the following is a true statement. The second is a false statement.

تقرير عن الرسالة المقدمة من الطيبية/ رنا محمد عبد السميع عبد اللاه
وذلك لاتمام الجزء الثاني لدرجة الماجستير في التوليد و أمراض النساء

اجتمعت اللجنة المشكلة من السادة الأساتذة:

السيد الأستاذ الدكتور/ ماهر محمد احمد عبد الوهاب

السيد الأستاذ الدكتور/ هانى حسن مصطفى

السيد الأستاذ الدكتور/ احمد راشد محمد راشد

وذلك فى تمام الساعة ١١:٠٠ من صباح يوم الأحد الموافق ٨/١٨ للمناقشة والحكم على

الرسالة المقدمة من الطيبية/ رنا محمد عبد السميع عبد اللاه

وعنوانها: فشل وظائف المبيض المبكر


وتشمل الرسالة:

الفشل المبكر فى وظيفة المبيضين هو الفشل الذى يحدث قبل سن الأربعين وتتميز متلازمة
الفشل المبكر فى وظيفة المبيضين بوجود غياب الطمث وارتفاع نسبة الهرمونات المنسلية
وانخفاض فى نسبة هرمون الاستروجين قبل الاربعين. وقد وجد أن اسباب حدوث متلازمة
الفشل المبكر للمبيضين متعددة وتشمل اسبابا جينية واسبابا بالكروموسومات نتيجة خلل
بالانزيمات او عدوى بالمبيضين او نتيجة تدخل الاطباء. الرجوع الوظيفي للمبيضين ممكن وقد
يصل الى حدوث حمل. ويعتبر العلاج التعويضي بالهرمونات هو الأساس فى العلاج وقد
ينتج عنه الرجوع الوظيفي للمبيض و حدوث حمل.


وقد كانت الرسالة مفيدة ومرضية بوجه عام وتشمل مراجعة شاملة وملمة بالموضوع. وترى

اللجنة قبولها:


الأستاذ الدكتور



الأستاذ الدكتور



الأستاذ الدكتور



1
2

3

4

5

6

7

8

9

10

11

12

ABSTRACT

Premature ovarian failure is a syndrome consisting of primary or secondary amenorrhoea, hypergonadotropinaemia and hypoestrogenaemia in women under the age of 40.

Premature ovarian failure (POF) is defined as gonadal failure before the age of 40 years. Initially, it was thought to be permanent, but it is now believed that spontaneous remissions and even pregnancies are possible in affected women. Premature ovarian failure occurs in 1% of all women, and in 0.1% of women under the age of 30 years.

Normal menopause is an irreversible condition, whereas POF is characterized by intermittent ovarian function in half of these young women. These women produce estrogen intermittently and sometimes even ovulate despite the presence of high gonadotropin levels.

Keywords:

- Premature ovarian failure.
- Anatomical and Physiological Considerations.
- Clinical Picture and Diagnosis.

To

My

Family

