

Ain Shams University Faculty of Science Microbiology Depatrment

Study of Antimicrobial activities of some Egyptian plants Hyphaene thebaica and Physalis peruviana

A Thesis

Submitted to Faculty of Science Ain Shams
University in Partial Fulfillment of Master Degree
in Microbiology

Presented By Sarah Mokhtar Abd-ElMageed

B.Sc. Microbiology and Chemistry, Ain Shams University 2010

Under Supervision of

Prof. Hala Mohamed Abushady

Prof. Afaf Ali Amin

Professor of Microbiology Faculty of Science Ain Shams University Professor of Microbiology National nutrition Institute

Approval sheet

A Thesis:

Study of Antimicrobial activities of some Egyptian plants *Hyphaene thebaica* and *Physalis peruviana*

By:

Sarah Mokhtar Abd-ElMageed

(B. Sc. In Microbiology/Chemistry, 2010)

This thesis for M. Sc. Degree has been approved by:

Supervisors Committee

Prof. Hala Mohamed Abushady

Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University.

Prof. Afaf Ali Amin

Professor of Microbiology, Food Hygiene Department, Microbiology Unit, National Nutrition Institute.

Supervisors Committee

Prof. Nagwa Mahmoud Sidkey

Professor of Microbiology, Microbiology Department, Faculty of Science, Al-Azhar University.

Prof. Maha Amin Hewady

Professor of Microbiology, Botany Department, Faculty of Woman for Arts, Science and Education, Ain Shams University.

Prof. Hala Mohamed Abushady

Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University.

Prof. Afaf Ali Amin

Professor of Microbiology , Food Hygiene Department , Microbiology Unit , National Nutrition Institute.

Faculty of Science Ain Shams University (2020)



Faculty of Science

Name: Sarah Mokhtar Abd-ElMageed

Title: Study of Antimicrobial activities of

some Egyptian plants

Hyphaene thebaica and Physalis peruviana

Supervised By:

(1) Prof. Hala Mohamed Abushady
Professor of Microbiology, Microbiology
Department, Faculty of Science, Ain Shams
University

(2) Prof. Afaf A.M. Amin

Professor of Microbiology, Food Hygiene Department, Microbiology Unit, National Nutrition Institute

Acknowledgement

Acknowledgement

I am grateful to **Allah** by the grace of whom, this work was accomplished.

I would like to express my deepest thanks and gratitude to Prof. Hala Mohamed Abushady, Professor of Microbiology, Faculty of Science, Ain Shams University for valuable support sponsoring the thesis and careful guidance.

My deep thanks and acknowledgment to **Prof. Afaf A.M.**Amin, Professor of Microbiology, Food Hygiene Department,
Microbiology Unit, National Nutrition Institute, for suggesting
the problem, sponsoring and supervising the thesis and her keen
discussion and kind cooperation.

Profound gratitude is owed to all my colleagues in **The**Food Hygiene Department, National Nutrition Institute, who help this work to be carried out.

Dedication

I wish to thank my parents Mokhtar Abd Elmageed and Nabawya Elsayed, my husband Ahmad Rashad and my brothers Mohamed and Omar for their inseparable support.

Contents:

Abstract	1
I. Introduction	2
II.Aim of the work	5
III.Review of Literature	6
1. polyphenols	9
a. Antibacterial and antioxidant activities of polyphenols	11
b. Some classes of polyphenols that showed antibacterial	14
and antioxidant properties	
1. Phenolic acids	14
2. Flavonoids	16
3. Tannins	20
2. Some plants containing polyphenols	25
a. Physalis peruviane	25
b. Hyphaene thebaica	30
IV. Materials and Methods	37
A .Materials	37
1. Media used	38
2. Solvents	38
3. Chemical reagents	38
4. Antibiotic discs	39
5. McFarland standard	39
6. Plant material	40
7. Identified bacterial strains	40
B. Methods	41
1. Preparation of different extracts (water extract, boiling extract, Ethanolic extract and Acetone extract) from two selected Physalis peruvianae and Hyphaen ethebaica	

2. Preparation and standardization of inoculum	42
3. Preparation of extract concentrations	43
4. Screening of antibacterial activity	43
a. Antibacterial activity for extracts of <i>Physalis peruviana</i>	
and <i>Hyphaene thebaica</i> by well diffusion technique	43
b. Determination of Minimum Inhibitory Concentration	
(MIC) and Minimum Bacterial Concentration (MBC) for wat of <i>Hyphaene thebaica</i> and ethanolic extract of <i>Physalis peruv</i>	
c. Antibacterial activity of natural extracts (ethanol extract of <i>peruviana</i> and water extract of <i>Hyphaene thebaica</i>) versus synthetic antibiotic (Ciprofloxacin)	s standard
5. Determination of antioxidant activity	46
6. Determination of polyphenolic compounds	47
a.determination of phenolic acids	48
b. determination of flavonoides	48
c. determination of tanins	49
7. The statistical analysis	49
V.Results	51
1. Screening of anti-microbial activity for physalis p	eruvianae
extracts with different solvents	53
1. A. Anti-bacterial activities of water extract of <i>Physalis per</i>	<i>uvianae</i> at
different concentrations (10, 30	and
50%)	51

1.B. Anti-bacterial activities of boiling water extract of <i>Physalis peruvianae</i> expressed at different concentrations (10, 30 and 50%)
1.C. Anti-bacterial activities of ethanolic extract of <i>Physalis peruvianae</i> at different concentrations (10, 30 and 50%)
1.D.Anti-bacterial activities of acetone extract of <i>Physalis peruvianae</i> at different concentrations (10, 30and 50%) 61
1.E. Multiple comparison between used solvent for extraction of <i>Physalis peruvianae</i>
2. Screening of antimicrobial activity for <i>Hyphaene thebaica</i> with different solvents
2.A. Anti-bacterial activities of water extract of <i>Hyphaene thebaica</i> at different concentrations (10, 30 and 50%)
2.B. Anti-bacterial activities of boiling water extract of <i>Hyphaene thebaica</i> at different concentrations (10, 30 and 50%)
2.C. Anti-bacterial activities of ethanolic extract of <i>Hyphaene thebaica</i> at different concentrations (10, 30 and 50%)
2.D .Anti-bacterial activities of acetone extract of <i>Hyphaene thebaica</i> at different concentrations (10, 30and 50%)
2.E. Multiple comparison between used solvent for extraction of <i>Hyphaene thebaica</i>
3. Anti-bacterial activity of natural extracts versus standard synthetic antibiotic

3.A. Comparison of antimicrobial activity for ethanolic extract of <i>Physalis peruvianae</i> versus standard synthetic antibiotic
(Ciprofloxacin)
3.B. Comparison of antimicrobial activity for water extract of <i>Hyphaene thebaica</i> versus standard synthetic antibiotic (Ciprofloxacin)
4. Determination of MIC and MBC for <i>Physalis peruvianae</i> and <i>Hyphaene thebaica</i> extracts
4.A. Determination of MIC and MBC for ethanolic extract of <i>Physalis peruvianae</i>
4.B. Determination of MIC and MBC for water extract of <i>Hyphaene thebaica</i> 89
5. Evaluation of antioxidant activity of <i>physalis peruvianae</i> and <i>Hyphaene thebaica</i> extracts
5.A. Evaluation of antioxidant activity of ethanol extract of <i>physalis peruvianae</i> . 97
5.B. Evaluation of antioxidant activity of water extract of <i>Hyphaene thebaica</i>
6. Determination of polyphenolic compounds for physalis
peruvianae and Hyphaene thebaica
6.A. Detection of phenolic acids in <i>physalis peruvianae</i> and <i>Hyphaene thebaica</i> extracts
6.B. Detection of flavonoides in <i>physalis peruvianae</i> and <i>Hyphaene thebaica</i> extracts
6.C. Detection of tannins in <i>physalis peruvianae</i> and <i>Hyphaene</i> thebaica extracts