سامية محمد مصطفى



شبكة المعلومات الحامعية

بسم الله الرحمن الرحيم



-Caro-

سامية محمد مصطفي



شبكة العلومات الحامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





سامية محمد مصطفى

شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسو

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار



سامية محمد مصطفي



شبكة المعلومات الجامعية



المسلمة عين شعور المسلمة عين شعور المسلمة عين شعور المسلمة عين شعور المسلمة ا

سامية محمد مصطفى

شبكة المعلومات الحامعية



بالرسالة صفحات لم ترد بالأصل



Cairo University
Faculty of Veterinary Medicine
Bacteriology, Mycology and Immunology
Department

A PROSPECTIVE STUDY OF BORRELIA ANSERINA ISOLATION AND CULTIVATION APPROACH

Thesis presented by LILIAN FARAG SAAD MELIKA B.V.Sc Cairo University, 1989

For the Degree of

Master in Veterinary Medical Sciences
Bacteriology, Immunology and Mycology

Under the Supervision of

Prof. Dr.

Wagih Armanious Gad El-Said

Prof. and Chairman of Microbiology Department
Faculty of Veterinary Medicine
Cairo University

Dr.

Zein El-Abdin Abdou Mohammed

Chief Researcher and Head of Parasitology Department, Vet. Serum & Vaccine Research Institute, Abbasia, Cairo

1998

B

1507V

كلية الطب البيطري جامعة القاهرة قسم الميكروبيولوجي

قرار لجنة الحكم والمناقشة

قررت لجنة الحكم والمناقشة ترشيم السيده طب/ليليان فرج سعد مليكه للحصول على درجة الماجستير في العلوم الطبية البيطرية بكتريولوجيا –أمين ولوجيا بمن جامعه القاهره

السيد الأستاذ الدكتور /فوزى رياض الصعيدي

أستاذ ورئيس قسم الميكر وبيولوجيا طب بيطري – بني سويف

السيد الاستاذ الدكتور /ممدوم عبد الغنى عبد العزيز أستاذ الميكروبيولوجيا بكلية الطب البيطري – جامعه القاهري

السيم الاستاذ الدكتور / وجيه ازمانيوس جاد السيد

أستاذ ورئيس قسمالبكتريا والفطريات والمناعه بكليه الطب البيطري – جامعه القاهره والمشرف على الرسالة.

تعزيرا في: ١٥ /٣/٨٩٩١

To My Dear Mother,

ACKNOWLEDGMENT

In actual facts my deepest prayerful thanks at first to our lot merciful GOD who give me very great hand for the performance and the achievement of this work.

I am greatly indebted with my sincere gratitude and best thanks to PROS. DR. WAGIN ARMANIOUS GAD EL SAID. Chairman of Microbiology Department, faculty of Yeterinary Medicine. Cairo University for his ideal guidance, creative supervision, and for giving me so much of his valuable time, experience, scientific knowledge, as well as his great endless help and encouragement throughout this work.

I wish to express my appreciation and sincere thanks to PROF. DR. ZEIN AL ABDIN ABDOU MOHAMED. Head of Parasitological Vaccines Department. Veterinary Serum and Vaccine Research Institute for his valuable supervision, willing guidance with continuous kindness. support and encouragement.

I am deeply honored to have the opportunity to express
my gratitude to PROF. DR. SAHER MAKIN GERGIS. Head of
Aerobic Bacterial Yaccine Department Veterinary Serum and
Vaccine Research Institute for his valuable help and scientific
advices with continuous support and encouragement.

I would like to present the utmost thanks to PROF. DR. AHMED MAHMOUD DAOUD. Director of the Yeterinary Serum and Yaccine Research Institute. for his guidance, support and supplying all the facilities for this work.

Also I would like to thank *PROF. DR. ABD-EL-SALAM ZAKI HUSSEIN*. Deputy director of Veterinary Serum and Vaccine Research Institute for giving me the facilities to carry out this work.

Also it is my pleasure to express my deep thanks to DR. ROMANY MANSOUR MAKRAM Researcher in Parasitological Vaccines Department for his great support.

I would like to express my high love feeling to THE ALL STUFF MEMBERS OF PARASITOLOGICAL VACCINES DEPARTMENT. VETERINARY SERUM AND VACCINE RESEARCH INSTITUTE for their continuous support and encouragement during this thesis.

I warmly thank MR. KAMAL EL-LETHY. Head of the library. Serum and Yaccine Research Institute for his help and efforts.

My thanks is sent to EVERY HAND THAT EXTENDED TO HELP ME to allow the fulfillment of this work.

last but not least. my great thanks and love to MY DEAR MOTHER for her efforts, support, and endless help throughout the whole work.

LIST OF CONTENTS

		Page
1.	INTRODUCTION	1
2.	REVIEW OF LITERATURE	4
2.1	History and distribution of B. anserina	4
2.2	Disease in Egypt	8
2.3	Morphology and staining	14
2.4	Attempts to cultivate Borrelia anserina	19
2.5	Attempts to cultivate Borrelia other than anserina	26
2.6	Maintenance and preservation of Borrelia anserina	31
2.7	Pathogenicity	35
3.	MATERIAL AND METHODS	42
3.1	Material	42
3.2.	1 Patent media	42

·	
	Page
3.2.4 Method of preparation of stabilized Borrelia growth medium "A"	56
3.2.5 Method of preparation of stabilized BSKII medium	<i>5</i> 8
3.2.6 Steralization control and sterility of both stabilized media	59
3.2.7 Keeping of sterile media	60
3.2.8 Method of cultivation	61
3.2.9 Culture passage	62
3.2.10 Detection of efficiency of stabilized culture media	63
4. RESULTS	73
4.1. Growth of B. anserina in the basal growth medium "A:	73
4.2. Growth of B. anserina in the basal modified BSKII medium	73
4.3. Studies of the growth requirements for B. anserina using basal Borrelia growth medium "A"	7 6

		Page
4.4.	Stabilization of the Borrelia growth medium "A"	93
4.5	Growth and subculture of B. anserina in stabilized Borrelia growth medium "A"	95
4.6.	Subculture of B. anserina in stabilized Borrelia growth medium "A"	100
4.7.	Studies of the growth requirement of B. anserina in basal modified BSKII medium	101
4.8.	Stabilization of the BSKII medium	120
4.9.	Growth and subculture of B. anserina in the stabilized BSKII culture medium	120
4.10	Subculture of B. anserina in stabilized BSKII medium	123
4.11.	Test results for detection the efficiency of	
	stabilized culture media of B. anserina.	125
4.12.	Maintenance test	134
5.	DISCUSSION	144
6.	SUMMARY	158
7.	REFERENCES	160
ARA	BIC SUMMARY	

LIST OF TABLES

Table		Page
No.	·	
1	Subculture of B. anserina in both stabilized	
4	media	63
2	Growth of B. anserina in basal medium of	
	Borrelia growth medium "A"	74
3	Growth of B. anserina in basal modified BSKII	
	medium	75
4	Effect of the turkey or chicken serum conc. On	
	the growth of B. anserina in Borrelia growth	
	medium "A" at temp. 35°C	81
5	Effect of turkey or chicken serum conc. On the	
	growth of B. anserina in Borrelia growth	
	medium "A" at temp. 37°C	82
6	Effect of duck serum conc. On the growth of B.	
	anserina in Borrelia growth medium "A" at	
	temp. 35°C	83
7	Effect of duck serum conc. On the growth of B.	
2. • \$	anserina in Borrelia growth medium "A" at	
	temp. 37°C	84
8	Effect of rabbit serum conc. On the growth of	
	B. anserina in Borrelia growth medium "A" at	
	temp. 35°C - 37°C	85

~ ()		Page
Table		rage
No.		
9	Effect of horse or bovine serum conc. On the	
	growth of B. anserina in Borrelia growth	
	medium "A" at temp. 35°C-37°C	86
10	Effect of temperature on the growth of B.	
•	anserina in Borrelia growth medium "A"	87
11	Effect of pH on the growth of B. anserina in	
	Borrelia growth medium "A"	88
12	Effect of the type of serum on the growth of B.	
	anserina in Borrelia growth medium "A"	91
13	Effect of chicken or turkey serum conc. On the	
	growth of B. anserina in Borrelia growth	
	medium "A" at temp. 39°C	92
14	Growth and subculture of B. anserina in	
	stabilized Borrelia growth medium "A"	97
15	Effect of chicken or turkey serum conc. On the	
	growth of B. anserina in BSKII at temp. 35°C.	102
16	Effect of chicken or turkey serum conc. On the	
	growth of B. anserina in BSKII at temp. 37°C	104
17	Effect of duck serum conc. On the growth of B.	
	anserina in BSKII at temp. 35°C	105
18	Effect of duck serum conc. On the growth of B.	
	anserina in BSKII at temp. 37°C.	107
19	Effect of rabbit serum conc. On the growth of	
	B. anserina in BSKII at temp. 35°C	109