

بسم الله الرحمن الرحيم



HOSSAM MAGHRABY



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار

HOSSAM MAGHRABY



بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

B1477.



Studies on Flowering and Fruit Set of Some Olive Cultivars Under Assiut Environments

By

Bahaa El-Din Abd El-Sabour Abd El-Naeem

B.Sc. Agric. Sci. (Pomology), Assiut Univ. (1985).

M.Sc. Agric. Sci. (Pomology), Assiut Univ. (1993)

DISSERTATION

Submitted in Partial Fulfillment of the
Requirements for the Degree of

DOCTOR OF PHILOSOPHY

In

Horticulture (Pomology)

Department of Horticulture

Faculty of Agriculture

Assiut University

2000

Supervised by:

Prof. Dr. Samir Z. El-Agamy, Major supervisor

Prof. Dr. Fatma A.A. Khalil

Dr. Talaat K. El-Mahdy

Examined by:

Prof. Dr. Mostafa A. El-Hammady

Prof. Dr. Mohamed A. Hussein

Prof. Dr. Samir Z. El-Agamy

Dr. Talaat K. El-Mahdy

APPROVAL SHEET

STUDIES ON FLOWERING AND FRUIT SET OF SOME OLIVE
CULTIVARS UNDER ASSIUT ENVIRONMENTS

BY

BAHAA EL-DIN ABD EL-SABOUR ABD EL-NAEEM

This desertation
Has been approved by:

M. A. Hussein

M. El-Azab

Samir El-Agaf

Talant El-Mahdy

(Committee in charge)

Date of Examination: 13/ 2/ 2000

ACKNOWLEDGMENT

ACKNOWLEDGEMENT

The author wishes to express by profound gratitude, sincere thanks and appreciation to *Prof. Dr. Samir Zaky El-Agamy*, Professor of Pomology Department, Faculty of Agriculture, Assiut University and Chairman of supervisory committee, for his valuable supervision, active and constructive criticism and continuing help during the course of this investigation.

Sincere thanks to *Prof. Dr. Fatma Amin Aly Khalil*, Professor of Horticulture Research Institute for her active supervision, scientific guidance, providing facilities and continuous help during the course of this investigation.

Also, I am greatly indebted to *Dr. Talaat K. El-Mahdy*, Associate Professor of Pomology, Horticulture Department, Assiut University for his sincere help and valuable guidance during carrying out this study.

Many great thanks to *Prof. Dr. Mohamed Abd El-Salam Hussein*, *Prof. Dr. H.M. Mahmoud*, *Prof. Dr. K.A. Amin*, *Associate Profs. Ahmed M. El-Sese* and *Abd El-Fatah El-Salhy* and *Dr. Farouk M. Mostafa*, *Dr. Hassan Abd El-Kawy*, *Dr. Raafat A. Ali* and *Dr. Aiman K.A. Mohamed* and all members of the Horticultural Dept. for their encouragement and help.

The author wishes to express his deepest gratitude to his *mother, brother, sisters and his wife and daughter Nada* for their love and devotion.

CONTENTS

CONTENTS

Subjects	Page
Introduction	1
Objectives	4
Review of Literature	5
A- Flower bud induction and differentiation	5
1- Flower bud induction	5
2- Flower bud differentiation	6
3- Effect of different amounts of winter chilling on flower induction and differentiation in olive	8
4- Changes in endogenous compounds occur during flower bud induction and differentiation	9
B- Floral aspects	10
1- Flower habits	10
2- Floral morphology	11
3- Number of inflorescences per shoot and flowers per inflorescence	12
4- Sex expression	12
C- Pollination	14
1- Sterility and floral abortion in olive	14
2- Cross-pollination	16
D- Fruit set	19
E- Fruit characters	20
1- Fruit weight	20
2- Fruit dimensions	21
3- Seed weight	21
4- Flesh/pit ratio	21
5- Moisture content	22
6- Oil content	22
Materials and Methods	25
Results and Discussion	33
A- Histological study of bud differentiation	33
B- Floral biology including pollen and pollen tube study	47
B-1- Floral biology	47
B-1-1- Number of inflorescence per meter	47
B-1-2- Number of flowers per inflorescence	48
B-1-3- Percentage of perfect flower	51
B-2- Pollen viability and dimension	52
B-2-1- Pollen viability	52
B-2-2- Pollen dimension	55
B-3- Pollen tube growth	55

Subjects	Page
C- Influence of mating system on fruit set, drop and characteristics	62
1- Fruit set	62
C-1- Initial fruit set (IFS)	62
C-2- Fruit drop	66
C-3- Horticultural fruit set (HFS)	69
D- Fruit characteristics	77
D-1- Physical characteristics	77
D-1-1- Fruit weight	77
D-1-2- Flesh weight (g)	83
D-1-3- Flesh weight percentage	87
D-1-4- Fruit dimensions	91
D-1-4-a- Fruit height (cm)	91
D-1-4-b- Fruit diameter (cm)	96
D-1-4-c- Fruit index (height/diameter ratio) ...	100
D-1-5- Seed weight and proportion	105
D-1-5-a- Seed weight (g)	105
D-1-5-b- Seed weight percentage	109
D-1-6- Seed dimensions (height and diameter cm) and seed index (h/d ratio)	113
D-1-6-a- Seed height (cm)	113
D-1-6-b- Seed diameter	117
D-1-6-c- Seed index (height/diameter ratio) ...	121
D-2- Chemical characteristics	125
D-2-1- Total soluble solids %	125
D-2-2- Acidity percentage	129
D-2-3- T.S.S./acid ratio	134
D-2-4- Moisture percentage	138
D-2-5- Oil percentage	143
D-2-5-a- Oil percentage (fresh weight)	143
D-2-5-b- Oil percentage (dry weight)	147
D-2-6- Fatty acids distribution as affected by different pollination treatments	151
Summary	163
Literature Cited	176
Arabic Summary	-

LIST OF TABLES

Table No.	Title	Page
1	Date of first evidence of different stages of floral initiation and differentiation (stage from I to XIII) as shown in samples of the studied cultivars (Averages of 1996 and 1997 seasons).	45
2	Average number of inflorescences per meter, total number of flowers per inflorescences and percentage of perfect flower in Kronaki, Cairo 7, Warden and Frantoio cultivars during 1996, 1997 and 1998 seasons.	49
3	The percentage of pollen stainability and pollen diameter in Kronaki, Cairo 7, Warden and Frantoio cultivars during 1996, 1997 and 1998 seasons.	53
4	Pollen tube growth of Kronaki, Cairo 7, Warden and Frantoio cultivars through different mating systems during 1997 and 1998 seasons.	57
5	Effect of different pollination treatments on initial fruit set percentage in Kronaki, Cairo 7, Warden and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	64
6	Effect of different pollination treatments on fruit drop percentage in Kronaki, Cairo 7, Warden and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	67
7	Fluctuation in fruit set and fruit drop percentage of Kronaki olive cultivar as influenced by mating system during 1996, 1997 and 1998 seasons.	49
8	Fluctuation in fruit set percentage of Cairo 7 olive cultivar as influenced by mating system during 1996, 1997 and 1998 seasons.	71
9	Fluctuation in fruit set percentage of Warden olive cultivar as influenced by mating system during 1996, 1997 and 1998 seasons.	72
10	Fluctuation in fruit set and fruit drop percentage of Frantoio olive cultivar as influenced by mating system during 1996, 1997 and 1998 seasons.	73
11	Effect of different pollination treatments on horticultural fruit set percentage in Kronaki, Cairo 7, Warden and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	74

Table No.	Title	Page
12	Effect of different pollination treatments on fruit weight (g) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	78
13	Effect of different pollination treatments on flesh weight (g) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	84
14	Effect of different pollination treatments on flesh weight percetnage in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	88
15	Effect of different pollination treatments on fruit height (cm) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	93
16	Effect of different pollination treatments on fruit diameter (cm) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	97
17	Effect of different pollination treatments on fruit index (height/ diameter) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	101
18	Effect of different pollination treatments on seed weight (g) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	106
19	Effect of different pollination treatments on seed weight percentage in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	110
20	Effect of different pollination treatments on seed height (cm) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	114
21	Effect of different pollination treatments on seed diameter (cm) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	118
22	Effect of different pollination treatments on seed index (height/ diameter) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	122

Table No.	Title	Page
23	Effect of different pollination treatments on total soluble solids percentage (T.S.S.) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	126
24	Effect of different pollination treatments on acidity percentage in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	130
25	Effect of different pollination treatments on T.S.S./acid ratio in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	135
26	Effect of different pollination treatments on moisture percentage in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	139
27	Effect of different pollination treatments on oil percentage (fresh weight) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	144
28	Effect of different pollination treatments on oil percentage (dry weight) in Kronaki, Cairo 7, Wardan and Frantoio olive cultivars during 1996, 1997 and 1998 seasons.	148
29	Effect of different pollination treatments on fatty acid composition in Kronaki olive cultivar during 1997 and 1998 seasons.	153
30	Effect of different pollination treatments on fatty acid composition in Cairo 7 olive cultivar during 1997 and 1998 seasons.	157
31	Effect of different pollination treatments on fatty acid composition in Wardan olive cultivar during 1997 and 1998 seasons.	159
32	Effect of different pollination treatments on fatty acid composition in Frantoio olive cultivar during 1997 and 1998 seasons.	161