



Effect of different Finishing systems and Time of finishing on Surface roughness of Bulk-fill resin composite versus Nano resin composite

Thesis submitted to the Operative Dentistry Department,
Faculty of Dentistry, Ain Shams University,
in partial fulfillment of the requirements of the Master Degree
in Operative Dentistry

By

Ahmed Abdallah Saad El Afify

B.D.S., Tanta University (2011)

Faculty of Dentistry
Ain Shams University

2019

Supervisors

Dr\ Omaila Hassan Ghallab

Professor and Head of Operative department
Faculty of Dentistry,
Ain Shams University

Dr\ Asmaa Youssef Harhash

Professor and Head of Conservative Dentistry department
Faculty of Dentistry
Egyptian Russian University

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اقْرَأْ بِاسْمِ رَبِّكَ الَّذِي خَلَقَ (١) خَلَقَ الْإِنْسَانَ مِنْ عَلَقٍ (٢) اقْرَأْ
وَرَبُّكَ الْأَكْرَمُ (٣) الَّذِي عَلَّمَ بِالْقَلَمِ (٤) عَلَّمَ الْإِنْسَانَ مَا لَمْ
يَعْلَمُ (٥)

سورة العلق، الآية (١-٥)

Acknowledgment

First, and foremost **thanks are for Allah**, to whom majesty I relate any success in achieving any work in my life

I would like to express my deep gratitude to:

Prof. Dr. Omaima Hassan Ghallab

for her valuable guidance, her efforts to help me in this research, for her time and knowledge which she gave it to me and lastly for her great morals, kindness and respect we learnt from her.

Prof. Dr. Asmaa Youssef Harhash

for her valuable supervision and unlimited support and without whom this thesis wouldn't have come to light

I would like to thank all the members of the **operative department Ain Shams University**, for their valuable help and co-operation.

I would like to thank all my **friends and colleagues** for help and the great support.

Dedication

To my caring mother for all her prayers,

To my father for his unlimited support and effort.

...my adorable wife for all her support, time and love.

My lovely little daughters Malak and Jannah for all happiness and lovely
moments they offer to us

To all my family and my friends who stand beside me.

List of Contents

List of tables.....	I
List of figures.....	II
Introduction.....	1
Review of literature.....	3
Aim of the study.....	22
Materials and Methods.....	23
Results	40
Discussion.....	54
Summary and conclusions.....	67
References.....	70
Arabic summary	

List of tables

Table no.	Title	Page no.
1	Materials` specifications, composition, manufactures, and lot numbers	24
2	Finishing systems used in the study	25
3	Variables of the study	28
4	Interaction between variables of the study	29
5	The mean, standard deviation (SD) values of surface roughness of different restorative materials in immediate finishing groups.	41
6	The mean, standard deviation (SD) values of surface roughness of different restorative materials in delayed finishing groups.	42
7	The mean, standard deviation (SD) values of surface roughness of resin composite specimens subjected to immediate finishing systems.	44
8	The mean, standard deviation (SD) values of surface roughness of resin composite specimens subjected to delayed finishing systems.	45
9	The mean, standard deviation (SD) values for the effect of time of finishing on surface roughness of (R1) resin composite specimens.	47
10	The mean, standard deviation (SD) values for the effect of time finishing on surface roughness of (R2) resin composite specimens.	48
11	Results of Three-way ANOVA for the effect the interaction between different variables on surface roughness of resin composite specimens.	49

List of figures

Figure no.	Title	Page no.
1	Nano filled composite resin: Filtek™ Z350XT	26
2	Bulk fill composite resin : Filtek™ Bulk Fill	26
3	Polyethylene Mylar strips	26
4	Extra-fine diamond stones	26
5	Opti-discs KerrHawe discs multiple-step finishing system	26
6	Soflex spiral wheels two-step finishing system	26
7	Perfect polish ITENA discs one-step finishing system	26
8	Teflon mould and copper ring	30
9	Assembled mould with dimensions of 6*2 mm	30
10	Finishing split Teflon mould with dimensions of 6*1 mm	30
11	Mould compressed between two polyethylene strips and two glass slides	31
12	Light curing of composite resin specimen	31
13	Mould disassembly	31
14	Removal of excess composite	31
15	Specimens marked and stored in distilled water	32
16	Incubator at 37 °c for 24 hours	32
17	1mm of composite resin exposed to finishing	33
18	Adjustable low speed motor	33
19	Digital balance	33
20	4x HD Magnifying loupes (LumaDent USA)	34
21	Ultrasonic cleanser	34
22	Extra fine diamond finishing stones	34
23	Group (1) one step finishing and polishing procedure	35

Figure no.	Title	Page no.
24	Group (2) two step finishing and polishing procedure	36
25	Group (3) three steps finishing and polishing procedure	37
26	USB Digital microscope with a built-in camera	38
27	Optical image 120X of composite resin surface	39
28	3D image of composite resin surface	39
29	Bar chart representing effect of restorative materials on surface roughness of resin composite for immediate & delayed finishing groups	42
30	Bar chart representing mean values of surface roughness of resin composite specimens subjected to different finishing systems.	45
31	Bar chart representing mean values for the effect of time of finishing on surface roughness of resin composite specimens	48
32	surface roughness of Nano fill resin composite control group evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	50
33	surface roughness of Bulk fill resin composite control group evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	50
34	surface roughness of Nano fill resin composite when immediately finished by one-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	50
35	surface roughness of Nano fill resin composite when immediately finished by two-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	50

Figure no.	Title	Page no.
36	surface roughness of Nano fill resin composite when immediately finished by multiple-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	51
37	surface roughness of Nano fill resin composite when delayed finished by one-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	51
38	surface roughness of Nano fill resin composite when delayed finished by two-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	51
39	surface roughness of Nano fill resin composite when delayed finished by multiple-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	51
40	surface roughness of Bulk fill resin composite when immediate finished by one-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	52
41	surface roughness of Bulk fill resin composite when immediately finished by two-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	52
42	surface roughness of Bulk fill resin composite when immediate finished by multiple-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	52

Figure no.	Title	Page no.
43	surface roughness of Bulk fill resin composite when delayed finished by one-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	52
44	surface roughness of Bulk fill resin composite when delayed finished by two-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	53
45	surface roughness of Bulk fill resin composite when delayed finished by multiple-step system evaluated through (a) optical images taken by the digital microscope converted by the computer software into (b) 3D image of the surface topography and (c) mathematical histogram	53

Introduction
