Study of the antineoplastic effect of modulating apoptosis-related non-coding RNA in human hepatocellular carcinoma cell line (HepG2)

Thesis

Submitted for Partial Fulfillment for the Requirement of MD Degree in Medical Biochemistry & Molecular Biology

By

Mai Abdel Azeem Sherif Abdel Sayed

Assistant lecturer of Medical Biochemistry and Molecular Biology M.B.B.Ch., M.Sc. Biochemistry Faculty of Medicine, Ain Shams University

Supervised by

Prof. Dr. Emtiaz Abd-elkawy Ismail Shaban

Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University

Prof. Dr. Samar Kamal Kassim

Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University

Prof. Dr. Hanan Hussien Shehata

Professor of Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University

Dr. Marwa Ali Abdel Khalek

Lecturer of Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University

Dr. Marwa Mahmoud Abdel Hamid

Lecturer of Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University

> Faculty of medicine Ain Shams University 2020





First, and foremost, I feel always indebted to **Allah**, the most kind and the most merciful. Thanks always to **ALLAH**, for his great care and guidance in every step of my life and for giving me the ability to complete this work.

It was a great pleasure for me to express my deep gratitude and appreciation to **Prof. Dr. Emtiaz Abd-elkawy Ismail Shaban,** Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for their continuous guidance, advice and supervision and sacrificing a lot of her precious time to revise each and every step of this study. It is hard for me to find the appropriate words that would do her favors.

I'd like to express my appreciation and gratefulness to **Prof. Dr.**Samar Kamal Kassim, Professors of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for her overwhelming supports that has been of great help throughout this work.

I'd like to express my appreciation and gratefulness to **Prof. Dr. Hanan Hussein Shehata,** Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for her supervision, sincere advice and great support, kind care throughout the whole work and encouragement are very much appreciated.

My deepest appreciation and gratitude to **Dr. Marwa Ali and Dr. Marwa Mahmoud,** Lecturers of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for the great efforts and kind help they have done in this work.

I would like to express my best regards and thanks to members of Liver Transplant Unit of Air Force Hospital for thier kind help and support in selecting proper samples.

I would like to express my best regards and thanks to members of Stem cells culture unit, Histology department, Faculty of Medicine, Ain Shams University, for thier kind helps and support in selecting proper samples.

This work was supported by Faculty of Medicine -Ain Shams university Grant's office; Grant No: 2017/5.

Finally, my love and my deepest thanks for My Dear Parents, My Husband, and all my family for their endless support and unyielding faith in me and for their tolerance of my absence, physically and emotionally stress many, many thanks.

Mai Abdelazeem Sherif

LIST OF CONTENTS

	Page
	No.
Acknowledge	
List of Abbreviations	II
List of figures	VIII
List of tables	XV
Introduction	1
Aim of the work	6
Literature Review	7
Hepatocellular carcinoma	7
Apoptosis	24
Competing endogenous RNAs	35
RNA interference	50
Subjects and Methods	61
Results	113
Discussion	161
Summary	177
Conclusion	181
Recommendations	182
References	183
Arabic Summary	1

LIST OF ABBREVIATIONS

3'-UTR The three prime untranslated region 5'- UTR The five prime untranslated region

AASLD American Association Guidelines for the

Study of Liver Disease

AFB1 Aflatoxin B1

AFP Alpha fetoprotein AGO Argonaute family

AJCC The American Joint Committee on Cancer

ALT Alanine aminotransferase

ANRIL Antisense Long-non coding Ribonucleic

acid encoded at the INK4 locus

APAF-1 Apoptotic peptide activating factor 1

APL alkylphospholipid analogs

AR Androgen receptor

ARE Androgen responsive element

AREs AU-rich elements

AST Aspartate aminotransferase

AUC Area Under the Curve

AU-rich Adenylate-uridylate-rich elements

elements

BCLC Barcelona Clinic Liver Cancer

BID BH3 interacting-domain death agonist

Bp Base pair

BTC Biliary tract cancer

BxPC-3 A human pancreatic cancer cell line

C. elegans Caenorhabditis elegans

CARD Caspase activation and recruitment domain

CBC Complete blood picture

CCNE1 Cyclin E1

CD95 Cluster of differentiation 95

CD95L Cluster of differentiation 95 ligand

cDNA Complementry DNA

ceRNAs Competing endogenous Ribonucleic acids

CHC Chronic Hepatitis C

circRNA Circular Ribonucleic acid CLT Cadaveric liver transplant CNS Central nervous system

coRNAi Combinatorial RNA interference

CRC Colorectal cancer
CSC Cancer stem cell

CT Cycle Threshold, Computed tomography

CTCs Circulating tumor cells

CTNNB1 Catenin (Cadherin-Associated Protein),

Beta 1

DAMPs Damage-associated molecular patterns

DCP2 Decapping protein 2
DED Death effector domain
DEN Diethylnitrosamine
DEPC Diethylpyrocarbonate
DNA Deoxyribonucleic acid

dNTP Deoxy Nucleoside Triphosphate dsRNA Double-stranded Ribonucleic acid

dUTP Deoxy Uridine Triphosphate

EBV Epstein-Barr virus

ECOG Evaluation of the patient's performance

status

EDTA Ethylenediaminetetraacetic acid EGFR Epidermal growth factor receptor EMT Epithelial mesenchymal transition

EndoG Endonuclease G

exRNAs extracellular Ribonucleic acids

FADD Fas-associated death domain(adaptor

protein)

FASL Fas ligand

FBS Fetal bovine serum

FITC Fluorescein isothiocyanate

FN False negative

FOXO4 Forkhead box protein O4

FP False positive

fRNA Functional Ribonucleic acid FXR The farnesoid X receptor

FXR1 Fragile-x-mental retardation related protein

1

g Gram

GBM Glioblastomas

GGT Gamma -glutamyl transferase

GP73 Golgi protein 73 GPC3 Glypican-3

GS Glutamine synthetase HBV Hepatitis B virus

HBVsAg Hepatitis B virus surface antigen

HCC Hepatocellular carcinoma

HCV Hepatitis C virus

HCV Ab Hepatitis C virus antibody

HDAC Histone deacetylase

HIF-1α Hypoxia-Induced Factor 1 alphaHMDD Human microRNA Disease Database

HOTAIR HOX transcript antisense RNA

HSP Heat shock protein HSP70 Heat shock protein70

HULC Highly Up-regulated in Liver Cancer (non-

protein coding)

IAPs Inhibitor of apoptosis proteins IGF-II Insulin-Like Growth Factor II

IL6 Interleukin 6

INR International normalized ratio

IU International unitKDa Kilo Daltons

LDLT Living donor liver transplant

lncRNAs Long non-coding Ribonucleic acids

MALAT1 Metastasis Associated Lung

Adenocarcinoma Transcript 1

MDCT Multidetector CT

MEG-3 A maternally expressed gene 3 MIApaca-2 A human pancreatic cancer cell line microRNP microRNA-protein complex

miRISC miRNA-induced silencing complex

miRNAs micro Ribonucleic acids

MNCs Mononuclear cells

MREs microRNA response elements
MRI Magnetic resonance imaging
mRNAs Messenger Ribonucleic acids

mTOR The mechanistic Target of Rapamycin

MTS 3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-

sulfophenyl)-2H-tetrazolium, inner salt

MVIH Microvascular invasion in hepatocellular

carcinoma

MyD88 Myeloid differentiation primary response 88

NADH Nicotinamide adenine dinucleotide NADPH Nicotinamide adenine dinucleotide

phosphate

NAFLD Nonalcoholic fatty liver disease ncRNAs Non-coding Ribonucleic acids

nm Nanometer

nmRNA Non-messenger Ribonucleic acid npcRNA non-protein-coding Ribonucleic acid npcRNA Non-protein-coding Ribonucleic acid

NPV Negative Predictive Value NSCLC Non-small-cell lung cancer

nts Nucleotides

ORF Open reading frame
OS Overall Survival

P- value Probability that statistics results get by

chance

p53 Cellular tumor antigen p53, transformation-

related protein 53

PABPC poly (A)-binding protein C
PBS Phosphate-buffered saline
PCD Progmmed cell death

PEI Percutaneous ethanol infusion

PI Propidium Iodide

piRNAs Cytoplasm-located PIWI-interacting

Ribonucleic acids

PPV Positive Predictive Value

pri- primary transcripts- micro Ribonucleic

miRNAs acids

PS Membrane phospholipid

phosphatidylserine

PST Performance status test

PTEN Phosphatase and tensin homolog PTENP1 phosphatase and tensin homolog

pseudogene 1

PTGS post-transcriptional gene silencing

RF Radiofrequency

RISC RNA-induced silencing complex

RNA Ribonucleic acid

RNAi Ribonucleic acid interference

ROC Receiver Operating Characteristics curve ROCK1 Rho Associated Coiled-Coil Containing

Protein Kinase 1

RPS24 Ribosomal Protein S24

rRNAs Ribosomal Ribonucleic acids

RT Reverse Transcription

RT-qPCR Reverse Transcription/ Quantitative Real

time Polymerase Chain Reaction

scaRNAs Small Cajal body-specific Ribonucleic

acids

SCC Squamous cell carcinoma
SCLC Small-cell lung cancer
SD Standard Deviation

ShRNA Short-hairpin Ribonucleic Acid SiRNAs Small interfering Ribonucleic acids snoRNAs Small nucleolar Ribonucleic acids SnRNAs Small nuclear Ribonucleic acids

SPINK1 Serine Peptidase Inhibitor, Kazal type-1 SPSS Statistical Package for the Social Sciences STAT3 Signal transducer and activator of

transcription 3

TACE Transarterial chemoembolization

TCGA The Cancer Genome Atlas

TERT Telomerase reverse transcriptase

TFs Transcription factors

TGF-β1 Transforming growth factor-β1

T_m Melting temperature

TN True negative

TNFR Tumor necrosis factor receptor

TNM Tumor-node-metastasis

TP True positive

TP53 Tumor protein p53

TRADD Tumor necrotic factor receptor-associated

death domain(adaptor protein)

TRAIL TNF-related apoptosis-inducing ligand

tRNAs Transfer Ribonucleic acids

UICC Union for International Cancer Control

US Abdominal ultrasound USA United States of America

VEGF Vascular endothelial growth factor XIAP X-linked inhibitor of apoptosis protein

Xist X inactive specific transcript

XRN1 Exoribonuclease 1 Δ CT Delta Cycle Threshold μ g/ml Microgram/milliliter

μL Microliter

LIST OF FIGURES

Figure (1):	Schematic overview of key events in the molecular pathogenesis of HCC
Figure (2):	Diagnostic algorithm on suspicion of HCC. CT: computed tomography; MDCT: multidetector CT; MRI: magnetic resonance imaging and US: ultrasound
Figure (3):	Updated Barcelona Clinic Liver Cancer staging system and treatment strategy 19
Figure (4):	Sequential treatment approach for hepatocellular carcinoma
Figure (5):	The intrinsic and extrinsic pathways of apoptosis
Figure (6):	The apoptosis cascade: triggers, regulators and effectors (executioners)
Figure (7):	Some common diseases associated with malfunctioning of apoptosis or PCD
Figure (8):	Mechanisms contributing to evasion of apoptosis and carcinogenesis
Figure (9):	microRNAs as oncogenes, or tumor suppressor genes
Figure (10):	microRNA biogenesis and mechanism of action
Figure (11):	Multiple silencing pathways employed by miRNAs40
Figure (12):	A Specialized Mechanism of Translation Mediated by FXR1a-Associated MicroRNP in Cellular Quiescence41
Figure (13):	The long non-coding RNA (lncRNA) functions in the nucleus and the cytoplasm 47
Figure (14):	LncRNAs associated with various cancer types

Figure (15):	The schematic representations of pathways involved in biogenesis of small regulatory RNAs (siRNAs, miRNAs) and their role in mechanisms for RNA interference	52
Figure (16):	Snapshot shows the expression of <i>caspase-3</i> gene in liver, available at https://www.ebi.ac.uk/gxa/home.	65
Figure (17): <i>S</i>	Snapshot shows search for lncRNAs acting on the <i>caspase-3</i> gene in hepatocellular carcinoma and sharing miRNA (hsa-miR-421); available at http://gyanxetbeta.com/lncedb/index.php.	66
Figure (18):5	Snapshot of https://www.proteinatlas.org/database showing the low expression of caspase-3 in (A) liver cancer tissue and (B) HepG2.	67
Figure(19):	Snapshot of http://www.microrna.org/microrna/database showing caspase-3 mRNA as a target for hsa-miR-421	68
Figure (20):	Snapshot of https://www.genecards.org/database showing the expression of caspase -3 in liver and being a target for hsa-miR-421	68
Figure (21):	Poly A tailing based RT-PCR	75
Figure (22):	Cell counting by the hemocytometer. A sample of cells is loaded between the plate and the coverslip. The cells are then counted over the four corner squares, each of which corresponds to a sample volume of $0.1~\mu L$	92
Figure (23):	Apoptosis Detection (Phosphatidyl Serine/Annexin based)	95
Figure (24):	Snapshot from genecards.org/, indicating that <i>HDAC4</i> is a target gene for hsamiR-1	103

Figure (25):	Snapshot from http://www.mirbase.org/, indicating that <i>HDAC4</i> is a target gene for hsamiR-1	13
Figure (26):	Snapshot from genecards.org/, indicating that <i>HDAC2</i> is a target gene for hsamiR-1 10)4
Figure (27):	Snapshot from HMDD (the Human microRNA Disease Database) http://www.cuilab.cn/hmdd, indicating that <i>HDAC2</i> is a target gene for hsamiR-1 10)4
Figure (28):	Snapshot from genecards.org/, indicating that <i>HDAC2</i> and <i>HDAC4</i> are expressed in Liver	15
Figure (29):	Structures of MTS tetrazolium and its formazan product)7
Figure (30):	CellTiter 96 [®] AQueous One Solution Cell Proliferation Standard curve for HepG2 10	9
Figure (31A):	Box plot showing the RQs of liver tissue <i>Caspase-3</i> mRNA in Different Groups of the Study. The data represent the median fold changes	8
Figure (31B):	Box plot showing the RQs of liver tissue <i>Caspase-3</i> mRNA between nonmalignant (healthy control group + HCV group) and malignant group. The data represent the median fold changes	8
Figure (31C):	A representative real time PCR amplification plot for $Caspase-3$ mRNA and β -actin expression in the three groups of the study	8
Figure (31D):	ROC curve of <i>Caspase-3</i> mRNA expression levels used to calculate the best cut-off point to discriminate between the malignant and control groups. AUC= 0.91 . Cut off value ≤ 0.83 . [Sensitivity= 100% , specificity= 90%]	9

Figure (32A):	Box plot showing the RQs of liver tissue miR-421 in Different Groups of the Study. The data represent the median fold changes.
Figure (32B):	Box plot showing the RQs of liver tissue miR-421 between nonmalignant (healthy control group + HCV group) and malignant group. The data represent the median fold changes
Figure (32C):	A representative real time PCR amplification plot for miR-421 and RNU6 expression in the three groups of the study 122
Figure (32D):	ROC curve for prediction of HCC using fold change of liver tissue miR-421. AUC=0.990, Cut off value>3.23. [Sensitivity= 100%, specificity=90%] 123
Figure (33A):	Box plot showing the RQs of lncRNA-CXADRP3 in Different Groups of the Study. The data represent the median fold changes
Figure (33B):	Box plot showing the RQs of lncRNA-CXADRP3 between nonmalignant (healthy control group + HCV group) and malignant group. The data represent the median fold changes
Figure (33C):	A representative real time PCR amplification plot for lncRNA-CXADRP3 and β -actin expression in the three groups of the study.
Figure (33D):	ROC curve for prediction of HCC using fold change of liver tissue lncRNA-CXADRP3 used to calculate the best cut-off point to discriminate between the malignant and control groups. AUC=0.98 Cut off value ≤ 0.0719 [Sensitivity= 90%, specificity=100%]