

سامية محمد مصطفى



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات لم ترد بالأصل



VISION INTELLIGENCE AND IMAGE FEATURE EXTRACTION FOR AGRICULTURAL PRODUCTS CLASSIFICATION

Thesis

**Submitted to the Institute of Graduate
Studies and Research**

In Partial Fulfillment of the Requirement for the

Master Degree

In

Information Technology

By

MOHAMMAD MOSTAFA HEGAZY

**B.Sc. in Agricultural Science
Agricultural Engineering
Faculty of Agriculture
University of Alexandria**

**Department of Information Technology
Institute of Graduate Studies and Research
University of Alexandria**

2005

B

1272

APPROVED

COMMITTEE IN CHARGE

(Prof. Dr. Manduh Abbas) M. Al.....

Ar M. Al.....

H. A. Rassae.....

Shawlat H. G......

DATE: / /2005

SUPERVISORS

Prof. Dr. AHMED M. ATTIA

Department of Environmental Studies,
Institute of Graduate Studies and Research,
Alexandria University.

Prof. Dr. MOHAMED G. ABOU-ALI

Professor of Industrial Engineering
Department of Production Engineering,
Faculty of Engineering,
Alexandria University.

Prof. Dr. HASSAN A. KASSEM

Professor of Pomology
Department of Pomology,
Faculty of Agriculture,
Alexandria University.

ACKNOWLEDGMENT

ACKNOWLEDGMENT

First of all I would like to thank God who helped me during my work, without his help nothing could be done. *My* ever lasting thanks to my parents.

I express my appreciation to Prof. Dr. AHMED M. ATTIA, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, for his kind supervision, patience, unlimited constructive criticism, guidance in the fulfillment of this work.

I owe special thanks to Prof. Dr. MOHAMED G. ABOU-ALI, Professor of Industrial Engineering, Department of Production Engineering. Faculty of Engineering, Alexandria University, for his precious assistance, valuable suggestions in the fulfillment of this study.

I would like to express my profound gratitude to Prof. Dr. HASSAN A. KASSEM, Professor of Pomology, Department of Pomology, Faculty of Agriculture, Alexandria University, for his precious remarks and comments, kindly support, and great efforts in facilitating the process of the work.

I would like to express my gratitude to Prof. Dr. Sanaa Hamdy for her guidance in the fulfillment of this work.

I express my appreciation to Mr. Mohamed Khames at Sonac Packaging Station, and the staff for their help in gathering the samples.

Table of contents

Acknowledgment.....	IV
Table of contents	V
List of Tables	VIII
List of Figures	VIII
Abbreviations List	IX
CHAPTER 1: OVERVIEW.....	1
1.1. General	1
1.1.1. Introduction.....	1
1.1.2. Aim of the work.....	4
1.1.3. Artificial Intelligence (AI) and Machine Vision (MV)	4
1.1.4. Simulating human strength and behaviors.....	5
1.1.5. Applications of AI in agriculture.....	5
1.2. Problem description	6
1.3. Human disorders	7
1.3.1. Low classification accuracy.....	7
1.3.2. Sight fooling	7
1.3.3. Worker training and supervision cost.....	8
1.3.4. Worker comfort cost.....	8
1.4. Commercial disorders: the gain of fast packaging	8
1.4.1. Cost of waiting and cooling	8
1.4.2. Storage loss.....	9
1.4.3. Core breakdown problems over the time.....	9
1.5. Thesis layout.....	10
CHAPTER 2: LITERATURE SURVEY	11
2.1. Agricultural applications	11
2.2. External shape features	12
2.2.1. AI in shape's feature extraction.....	13
2.2.2. Training algorithms	14
2.2.3. Morphological features.....	16
2.2.4. 3-D effects	21
2.3. Colors analysis.....	23
2.3.1. Mono color analysis.....	24
2.3.2. Multi-colors approach.....	25
2.3.3. Multi-feature classification.....	29
2.4. Other non-destructive ways.....	30
2.4.1. Internal changes	30
2.4.2. X-Ray.....	32
2.4.3. Magnetic Resonance Imaging (MRI)	32
CHAPTER 3: SYSTEM SETUP (MATERIALS AND METHODS).....	33
3.1. Problem solving approach	33
3.1.1. Orientation	33
3.1.2. Software Design.....	35
3.2. Image acquisition	40
3.3. Illumination.....	41

3.3.1. Illumination uniformity	41
3.3.2. Shine correction	42
3.4. Image analysis	43
3.4.1. Features extraction and filtering	43
3.4.2. Dark-spot pixel counting	43
3.4.3. Image segmentation	45
3.4.4. Edge detection	45
3.4.5. Feature extraction	46
3.5. Implementing solution	46
3.5.1. Image acquisition chamber	49
3.5.2. Estimated number of required images per fruit	52
3.5.3. Image sensors	55
3.5.4. Interface circuitry	55
3.5.5. Image processor	55
3.6. Normalizing defects (Finding rules describing defects)	56
3.6.1. Red mites (Okaros)	56
3.6.2. Red scale insect (Kishryah)	59
3.6.3. Died surface (Moot)	59
3.6.4. Oil Spotting (Zeet)	59
3.6.5. Greasing (Tabheer)	59
3.6.6. Mechanical defect (Tashawoh)	59
3.6.7. Translation to tangible features	65
3.7. Defected areas specifications	65
3.7.1. Multi-feature technique	65
3.7.2. Morphological features	66
3.7.3. Feature of 'containing other groups'	66
3.7.4. Feature of 'Scattered'	67
3.7.5. Feature of 'Nesbitelbaatharah' or (NB)	68
3.7.6. Feature of 'Almost one part'	68
3.7.7. Feature of 'Solid area'	68
3.7.8. Color function	69
3.7.9. Illumination effect	71
3.8. Defect identification	72
3.8.1. Definition of darkness	72
3.8.2. The very dark areas	77
3.8.3. Definition of whiteness	79
3.8.4. Inputs/outputs definitions	79
3.8.5. Defects identification inside fruit boundaries	83
3.8.6. Segmentation	83
3.8.7. The color function and removing illumination effect	83
3.8.8. Finding the spot with highest brightness point	90
3.9. Firing defects	92
3.9.1. Died surface (Moot) detection	92
3.9.2. Finding fruit position and boundaries	93
3.9.3. Removing noise	94
3.9.4. Finding areas "most probably contain defects" groups	94
3.9.5. Place of darkness concentration	94
3.9.6. Dark valley identification	95
3.9.7. Place and aliment of other wanted colors	95

3.10. Application	95
3.10.1. Oranges samples	95
3.10.2. Detecting errors upon those features	96
3.10.3. Recording results for further statistical analysis.....	96
3.10.4. Implementation	96
3.10.5. Normalizing Red mites (Okaros).....	97
3.10.6. Normalizing Red scale insect (Kishryah)	98
3.10.7. Normalizing Moot (Died surface)	98
3.10.8. Normalizing Oil Spotting (Zeet).....	99
3.10.9. Normalizing Greasing (Tabheer).....	99
3.10.10. Normalizing Mechanical defect (Tashawoh).....	100
CHAPTER 4: RESULTS AND DISCUSSION.....	101
4.1. Case study	103
4.1.1. Equations for changes in the color components.	103
4.1.2. Find relatively different pixels.....	105
4.1.3. Removing the shine effect.	110
4.1.4. Find defects boundaries.	110
4.1.5. Find defected area.....	110
4.1.6. Concatenate close defect groups.....	115
4.1.7. Finds internal fruit defects.	115
4.1.8. Find defects over the fruit boundary.....	115
4.1.9. System performance evaluation.....	115
4.2. Analysis.....	116
4.2.1. Sources of errors.....	116
CHAPTER 5: CONCLUSIONS AND FUTURE WORK.....	119
5.1. Conclusions.....	119
5.2. Future work.....	122
SUMMARY	123
REFERENCES	125
APPENDIX.....	140
الملخص العربي	١

List of Tables

Table 1: System performance analysis

117

List of Figures

Fig. 1: Line graph shows the rise in Fresh oranges exports quantities during the previous 8 years.	2
Fig. 2: Colors analysis processes for the surface texture.	37
Fig. 3: Area detection on the orange surface.	38
Fig. 4: Areas properties and measures.	39
Fig. 5: System process diagram.	44
Fig. 6: System design diagram.	48
Fig. 7: A cross section in the image accusation chamber. A) Camera, b) fruit, c) lamp, d) wall (barrier), e) chamber ceiling. Sketch shows the chamber's components, which are lamps, walls, and fruit places.	50
Fig. 8: Image shows the image accusation chamber with the fruit inside.	51
Fig. 9: Camera projection. (The area of observation in one orange sample.)	54
Fig. 10: Accumulated area of observation for six shots in one orange sample.	54
Fig. 11: Picture of details of ideal Red mites (Okaros) defect.	58
Fig. 12: Red scale insect (Kishryah) on the orange sample surface.	60
Fig. 13: Died surface (Moot). (Aspect of defect on the orange sample.)	61
Fig. 14: Image shows an orange sample with the oil cells exploded (Oil spots).	62
Fig. 15: Greasing (Tabheer) orange sample.	63
Fig. 16: An orange sample with the defect of Mechanical defect (Tashawoh), usually not commercially accepted.	64
Fig. 17: Changes in the red color component through a defected group. The color red component value change up and down through the surface texture.	74
Fig. 18: The lower and higher peaks all over the orange sample, determined with algorithm 3. (The red points describe the lower local values, and the greens, describe the upper local values.)	76
Fig. 19: System diagram for the vision system.	81
Fig. 20: Direction of illumination from the different sides of the orange sample.	85
Fig. 21: Different levels of orange colors, which are building the orange surface texture.	86
Fig. 22: Mean color values over a horizontal axis. The color distribution in one row across the image. ((A) the smoothed values. (B) the shinning value in a line of points in the orange surface, and (C) the regional mean values.)	91
Fig. 23: Processing flowchart for the orange sample.	102
Fig. 24: Color function for red, green and blue components. (In a line across the fruit.)	104
Fig. 25: Prospective faults, found by color function in a line across the orange sample.	106
Fig. 26: Upper and lower peaks in a line across the orange sample.	107
Fig. 27: Very darks spots on the orange sample surface. (Found by the defects detection model.)	108
Fig. 28: Very dark spots into sample 2 (Found by the model.)	109
Fig. 29: Red mites (Okaros) group marker over the orange sample surface.	111
Fig. 30: Grouping result for defected pixels.	112
Fig. 31: Greengroups results on the orange sample surface.	113
Fig. 32: Defected areas found by curve fitting on a line on the orange sample surface.	114
Fig. 33: Detection result and Red mites (Okaros) defects finding in nine detected oranges.	118

Abbreviations List

AI: Artificial Intelligence.

API: Application Programming Interface.

ANN: Artificial Neural Networks.

CCD: Charge Coupled Device.

H/W: Hardware.

HSI: Hue, Saturation, and Intensity.

MIMO: Multiple Inputs Multiple Outputs.

MRI: Imaging Magnetic Resonance.

MV: Machine Vision.

NMR: Nuclear Magnetic Resonance.

PAL: Phase Alternating Line.

PC: Personal Computer.

PCI: Peripheral Component Interconnect.

RGB: Red, Green, and Blue.

S/W: Software.

SVGA: Super Video Graphics Array.

T1 and T2: Relaxation Time Constants

USDA: The U.S. Department of Agriculture.

VRAM: Video Random Access Memory.