



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

بسم الله الرحمن الرحيم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكرو فيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرو فيلم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

ROLE OF DWI MRI AS A RECENT MODALITY IN DIFFERENTIATION BETWEEN BENIGN FROM MALIGNANT OVARIAN TUMORS

Thesis

*Submitted for Partial Fulfilment of Master Degree in
Radiodiagnosis*

By

Dawlat Ahmed Abd El-mageed.
M.B.B.Ch.

Under supervision of

Prof. Dr. Naglaa Shebreya

*Professor of Radiology
Faculty of Medicine, Ain Shams University*

Dr. Nermeen Nasry Keriakos

*Lecturer of Radiology
Faculty of Medicine, Ain Shams University*

*Faculty of Medicine
Ain Shams University*

2020

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قَالَ

سَبِّحْكَ لَا إِلَهَ إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ
الْعَلِيمُ الْعَظِيمُ

صدق الله العظيم

سورة البقرة الآية: ٣٢

Acknowledgment

*First and foremost, I feel always indebted to **ALLAH**,
the Most Kind and Most Merciful.*

*I'd like to express my respectful thanks and
profound gratitude to **Prof. Dr. Maglala
Shebrya**, Professor of Radiology - Faculty of
Medicine- Ain Shams University for her keen
guidance, kind supervision, valuable advice and
continuous encouragement, which made possible the
completion of this work.*

*I am also delighted to express my deepest
gratitude and thanks to **Dr. Nermeen Masry
Kerianos**, Lecturer of Radiology, Faculty of
Medicine, Ain Shams University, for her kind care,
continuous supervision, valuable instructions,
constant help and great assistance throughout this
work.*

*I would like to express my hearty thanks to
my father, mother, brother Mr. Essam Ahmed
for their support till this work was completed.*

*I am deeply thankful to **Dr. Amr Salah
Salama**, Consultant of Radiology, for his great
help and active participation.*

*Last but not least my sincere thanks and
appreciation to all patients participated in this
study.*

Dawlat Ahmed Abd El-mageed.

List of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations.....	viii
Introduction	1
Aim of the Work.....	12
Review of Literature	
Anatomy of the Adnexa.....	13
Pathology of Adnexal Masses	24
MR Imaging of the Female Pelvis	53
MRI features of complex adnexal masses	64
Patients and Methods.....	86
Results	92
Case Presentation	109
Discussion	123
Summary	128
Conclusion and Recommendations	130
References	131
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table (1):	Most frequent causes of adnexal masses.....	24
Table (2):	The sequences used in the study.....	88
Table (3):	Distribution of the cases according to age, bilaterality.....	92
Table (4):	Distribution of the cases according to composition, intensity and DWI.....	94
Table (5):	ADC values of cystic and solid component of all lesions.....	96
Table (6):	Histopathological results of the different lesions.....	97
Table (7):	Association between patient age and lesions site, composition and T2 intensity and risk of malignancy.....	102
Table (8):	Mean and SD of ADC value of the examined lesions.....	104
Table (9):	Significance of diffusion pattern and ADC value in benign and malignant lesions.....	106
Table (10):	Table showing statistical results of DWI in differentiating between benign and malignant lesions.....	107
Table (11):	Table showing ROC results of ADC in differentiating between benign and malignant lesions.....	108

List of Figures

Fig. No.	Title	Page No.
Fig. (1):	Normal anatomy of the female reproductive system	13
Fig. (2):	A , Normal arterial supply to uterus, uterine tubes and ovaries. B–F , Variant arterial supply	15
Fig. (3):	Pelvic vessels	16
Fig. (4):	Pelvic lymph nodes and the course of the ureter and ovarian vessels.....	17
Fig. (5):	Parts of the fallopian tubes	19
Fig. (6):	Blood supply of the fallopian tubes.....	20
Fig. (7):	Posterior view of the ovaries, uterine tubes and uterus a long with their supporting ligaments	21
Fig. (8):	Broad ligament of uterus (ligamentumlatumuteri), comprising the mesovarium, mesometrium, and mesosalpinx.....	22
Fig. (9):	Contents of the broad ligament	23
Fig. (10):		27
Fig. (11):		27
Fig. (12):		27
Fig. (13):	Mucinous cystadenoma	28
Fig. (14):	Gross appearance of a mucinous cystadenoma of low malignant potential.....	29
Fig. (15):	Mucinous cystadenocarcinoma of the ovary	30
Fig. (16):	Polypoid clear cell carcinoma arising in endometriotic cyst.....	32
Fig. (17):	Cut section of the left-sided Brenner tumor	33
Fig. (18):	Malignant Brenner tumor	34

List of Figures (Cont....)

Fig. No.	Title	Page No.
Fig. (19):	Granulosa cell tumor of ovary with a variegated cut surface.....	35
Fig. (20):	Fibrothecoma	36
Fig. (21):	(a) Ovarian sertoli-leydig cell tumors with solid and cystic components, (b) Tumor mass showing spindle cells with high mitotic counts	37
Fig. (22):	Sclerosing stromal tumor; the sectioned surface of the tumor is white and oedematous centrally, and yellow at the periphery.....	38
Fig. (23):	Steroid cell tumor not otherwise specified	38
Fig. (24):	Small (4 cm) mature cystic teratoma of the ovary	40
Fig. (25):	31-cm mixed germ cell tumor with focal high grade embryonal carcinoma, free floating nests of immature teratoma, and no lymph node or vascular involvement.....	41
Fig. (26):	Dysgerminoma, large uniform round cells, clear cytoplasm, central regular nuclei, no stroma; infiltration of lymphocytes.....	42
Fig. (27):	Pure yolk sac tumor, ovarian tumor measuring 30 cm in diameter	43
Fig. (28):	Fudge-like and fragile mass revealing extensive hemorrhagic necrosis.	44
Fig. (29):	Ovarian-Krukenberg tumors, bilateral ovarian tumors represented by tan, fleshy cerebriform masses which histologically are represented by signet ring carcinoma.....	45
Fig. (30):	Tubo-ovarian abscess complicating colonic diverticulitis	47

List of Figures (Cont....)

Fig. No.	Title	Page No.
Fig. (31):	Endometriotic cyst of the ovary (chocolate cyst)	48
Fig. (32):	Tubal (ectopic) pregnancy.....	49
Fig. (33):	Examples of serous tubal intraepithelial carcinoma.....	50
Fig. (34):	Lumen of the tube shows solid tan to yellow mass with papillary projections partially filling the lumen.....	51
Fig. (35):	Sagittal T2—Weighted images of the female pelvis in the midline (A) , and paramedline (B) locations, the zonal anatomy of the uterus is well demonstrated in T2-Weighted images, with high signal intensity in the endometrium, and characteristic low signal intensity of the junctional zone.....	55
Fig. (36):	(A) Oblique T2-weighted long-axis image of the pelvis, superior cut through the uterus. (B) oblique T2-weighted long-axis image of the pelvis, middle cut through uterus. (C) . oblique T2-weighted long-axis image of the pelvis, inferior cut through the uterus. (D) . oblique T2-weighted long-axis image of the pelvis toward the perineum. at this level, the urethra and vagina are well seen	56
Fig. (37):	Axial T1-weighted image in the mid pelvis, pre-contrast (A) and fat-suppressed post-contrast (B)	57
Fig. (38):	T2-weighted MR images showing graafian follicles which are seen as bright cysts surrounded by darker solid ovarian stroma	58

List of Figures (Cont....)

Fig. No.	Title	Page No.
Fig. (39):	Showing parts of levator ani muscle in MRI	59
Fig. (40):	Diagram showing diffusion of water molecules	61
Fig. (41):	Bilateral serous cystadenocarcinoma.....	67
Fig. (42):	50-year-old woman with bilateral high-grade serous carcinoma (HGSC)	68
Fig. (43):	A 19-year old woman with benign MC, the axial T2-WI (a) shows multiple loculi in the tumor, the wall and septations are thin, and the intracystic content shows a homogenous low signal intensity on T1-WI (b)	69
Fig. (44):	42-year-old woman with a BMC (borderline mucinous cystadenoma). The axial T1WI (a) and the sagittal T2WI (b).....	69
Fig. (45):	63-year-old woman with a left ovarian cystadenocarcinoma.	70
Fig. (46):	27-year-old woman with borderline ovarian cancer	71
Fig. (47):	Endometrioid carcinoma with concomitant endometrial carcinoma	72
Fig. (48):	53 years old postmenopausal woman with stage IIIC right ovarian carcinoma (clear cell type), there was also transition to clear cell carcinoma from within areas of endometriosis, there were metastasis to the left ovary, mesenteric LN and omentum.....	73
Fig. (49):	A 52-year-old woman with right-sided malignant ovarian tumor (serous papillary adenocarcinoma)	75
Fig. (50):	59-year-old woman with bilateral benign mucinous cystadenoma.	76

List of Figures (Cont....)

Fig. No.	Title	Page No.
Fig. (51):	<i>Ovarian fibroma</i>	77
Fig. (52):	T2 “dark though” effect—cyst-adenofibroma.	78
Fig. (53):	Recurrent ovarian cancer in a 65-year-old woman.....	79
Fig. (54):	Ovarian cancer recurrence.	81
Fig. (55):	Omental cake in a 69-year-old woman who underwent imaging for the planning of interval debulking surgery after three cycles of neoadjuvant chemotherapy for primary peritoneal cancer.	82
Fig. (56):	Pie chart representing age of the patient.	93
Fig. (57):	Pie chart representing lesions bilaterality.....	93
Fig. (58):	Pie chart representing lesions composition.....	94
Fig. (59):	Pie chart representing percentage of lesions intensity.....	95
Fig. (60):	Pie chart representing the DWI characters of the lesions.....	95
Fig. (61):	Chart illustrating the histopathological results of different lesions and their percentage.	98
Fig. (62):	Chart representing the histopathological percentage of different benign and malignant lesions.....	99
Fig. (63):	Percentage of benign and malignant lesions according to lesions site.....	92
Fig. (64):	Percentage of benign and malignant lesions according to lesions composition.....	100
Fig. (65):	Percentage of benign and malignant lesions according to lesions T2 intensity	101

List of Figures (Cont....)

Fig. No.	Title	Page No.
Fig. (66):	Chart representing the percentage of benign and malignant lesion according to their MRI diffusion pattern	103
Fig. (67):	Chart representing the mean ADC value on both benign and malignant lesions according to composition.	105
Fig. (68):	ROC curve of the ADC value.....	107

List of Abbreviations

Abb.	Full term
<i>ADC</i>	<i>Apparent diffusion coefficient</i>
<i>AFP</i>	<i>Alpha fetoprotein</i>
<i>CNR</i>	<i>Contrast-to-noise ratio</i>
<i>DWI</i>	<i>Diffusion-weighted imaging</i>
<i>EP</i>	<i>Ectopic pregnancy</i>
<i>EPI</i>	<i>Echo planar imaging</i>
<i>EST</i>	<i>Endodermal sinus tumor</i>
<i>FTC</i>	<i>Fallopian tube serous carcinoma</i>
<i>GM</i>	<i>Gluteus maximus</i>
<i>IP</i>	<i>Iliopsoas</i>
<i>MBTs</i>	<i>Mucinous borderline tumors</i>
<i>MRI</i>	<i>Magnetic resonance image</i>
<i>OI</i>	<i>Obturator internus muscle</i>
<i>OSBT</i>	<i>Ovarian serous borderline tumor</i>
<i>PFTC</i>	<i>Primary fallopian tube cancer</i>
<i>PID</i>	<i>Pelvic inflammatory disease</i>
<i>PS</i>	<i>Pubis symphysis</i>
<i>ROIs</i>	<i>Regions of interest</i>
<i>SBTs</i>	<i>Serous borderline tumors</i>
<i>TOA</i>	<i>Tubo / ovarian abscess</i>
<i>US</i>	<i>Ultrasonography</i>
<i>WHO</i>	<i>World Health Organization</i>