

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

Evaluation of E- cadherin and Hydrogen Peroxide in Skin of Patients with Vitiligo

Thesis

Submitted for Partial Fulfilment of Master Degree in Dermatology, Venereology and Andrology

By

Alaa Abdel-Hakim Abdel-Magid

M.B.B.Ch. Ain Shams University

Under supervision of

Prof. Dr. Marwa M. Abdel-Rahim Abdallah

Professor of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

Ass.Prof. Mona Hussien Raafat Ahmed

Assistant Professor of Histology and Cell Biology Faculty of Medicine, Ain Shams University

Ass.Prof. Manal Louis Louka

Assistant Professor of Medical Biochemistry and Molecular Biology Faculty of Medicine, Ain Shams University

Dr. Christine Kamal Thabet Gobrial

Lecturer of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

Faculty of Medicine - Ain Shams University
2019



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Marwa M.**Abdel-Rahim Abdallah, Professor of Dermatology, Venereology and Andrology - Faculty of Medicine- Ain Shams University for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to Assist Prof. Mona Hussien Raafat Ahmed, Assistant Professor of Histology and Cell Biology, Venereology and Andrology, Faculty of Medicine, Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to Assist Prof. Manal Louis Louka, Assistant Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for her great help, active participation and guidance.

I wish to introduce my deep respect and thanks to **Dr. Christine Kamal Thabet Gobrial**, Lecturer of Dermatology, Venereology and Andrology, Faculty of Medicine, Ain Shams University, for her kindness, supervision and cooperation in this work.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Alaa Abdel-Hakim Abdel-Magid

List of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	v
Introduction	1
Aim of the Work	4
Review of Literature	
Chapter (1): Vitiligo	5
Chapter (2): E- Cadherin	29
Patients and Methods	38
Results	48
Illustrative Images	68
Discussion	76
Summary	82
Conclusion	85
Recommendations	86
References	87
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table (1):	Comparison between control g cases group as regards age and s	-
Table (2):	Demographic data of the patient	s group50
Table (3):	Comparison between control g cases group as regards E-cadher in different anatomical sites	in density
Table (4):	Descriptive statistics between Edensity in different anatomical si cases group	tes among
Table (5):	Descriptive statistics between Education density in different anatomical sicontrol group	tes among
Table (6):	Comparison between E-cadheri in healthy control skin ver lesional & peri-lesional skin of the patients	sus non- he vitiligo
Table (7):	Comparison between control g cases group as regards concentration and its concent skin from different anatomical st	H2O2 ration in
Table (8):	Correlation between H2O2 cond and E-cadherin density among group.	g Control
Table (9):	Correlation between H2O2 con and E-cadherin density among ca	
Table (10):	Comparison between immunohis E-cadherin level between ca lesional and perilesional) and different anatomical sites	ses (non control in

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Hydrogen peroxide imposes oxided damage on biomolecules, such as protein lipids, and DNA, and leads to procarbonylation, lipid peroxidation, DNA base oxidation, which can prevented by phytoantioxidants	eins, otein and be
Figure (2):	The schematic illustration of E-cade production through the central dogma	
Figure (3):	The schematic representation of the cadherin-mediated homophilic cell adhesion mechanism	e E- -cell
Figure (4):	Comparison between control group cases group regarding age of the stucases	ıdied
Figure (5):	Comparison between control group cases group regarding sex of the stu	and
Figure (6):	Family history distribution among or group	cases
Figure (7):	History of smoking among cases group	
Figure (8):	Comparison between average E-cadh	
5 • /	density among control and cases	
Figure (9):	Comparison between E-cadherin densi	
_	all body surface areas among control	•
	cases group in face, distal acral s	sites,
	lower limb and trunk	53
Figure (10):	-	•
	different anatomical sites among of	
71	group.	
Figure (11):	Comparison between E-cadherin densi	•
	different anatomical sites among co	
	group.	55

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (12):	Comparison between E-cadherin de in healthy control skin versus non-les & peri-lesional skin of the vi-	ional tiligo
Figure (13):	Comparison between average I concentration in control and case grou	H2O2
Figure (14):	Comparison between H2O2 concentration post auricular skin in control and group.	case
Figure (15):	Comparison between H2O2 concentration distal acral sites in control and	ation case
Figure (16):	group	ation
Figure (17):	Comparison between H2O2 concentration lower limb skin in control and group.	case
Figure (18):	Scatter plots for negative correlative between H2O2 concentration and cadherin density in face (postauric	ation E- cular
Figure (19):	skin)	E-
Figure (20):	sites	E-
Figure (21):	scatter plots for negative correlative between H2O2 concentration and	ation E-
Figure (22):	cadherin density in skin of lower limb Scatter plots for negative correlabetween average H2O2 concentration	ation and
	E-cadherin density	67

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (23):	Different images illustrating ir	nmuno-
	histochemical staining of E-cadh	erin in
	vitiligo patient no. 3	68
Figure (24):	Different images illustrating in	nmuno-
_	histochemical staining of E-cadh	erin in
	vitiligo patient no. 5	70
Figure (25):	Different images illustrating in	nmuno-
J	histochemical staining of E-cadh	erin in
	vitiligo patient no. 7	72
Figure (26):	Different images illustrating e-ca	adherin
	staining in a healthy control: a,b,c a	

List of Abbreviations

Abb. Full term ACEAngiotensin-converting enzyme ACTHAdrenocorticotropic hormone AISAutoimmune susceptibility APS......Autoimmune Polyendocrine Syndrome type 1 AREAntioxidant response element Bax.....BCL-2 Associated X, Apoptosis Regulator BCL-2.....B-Cell Leukemia/Lymphoma 2 BCL-XL.....B-Cell Lymphoma extra large BERBase excision repair C°Dergree of centigrade Ca^{2+}Calcium CATCatalase CD4.....Cluster of differentiation 4 CD8......Cluster of differentiation 8 CD167a.....Cluster of differentiation 167a CDH1.....Cluster of differentiation H1 COMT.....Catechol-O-methyltransferase CRHCorticotropin releasing hormone CRHRCorticotropin releasing hormone receptor CTLA-4Cytotoxic T lymphocyte antigen-4 CXCL10Chemokine (C-X-C motif) ligand 10 DDR1.....Discodin domain receptor tyrosine kinase 1 DNADeoxyribonucleic acid $Ecad.....E_{cadherin}$ ESREstrogen receptor FOXOForkhead box class O FOXP1Forkhead box P1 GCLC.....Glutamate-Cysteine Ligase Catalytic Subunit GCLMGlutamate-Cysteine Ligase Modifier Subunit

List of Abbreviations (Cont...)

Abb.	Full term
<i>GPx</i>	Glutathione peroxidase
<i>GR</i>	Glutathione reductase
<i>GSH</i>	Glutathione
GSS	Glutathione synthetase
H_2O_2	Hydroden peroxide
HI	Healthy individuals
HLA	Human leukocyte antigen
<i>HMGB1</i>	High mobility group box1
HO-1	Heme oxygenase-1
<i>HRP</i>	Horseradish peroxidase
ICAM-1	Intercellular adhesion molecule-1
<i>IFN</i> γ	$ Interferon \ \gamma$
<i>IL-10</i>	Interleukin-10
<i>IL-17</i>	Interleukin-17
<i>IL-2RA</i>	Interleukin-2 receptor A
<i>iNos</i>	Inducible nitric oxide synthase
Kda	Ki lodal ton
$LXR \alpha \dots LXR \alpha$	Liver X receptor alpha
MBL2	Mannan-binding lectin
<i>MDA</i>	Malon dial de hy de
<i>MHC</i>	Major histocompatibility complex
μL	Microlitre
<i>NADP (H)</i>	Nicotinamide adenine dinucleotide phosphate
	(H)
<i>NALP1</i>	NACHT leucine-rich repeat protein 1
<i>NB -UVB</i>	Narrow band ultra violet B
<i>Nm</i>	Nanometre
<i>NPY</i>	$ Neuropeptide\ Y$
NQO-1	NADP quinone dehydrogenase 1
NRF2	Nuclear Factor E2-Related Factor 2

List of Abbreviations (Cont...)

Abb.	Full term
NSV	Non-segmental vitiligo
O ²	. Superoxide
<i>OH</i>	.Hydroxyl ion
<i>OXOG</i>	Oxoguanine
<i>PARP</i>	Poly (ADP-ribose) polymerase
PBS	Phosphate buffer saline
PCNA	Proliferating cell nuclear antigen
PI3K	.Phosphinositide3-kinase
<i>PKB</i>	Protein kinaes B
<i>POMC</i>	. Propiomelano cortin
PRX	Peroxiredin
PTPN22	Protein tyrosine phosphatase non-receptor type 22
PUVA	.Psolaren ultraviolet A
ROS	Reactive oxygen species
SLEV1	Systemic lupus erythematosus vitiligo-related gene
SNPs	Single nucleotide polymorphisms
SOD	Superoxide dismutase
SOX	SRY-Box gene
SSBs	single-strand breaks
SV	Segmental vitiligo
	Transforming growth factor-beta
TGF - β	Transforming Growth Factor- eta
Th17	T helper type 17
TLRs	Toll-like receptors
<i>TNF</i> -α	Tumour necrosis factor-alpha
Tregs	Regulatory T-cells
TRP	Tyrosinase-related proteins

List of Abbreviations (Cont...)

Abb.	Full term
TRX	.Thioredoxin
UVA	$. Ultraviolet \ A$
UVB	$. Ultraviolet \ B$
VCAM-1	.Vascular adhesion molecule-1
XBP1	.X-box binding protein 1
<i>Xg</i>	. X gravity
α-MSH	.Melanocyte-Stimulating Hormone
μ/gm	. Microgram