

بسم الله الرحمن الرحيم



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HOSSAM MAGHRABY



بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

DENTAL ARCH DIMENSIONS ANALYSIS AMONG JORDANIAN SCHOOL CHILDREN

B14917

Thesis

**Submitted to Faculty of Oral and Dental Medicine,
Cairo University in Partial Fulfillment of the
Requirements for the
Master Degree in Orthodontics**

By

Bader Eddin Borgan

B.D.S.

(University of Jordan)

**Faculty of Oral and Dental Medicine
Cairo University**

2001



بسم الله الرحمن الرحيم

**DENTAL ARCH DIMENSIONS ANALYSIS
AMONG JORDANIAN SCHOOL CHILDREN**

Thesis

**Submitted to Faculty of Oral and Dental Medicine,
Cairo University in Partial Fulfillment of the
Requirements for the
Master Degree in Orthodontics**

By

Bader Eddin Borgan

B.D.S.

(University of Jordan)

**Faculty of Oral and Dental Medicine
Cairo University**

2001

Supervisors

Dr. Faten Eid

Associate professor of Orthodontics

B.D.S., M.D.S., Ph. D. (Cairo)

Faculty of Oral & Dental Medicine,
Cairo University

Dr. Amr Labib


Associate professor of Orthodontics

B.D.S., M.D.S., Ph. D. (Cairo)

Faculty of Oral & Dental Medicine,
Cairo University

DEDICATION

*To my beloved parents...
and
To the place that I'll never
forget ...*



ACKNOWLEDGMENT

ACKNOWLEDGMENTS

I would like to express my deep appreciation and gratitude to **Dr. Ahmad Abdel Salam Eid**, *Head of the orthodontic Department, Faculty of Oral and Dental Medicine, Cairo University*, for suggesting the point of research, and for his continuous guidance and sincere advice throughout this work.

I would like to offer my deep gratitude to **Dr. Faten Eid**, *Associate Professor, Orthodontic Department, Faculty of Oral and Dental Medicine, Cairo University*, for her continuous supervision and great help during the course of this investigation.

Deepest appreciation and thanks are extended to **Dr. Amr Labib**, *Associate Professor, Orthodontic Department, Faculty of Oral and Dental Medicine, Cairo University*, for his patience and constructive efforts during the supervision of this dissertation.

My thanks are extended to **Dr. Khaled Helmi**, *Assistant Researcher, National Research Centre*, for his computer programming skills, patience, time and effort to make this research presentable and feasible.

Thanks are extended to all staff and members of *Orthodontic Department, Faculty of Oral and Dental medicine, Cairo University*, for their considerable cooperation, kind feeling and support.

My great appreciation and gratitude are extended to every member of my big family at the **Islamic Hospital, Amman – Jordan**, for their support, continuous help and guidance.

Finally, I would like to offer my sincere appreciation to my wife, **Dr. Amal Awad**, for her continuous inspiration and providing me with endless support.

CONTENTS

	PAGE
<i>LIST OF TABLES</i>	vi
<i>LIST OF FIGURES</i>	vii
<i>INTRODUCTION</i>	1
<i>REVIEW OF LITERATURE</i>	3
<i>AIM OF THE STUDY</i>	19
<i>MATERIALS AND METHODS</i>	20
<i>RESULTS</i>	42
<i>DISCUSSION</i>	73
<i>SUMMARY AND CONCLUSIONS</i>	86
<i>REFERENCES</i>	88
<i>APPENDIX</i>	
<i>ARABIC SUMMARY</i>	

LIST OF TABLES

TABLE		PAGE
(1)	Descriptive statistics of mesiodistal teeth width for the permanent teeth in the maxillary arch for male and female groups.	50
(2)	Descriptive statistics of mesiodistal teeth width for the permanent teeth in the mandibular arch for male and female groups.	51
(3)	Descriptive statistics of Arch widths for male and female groups.	52
(4)	Descriptive statistics of Arch lengths for male and female groups.	53
(5)	Descriptive statistics of Arch perimeter and Arch depth for male and female groups.	54
(6)	Polynomial equation of the five forms in the maxillary arch.	55
(7)	Polynomial equation of the five forms in the mandibular arch.	55
(8)	Distribution of the five maxillary arch forms according to sex.	56
(9)	Distribution of the five mandibular arch forms according to sex.	56

LIST OF FIGURES (CONT.)

FIGURE	PAGE
(1) Occlusal view of marked maxillary and mandibular models before scanning.	23
(2) Scanning process.	25
(3) Scanned image of the models with the plastic ruled frame. ...	26
(4) Setting of the scanned image in the Tracer software program before digitization of points.	27
(5) Digitization of the scanned image.	28
(6) Maxillary arch widths at the inter-canine, inter-first molar and inter-second molar regions.	30
(7) Mandibular arch widths at the inter-canine, inter-first molar and inter-second molar regions.	30
(8) Maxillary anterior arch length.	34
(9) Maxillary posterior arch length.	34
(10) Maxillary total arch length.	34
(11) Mandibular anterior arch length.	35
(12) Mandibular posterior arch length.	35
(13) Mandibular total arch length.	35
(14) Maxillary and mandibular arch perimeters.	36
(15) Mesiodistal teeth width of maxillary and mandibular arches.	37
(16) Korkhaus caliper used in measuring the arch depth.	38
(17) A bar chart showing the mesiodistal teeth width for the permanent teeth in the maxillary arch for male and female groups.	57