

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



Psychiatric Morbidities among an Egyptian Sample of Patients attending Primary Health Care Outpatient Clinics

Thesis

Submitted for Partial Fulfilment of Master Degree in Neurology and Psychiatry

Submitted by

Mohamed Ahmos Fahmy Mohamed Fahmy El-Tawila

M.B.B.Ch.

Supervised by

Prof. Dr. Tarek Ahmed Okasha

Professor of Neuropsychiatry
Faculty of Medicine – Ain Shams University

Prof. Dr. Nivert Zaki Mahmoud

Professor of Neuropsychiatry
Faculty of Medicine – Ain Shams University

Dr. Dalia Abd El-Moneim Mahmoud

Assistant Professor of Neuropsychiatry Faculty of Medicine – Ain Shams University

Faculty of Medicine
Ain Shams University
2020

Acknowledgment

First of all, thanks to **Allah** whose magnificent help was the main factor in completing this work.

I wish to express my deepest gratitude to all those who assisted me to complete this work.

I'd like to express my sincere thanks and gratitude to **Prof. Dr. Tarek Ahmed Okasha**, Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for his support and valuable advice which made possible the completion of this work.

I'd also like to warmly thank **Prof. Dr. Nivert Zaki Mahmoud**, Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for her precious remarks, continuous support and guidance.

All my appreciation and regards to **Dr. Dalia Abd El-Moneim Mahmoud**, Assistant Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University, for giving me much of her time, effort and valuable advice which lead to the progress and accomplishment of this work.

I'd also wish to express my thanks and regards to my family for their support all through this work.

Last but not least my sincere thanks and appreciation to all patients participated in this study, without whom this work would have never been completed.

List of Contents

Subject	Page No.
List of Abbreviations	i
List of Tables	iv
List of Figures	vii
Introduction	1
Aim of the Work	5
Review of Literature	7
Chapter 1: Epidemiology of Psychiatri Primary Health Care	
Chapter 2: Relations Between Psychia General Medical Illnesses	
Chapter 3: Management of Psychiatric General Medical Illnesses in Primary Ho	
Methodology	68
Results	73
Discussion	105
Conclusion	119
Limitations and Recommendations	121
References	126
Appendices	156
Summary	167
Arabic Summary	-

List of Abbreviations

ACP	American College of Physicians
AHRQ	Agency for Healthcare Research and Quality
CATIE	Clinical Antipsychotic Trials of Intervention Effectiveness
CBT	Cognitive Behavioral Therapy
CC	Collaborative Care
CD	Conversion Disorder
CES-D	Center for Epidemiologic Studies Depression Scale
CIDI	Composite International Diagnostic Inventory
CNS	Central Nervous System
COPD	Chronic Obstructive Pulmonary Disease
CRF	Corticotropin-releasing factor
CVD	Cardiovascular disorders
DALYs	Disability-Adjusted Life Years
DM	Diabetes Mellitus
DNA	Deoxyribonucleic acid
DSM	Diagnostic and Statistical Manual of Mental Disorders
EDs	Eating Disorders
EIP	Early Intervention in Psychosis
ESP	Eating Disorder Screen for Primary Care
FND	Functional Neurological Symptom Disorder
GAD	Generalized Anxiety Disorder
GERD	Gastroesophageal reflux disease
GHQ	General Health Questionnaire
GIT	Gastro Intestinal Tract
GP	General Practitioner
GSMHAT	General Secretariat of Mental Health and Addiction
	Treatment
HAT	Helping Adolescent Thrive
HCU	Health Care Utilization
HCV	Hepatitis C Virus
HIV/AIDS	Human immunodeficiency virus infection and acquired immune deficiency syndrome



HPA	Hypothalamic Pituitary Adrenal
HRSD	Hamilton Rating Scale for Depression
HTN	Hypertension
IBS	Irritable Bowel Syndrome
ICD-10	International Classification of Diseases, Tenth Revision
IL-1	Interleukin-1
IRR	incidence rate ratio
MdM	Médecins du Monde
MHD	Mental Health Diseases
mhGAP-IG	Mental Health Global Action Program Intervention Guide
MHPSS	Mental Health and Psycho-Social Support
MNS	Mental, Neurological and Substance use
MOH	Ministry of Health
MUS	Medically Unexplained Symptoms
NCDs	Non-Communicable Diseases
NGOs	Non-governmental organizations
NICE	National Institute for Health and Clinical Excellence
NIDA	National Institute on Drug Abuse
NOS	Not Otherwise Specified
OCD	Obsessive compulsive disorder
OCP	Oral contraceptive pills
OCS	Obsessive compulsive symptoms
OTC	Over the Counter
PCMH	Patient-Centered Medical Home
PCPs	Primary Care Practitioners
PD	Panic Disorder
PHC	Primary Health Care
PTSD	Post traumatic stress disorder
SAD	Social Anxiety Disorder
SCID-I	Structured Clinical Interview for DSM-IV Axis I Disorders
SLE	Systemic Lupus Erythematosus
SPSS	statistical package for social sciences
SUD	substance use disorder
SUMMIT	Substance Use, Motivation, Medication and Integrated
77.17	Treatment
UAE	United Arab Emirates

UK	United Kingdom
UNICEF	The United Nations Children's Fund
USA	United States of America
UTI	Urinary Tract Infection
WHO	World Health Organization
WHO-WMH	World Health Organization - World Mental Health
WONCA	World Organization of National Colleges, Academies and Academic Associations of General Practitioners/Family Physicians

List of Tables

Table No.	Title	Page No
Table (1):	Prevalence of mental disorders in Egypt	14
Table (2):	Risk factors for three chronic diseases	28
Table (3):	The association of depression, anxiety or c depressive-anxiety disorder with different illnesses.	physical
Table (4):	The various types of eating disorders with recharacteristics	_
Table (5):	Demographic data in study population	75
Table (6):	General medical illness (Chronic illness) typ study population	
Table (7)	General medical illness (Complaint) data population	
Table (8):	General medical illness (Current medication study population	
Table (9):	General Health Questionnaire (GHQ) data population	_
Table (10):	Psychiatric illness data in study population	83
Table (11):	Relation between GHQ data and Demograpin study population	
Table (12):	Relation between GHQ data and general illness data in study population	
Table (13)	Relation between Psychiatric illness data a to SCID I and Demographic data (Age) in t positive score group	he GHQ
Table (14):	Relation between Psychiatric illness data a to SCID I and Demographic data (Gender GHQ positive score group	r) in the

Table (15):	Relation between Psychiatric illness data according to SCID I and Demographic data (Employment/Occupation) in the GHQ positive score group.
Table (16):	Relation between Psychiatric illness data according to SCID I and Demographic data (Income) in the GHQ positive score group
Table (17):	Relation between Psychiatric illness data according to SCID I and Demographic data (Residence) in the GHQ positive score group90
Table (18):	Psychiatric illness data according to SCID I and general medical illness (Complaint) in the GHQ positive score group
Table (19):	Relation between Psychiatric illness data according to SCID I and general medical illness (Current medication) in the GHQ positive score group92
Table (20):	Relation between Psychiatric illness data according to SCID I and Chronic illness (HTN) in the GHQ positive score group
Table (21)	Relation between Psychiatric illness data according to SCID I and Chronic illness (D.M.) in the GHQ positive score group
Table (22):	Relation between Psychiatric illness data according to SCID I and Chronic illness (Hypothyroidism) in the GHQ positive score group
Table (23):	Relation between Psychiatric illness data according to SCID I and Chronic illness (Hyperthyroidism) in the GHQ positive score group95
Table (24):	Relation between Psychiatric illness data according to SCID I and Chronic illness (Gastritis) in the GHQ positive score group
Table (25):	Relation between Psychiatric illness data according to SCID I and Chronic illness (HTN & DM) in the GHQ positive score group96

Table (26):	The relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the Depression diagnosis group98
Table (27)	Regression analysis of the relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the Depression diagnosis group
Table (28):	The relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the GAD diagnosis group101
Table (29):	Regression analysis of the relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the GAD diagnosis group
Table (30):	The relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the Dysthymia diagnosis group102
Table (31):	Regression analysis of the relation between demographic factors (Age, Gender and Residence) with Chronic illness and complaint in the Dysthymia diagnosis group

List of Figures

Figure N	o. Title	Page N
Figure (1):	Links between mental disorders and other diseases.	
Figure (2):	An example of an integrative model of diabed depression.	
Figure (3):	Evidence-based components of collaborative of mental health in primary care	
Figure (4):	WHO service organization pyramid for an optimal services for mental health	
Figure (5):	Demographic Data (1) distribution of the population	
Figure (6):	Demographic Data (2) distribution of the population	_
Figure (7):	General medical illness (Chronic illness) type study population	
Figure (8):	General medical illness (Complaint) data in population.	
Figure (9):	General medical illness (Current medication) study population	
Figure (10)	: General Health Questionnaire (GHQ) data in population	-
Figure (11):	Psychiatric illness data in study population	83
Figure (12)	Psychiatric illness da Demographic data (Age) in the GHQ positive group.	e score
Figure (13): Relation between Psychiatric illness da Demographic data (Gender) in the GHQ positiv group	e score
Figure (14): Relation between Psychiatric illness da Demographic data (Employment/Occupation) in the positive score group	ne GHQ

Figure (15):	Relation between Psychiatric illness data and Demographic data (Income) in the GHQ positive score group
Figure (16):	Relation between Psychiatric illness data and Demographic data (Residence) in the GHQ positive score group90
Figure (17):	Relation between Psychiatric illness data and General medical illness (Complaint) in the GHQ positive score group92
Figure (18):	Relation between Psychiatric illness data and Current medication in the GHQ positive score group93
Figure (19):	Psychiatric illness data and Chronic Illness in the GHQ positive score group97
Figure (20):	Scatter plot for residence factor against Chronic illness in the Depression diagnosis group
Figure (21):	Scatter plot for residence factor against Complaint in the Dysthymia diagnosis group104

Introduction