سامية محمد مصطفى



شبكة المعلومات الحامعية

بسم الله الرحمن الرحيم



-Caro-

سامية محمد مصطفي



شبكة العلومات الحامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





سامية محمد مصطفى

شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسو

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار



سامية محمد مصطفي



شبكة المعلومات الجامعية



المسلمة عين شعور المسلمة عين شعور المسلمة عين شعور المسلمة عين شعور المسلمة ا

سامية محمد مصطفى

شبكة المعلومات الحامعية



بالرسالة صفحات لم ترد بالأصل



TANTA UNIVERSITY FACULTY OF MEDICINE Department of Forensic

Department of Forensic Medicine & Clinical Toxicology



STUDY OF IMMUNOTOXIC EFFECTS OF LEAD EXPOSURE

By Khaled Ragab El- Mokasaby

(M.B., B. Ch. M. Sc.)

Staff member Faculty of Medicine – Garyonis University - Libya
Thesis

Submitted in partial fulfillment of Requirements for degree of M.D in Forensic Medicine and Toxicology

Supervised By

Prof. Dr. Mona Mohamed Heshmat

Prof. of Forensic Medicine & Clinical Toxicology
Faculty of Medicine
Tanta - University

Prof. Dr. Abdel-Moty M. Kamal Kabash

Prof. of Forensic Medicine &Clinical Toxicology
Faculty of Medicine
Tanta — University


Prof. Dr. Laila Abdel-Monim Abdel-Megid

Prof. of Forensic Medicine & Clinical Toxicology Faculty of Medicine Alexandria-- University

Prof. Dr. Madiha Wasif Mohamed Ali

Prof. of Forensic Medicine & Clinical Toxicology Faculty of Medicine Zagazig-- University

Faculty of Medicine Tanta
University
2006



ويُمْ الْحَالِينَا الْمُعَالِينَ الْمُعَالِينَ الْمُعَالِمُ الْمُعِلِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعِلَّمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعِلِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلِمُ الْمُعِلَمُ الْمُعِلِمُ الْمُعِلَمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلَمُ الْمِعِلَمُ الْمُعِلَمُ الْمِعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعِلَمُ عِلْمُ مِلْمُعِلَمُ عِلْمُعِلَمُ عِلْمُعِلَمُ عِلْمُعِلَمُ عِلْمُعِلِمُ

Zerling Zerling Zerling Jelling Jellin

العطيف

الملخص العربي

يعتبر الرصاص من المعادن الثقيلة التي تدخل في كثير من الصناعات وتؤدى إلى تلوث البيئة وتعريض الإنسان لهذا التلوث باستمرار وبصفة خاصة في المصانع ، مما يدفعنا إلى دراسة تأثيرات الرصاص السمية على جميع أجهزة الجسم وخاصة الجهاز المناعي واحتمالات حيوت ضعف مناعة وتعرض الإنسان المستمر للإمراض.

الهدف من البحث: دراسة التأثيرات السامة للرصاص على الجهاز المناعي

نتائج البحث : كشفت نتائج الدراسة التي أجريت على فئران التجارب والعاملين بمصنع سيناء للبطاريات بالعاشر من رمضان ، أن التعرض للرصاص يحدث آثار سمية على أجهزة الجسم المختلفة ومنها الجهاز المناعي الذي يقي الجسم من الإمراض ولذا يستخلص ضرورة اتخاذ إجراءات وقائية مثل وضع برنامج مناسب للتقليل من التعرض لهذا التلوث واستخدام ملابس و كمامات خاصة للوقاية منه والكشف الدوري المستمر على العاملين بتلك المصانع وتثقيفهم صخيا.

ENGLISH SUMMARY

Lead is one of the major hazards for human health due to its wide start distribution environment so lead is considered as a serious occupational disease in some industries. A cute & chronic exposure to inorganic lead may result in impairment of immune functions in exposed persons with depression of cellular and humoral immunity.

AIM OF THE WORK: Is to evaluate some toxicological effects of lead base on the immune system.

RESULTS: Lead exposure induced immunosuppressive effects. Exposed bosc workers to lead should be protected by certain clothes and masks and bus enrolled In a medical surveillance program that include periodic pibos medical examination and health education program.

lser

ba-

Par

ACKNOWLEDGEMENT

First and Foremost, thanks are due to ..ALLAH.... BENEFICENT and MERCIFUL, by the grace of whom this work was possible.

It is a sincere pleasure and a great honor to express my, deepest gratitude and appreciation to professor *Dr. Mona M. Heshmat*, Professor of Forensic Medicine and Clinical Toxicology, faculty of Medicine, Tanta University who redicated much of her effort time and scientific experience for the valuable planning, advice, and direction of this rk. Her knowledge and perception had a significant impact on the structure and relevance of the completed research.

Wording is not enough to express my profound thanks and obligation to *Professor*. *Dr. Laila Abdel-Monim Abdel-Megid*, and the forensic Medicine and Clinical Toxicology, Faculty Medicine, Alexandria University, for her continuous couragement and for her valuable guidance. She dedicated with of her effort time and scientific experience for the direction of this work.

I wish to thank cordially and express supreme gratitude and ndebtedness to *Professor Dr. Abdel-Moty Kabash* Prof. orensic Medicine & Clinical Toxicology, Faculty of Medicine, Tanta University, who offered me a great help to arry, out this work.

Also, I wish to express my deepest thanks and profound latitude to Dr. Madiha Wasif Mohamed Ali, Assist .Prof.of memory Medicine and Toxicology Faculty of Medicine, Zagaig versity for her continuous help and encouragement all mough the preparation of this work.

My great thanks to Dr. Kamal A. El-Kashishy, Assist. inf. of Pathology, Faculty of Medicine Zagazig University his help in immunohistopathological study of this work.

Finally, I would like to express my sincerest gratitude all staff members of Forensic Medicine and Toxicology, lty of Medicine, Tanta University.

CONTENTS

Enapter	Page
-Introduction	1
I-Review of literature	
* Lead chemistry and physical properties	4
* Sources of exposure to lead	5
* Lead toxicokinetics	12
* Pathphysiological effects of lead	14
 Neurological effect 	14
• Ear and eye effect	17
• Renal effect	18
•Reproductive system effect	19
 Hematological effect 	20
•Digestive, dermatological and musculoskeletal effect	t 21
 Endocrinal effect 	22
 Genetic and carcinogenic effect 	23
Cardiovascular effect	24
* Types of lead intoxication	24
A- Inorganic lead intoxication	24
Diagnosis	26
B- Organic lead intoxication	28
Management of lead poisoning	29
* Immune system	33
Primary lymphoid organ	33
Secondary lymphoid organ	34
Innate immunity	36
Adaptive immunity	38
Humeral immunity	40
Cell mediated immunity	42

minume Dystunction	49
Immunotoxic effect of lead	52
II I- Aim of the work	54
IV - Subjects and Method	55
V - Results	67
VI - Discussion	109
VII- Summary & Conclusion	122
VIII- Recommendation	127
VII-References	129
VIII- Arabic summary	

List of Tables and Figures

Subject	Page
Table (1):Distribution of lead exposed workers according to the age.	68
Fig. (1):Distribution of lead exposed workers according to the age.	•
Table(2): Distribution of lead exposed workers for one year according to	69
GIT manifestations.	70
Fig. (2):Distribution of lead exposed workers for one year according to GIT manifestations.	71
Table (3): Distribution of lead exposed workers for five years according to GIT manifestations.	72
Fig (3): Distribution of lead exposed workers for five years according to GIT manifestations.	73
Table (4): Distribution of lead exposed workers for ten years according to GIT manifestations.	74
Fig. (4): Distribution of lead exposed workers for ten years according to GIT manifestations.	75
Table (5): Distribution of lead exposed workers for one year	
according to Neuro-muscular manifestations.	76
Fig.(5): Distribution of lead exposed workers for one year according to Neuro-muscular manifestations.	77
Table (6):Distribution of lead exposed workers for five years	
According to Neuro-muscular manifestations.	78
Fig. (6):Distribution of lead exposed workers for five years	
according to Neuro-muscular manifestations.	79
Table(7): Distribution of lead exposed workers for ten years according to Neuro-muscular manifestations.	80
Fig. (7): Distribution of lead exposed workers for ten years	
T' / NT	81

according to eye manifestations.	82
Fig. (8): Distribution of lead exposed workers for one year according to eye manifestations.	83
Table (9):Distribution of lead exposed workers for five years according to eye manifestations.	84
Fig. (9):Distribution of lead exposed workers for five years according to eye manifestations.	85
Table (10):Distribution of lead exposed workers for ten years according to eye manifestations.	86
Fig. (10):Distribution of lead exposed workers for ten years according to eye manifestations.	87
Table (11): Mean values ± S.D of blood lead level of exposed groups and control.	89
Fig. (11): Mean values ±S.D. of blood lead level of exposed groups and control.	90
Table (12): Mean values ± S.D. of serum IgG and IgM of exposed groups and control.	92
Fig. (12): Mean values ± S.D. of serum IgG and IgM of exposed groups and control.	93
Table (13):Mean values ± S.D. of total leucocytic count of exposed groups and control.	94
Fig. (13):Mean values ± S.D. of total leucocytic count of exposed groups and control.	95
Table (14): Mean values±S.D. of T-helper and cytotoxic T-cell of exposed groups and control.	97
Fig. (14): Mean values±S.D. of T-helper and cytotoxic T-cell of exposed groups and control.	98
Fig. (15): A section of rat's spleen from control group after one month.	100
Fig. (16): A section of rat's spleen treated by lead acetate after One month showing CD4.	101

Fig.(17): A section of rat's spleen from lead acetate treated rat's after one month showing CD4.	:	102
Fig. (18): A section of rat's spleen from lead acetate treated rat's after one month showing CD8.	1	103
Fig. (19): A section from control group after two months showing normal lymphocyte.		104
Fig. (20): A section of rat's spleen from lead acetate treated rat's after two month showing CD4.		105
Fig. (21): A section of rat's spleen from lead acetate treated rat's after two months showing CD4.		106
Fig. (22): A section of rat's spleen from lead acetate group after two months showing CD8.		107
Fig. (23): A section of rat's spleen from lead acetate group after two months showing CD8.	•	108

LIST OF ABBREVIATIONS

Pb Lead

Cd Cadmium

Cu Copper

Zn Zinc

RBC Red Blood Cell

CNS Central Nervous System

PNS Peripheral Nervous System

PAS Periodic-Acid-Schiff

H Hertz

ALA Amino-levulinic Acid

FSH Follicular Stimulating Hormone

DNA Diribonucleic Acid

TEL Tetra Ethyl Lead

FEP Free erythrocyte protoporphyrin

CBC Complete Blood Count

EP Erythropoietin

BAL British Anti-Lewisite

FDA Food and Drug Administration

DMSA Dimercaptosuccinic Acid

Glucose-6-Phosphate Dehydrogenase

EDTA Ethylene Diamine Tetra-Acetate

DMSA Dimercapto Propane Sulfonic

PH Hydrogen ion concentration

MHC Major Histocompatability Complex

PALS Peri Arteriolar Lymphoid Sheat

MALT Mucosal Associated Lymphoid Tissue

SALT Skin Associated Lymphoid Tissue