

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





بعض الوثائق الأصلية تالفة





بالرسالة صفحات
لم ترد بالأصل





Phytochemical and Biological Studies on *Spondias mangifera* (L.), Family Anacardiaceae

A thesis submitted to
Department of Pharmacognosy
Faculty of Pharmacy
Ain Shams University

In Partial Fulfilment of the Requirements
for the Degree of Master in Pharmaceutical Sciences
(Pharmacognosy)

By
Salma Sameh Said Ali
Bachelor of Pharmacy
Faculty of Pharmacy, Ain Shams University, 2014

Department of Pharmacognosy
Faculty of Pharmacy
Ain Shams University
Abbasia, Cairo, Egypt

2020

Under the Supervision of

Abdel Nasser B. Singab, Ph.D.

Professor of Pharmacognosy, Faculty of Pharmacy, Ain Shams University

Vice President for Postgraduate and Research Affairs

Ain Shams University

Chairman of Center for Drug Discovery, Research and Development

Ain Shams University

Rola Milad Labib, Ph.D.

Associate Professor of Pharmacognosy

Faculty of Pharmacy

Ain Shams University

Eman Kamal Al-Sayed, Ph.D.

Associate Professor of Pharmacognosy

Faculty of Pharmacy

Ain Shams University

Department of Pharmacognosy

Faculty of Pharmacy

Ain Shams University

Abbasia, Cairo, Egypt

2020

Aknowledgement

*First of all, I would like to extend due praise and thanks to **ALLAH**, the merciful and the passionate, the source of all knowledge, for giving me the strength and encouragement especially during all the challenging moments in completing this thesis and during this entire journey.*

I am profoundly grateful to many people who helped me in this work, it is a pleasant aspect that I have now the opportunity to express my gratitude for all of them.

I would like to express my heartfelt gratitude and sincere thank to my respected thesis advisors;

***Professor Abdel Nasser B. Singab**, Professor of Pharmacognosy, Vice President for Postgraduate and Research Affairs, Ain Shams University. I am profoundly and deeply grateful to him for helping me to get started on the path of this degree by his expert and valuable guidance. His door was always open whenever I had a question about my research or writing. I would like to express my deepest and sincere gratitude to him for his continuous support, encouragement and motivation. Thanks for his valuable comments, constructive suggestions during the experimental investigations, structural elucidation and correction to the thesis and the manuscripts. Thanks for his efforts and precious time. Thanks for steering me in the right direction whenever I needed help with his precious advices. I would like to express my profound gratitude to **Professor Singab**: the chairman of the Center for Drug Discovery, Research and Development, Faculty of Pharmacy, Ain Shams University for establishing the center of drug discovery and supplying it with all the modern equipments required for carrying out the research work viz. NMR and LC/MS at the Center for Drug Discovery, Research and Development.*

*I would also like to express my profound and heartfelt gratitude to **Dr. Rola Milad Labib**, Associate Professor of Pharmacognosy, Faculty of Pharmacy, Ain Shams University, who supervised me in this work. My deepest thanks for her kind and passionate help and support during this journey. Thanks for her patience during listening to the little problems and roadblocks that unavoidably crop up in the course of performing research. Thanks for her valuable advices and guidance that helped me in all the time of research and writing of this thesis. My sincere thanks for her constructive suggestions and valuable criticism which*

helped me in improving this work during the experimental investigations as well as structural elucidation, biological testing, writing and revising the thesis and the manuscripts.

*I would like also to express my deepest and profound gratitude to **Dr. Eman Kamal Al-Sayed**, Associate Professor of Pharmacognosy, Faculty of Pharmacy, Ain Shams University, who helped me to get started on the path of this degree by suggesting the research point. My sincere thanks for her continuous help, support and encouragement. Thanks for her precious time spent with me in the research lab for guiding me and for transferring her precious and valuable knowledge to me. Thanks for her valuable advice, helpful and constructive suggestions, constant guidance and encouragement in experimental study, structural elucidation, experimental design of the antilipidemic model, statistical analysis, writing and revising the thesis and the manuscripts.*

*I would like also to express my gratitude to **Dr. Amany Sleem**, Pharmacology Department, National Research Center, for helping in carrying out the in vivo biological testing.*

*I would like to express my profound gratitude to members of Pharmacognosy Department; my **Professors** and **staff**, thanks for their continuous support, care, education and useful tips.*

*Many thanks to my **colleagues** and **friends**. Thanks for their encouragement and help all the time and the warm environment they provide.*

Finally, I must express my very profound gratitude to my parents and to my sweet sister for providing me with support and continuous encouragement throughout my years of study and through the process of researching and writing this thesis. This accomplishment would not have been possible without them. Thank you.

Salma Sameh

Cairo, 2020

List of Contents

| | Page |
|--|-----------|
| List of Figures..... | iii |
| List of Tables..... | vi |
| List of Abbreviations..... | vii |
| Introduction..... | 1 |
| Review of Literature..... | 3 |
| I- Traditional uses of genus <i>Spondias</i> | 3 |
| II- Pharmacological activities of genus <i>Spondias</i> | 5 |
| III- Phytoconstituents of genus <i>Spondias</i> | 19 |
| Taxonomy..... | 31 |
| Materials, Apparatus and Methods..... | 37 |
| 1. Materials..... | 37 |
| 2. Apparatus..... | 43 |
| 3. Methods..... | 44 |
| Chapter 1: Biological investigation of the methanol soluble extract of <i>Spondias mangifera</i> leaves, its subfractions along with the essential oils of three organs of <i>Spondias mangifera</i>, (family Anacardiaceae)..... | 53 |
| 1. <i>In vitro</i> study of the methanol soluble extract of <i>Spondias mangifera</i> leaves..... | 53 |
| 1.1. Cytotoxic activity..... | 53 |
| 1.2. Antidiabetic activity..... | 57 |
| 2. <i>In vivo</i> study of the methanol soluble extract of <i>Spondias mangifera</i> leaves..... | 61 |
| 2.1. Antidiabetic, antilipidemic and anti-obesity activities of the DCM fraction of <i>Spondias mangifera</i> | 61 |
| 3. Biological investigation of the essential oils obtained by hydrodistillation of three organs of <i>Spondias mangifera</i>..... | 74 |
| Chapter 2: Phytochemical study of the methanol soluble extract of <i>Spondias mangifera</i> leaves, (family Anacardiaceae)..... | 80 |
| 2.1. Experimental..... | 80 |
| 2.1.1. Phytochemical screening of <i>Spondias mangifera</i> leaves..... | 80 |

| | |
|---|------------|
| 2.1.2. Phytochemical study of <i>Spondias mangifera</i> leaves..... | 80 |
| 2.1.3. Fractionation of the DCM fraction of the methanol soluble extract of <i>Spondias mangifera</i> leaves..... | 80 |
| 2.2. Results and discussion..... | 84 |
| 2.2.1. Phytochemical screening of <i>Spondias mangifera</i> leaves..... | 84 |
| 2.2.2. Phytochemical study of <i>Spondias mangifera</i> leaves..... | 84 |
| 2.2.2.1. Compounds isolated from the DCM fraction of the methanol soluble leaf extract of <i>Spondias mangifera</i>..... | 85 |
| 2.2.2.1.1. Compounds isolated from fraction B..... | 85 |
| 2.2.2.1.1.1. Compound (1): Hydroxycitric acid lactone 1,6-dimethyl ester..... | 87 |
| 2.2.2.1.1.2. Compound (2): Hydroxycitric acid lactone 1-methyl ester (2a) & Hydroxycitric acid lactone (2b)..... | 95 |
| 2.2.2.1.1.3. Compound (3): Scopoletin..... | 102 |
| 2.2.2.1.1.4. Compound (4): Hydroxycitric acid 1,5,6-trimethyl ester (4a) & Hydroxycitric acid lactone 1,6-dimethyl ester (4b)..... | 107 |
| 2.2.2.1.2. Compounds isolated from fraction L..... | 116 |
| 2.2.2.1.2.1. Compound (5): 5- <i>O</i> -Feruloyl quinic acid..... | 117 |
| 2.2.2.1.3. Compounds isolated from fraction Z6..... | 123 |
| 2.2.2.1.3.1. Compound (6): Salicylic acid..... | 124 |
| 2.2.2.1.3.2. Compound (7): Cinnamic acid..... | 129 |
| Chapter 3: Essential oils of leaf, flower and fruit pericarp of <i>Spondias mangifera</i>... | 134 |
| 3.1. Results and discussion..... | 134 |
| 3.1.1. GC/MS analysis of the essential oils..... | 140 |
| General summary..... | 144 |
| Conclusion and recommendations..... | 148 |
| Achievements..... | 151 |
| References..... | 155 |
| Arabic summary | |

List of Figures

| Figure | | Page |
|--------|---|------|
| 1. | Pseudotannins isolated from genus <i>Spondias</i> | 19 |
| 2. | Flavonoids isolated from genus <i>Spondias</i> | 20 |
| 3. | Phenolic acid derivatives isolated from genus <i>Spondias</i> | 22 |
| 4. | Sterols and triterpenes isolated from genus <i>Spondias</i> | 24 |
| 5. | Saponin isolated from genus <i>Spondias</i> | 25 |
| 6. | Components identified from essential oils prepared from genus <i>Spondias</i> | 27 |
| 7. | Amino acids isolated from genus <i>Spondias</i> | 28 |
| 8. | Organic and fatty acids isolated from genus <i>Spondias</i> | 29 |
| 9. | Sugars isolated from genus <i>Spondias</i> | 30 |
| 10. | Photograph of <i>Spondias mangifera</i> tree (X= 0.007) and leaf (X = 0.4) cultivated in the Zoo Garden, Giza, Egypt..... | 35 |
| 11. | Photograph of <i>Spondias mangifera</i> flowers (X= 1)..... | 36 |
| 12. | Photograph of <i>Spondias mangifera</i> fruit (X= 1) cultivated in the Zoo Garden, Giza, Egypt..... | 36 |
| 13. | Cytotoxic activity of compound (1) on HepG2 cell line and MCF-7 cell line..... | 56 |
| 14. | Alpha-amylase inhibitory activity of the methanol extract and its five main fractions | 59 |
| 15. | Alpha-amylase inhibitory activity of compound (1)..... | 60 |
| 16. | Effect of long term administration of DCM fraction on glucose level in hypercholesterolemic rats..... | 62 |
| 17. | Effect of long term administration of DCM fraction on total cholesterol level in hypercholesterolemic rats..... | 65 |
| 18. | Effect of chronic administration of DCM fraction on triglycerides level in hypercholesterolemic rats..... | 66 |
| 19. | Effect of the long term treatment with DCM fraction on HDL level in hypercholesterolemic rats..... | 67 |
| 20. | Effect of chronic administration of DCM fraction on LDL level in hypercholesterolemic rats..... | 68 |
| 21. | Effect of chronic administration of DCM fraction on body weight of hypercholesterolemic rats..... | 69 |

| | | |
|-----|---|-----|
| 22. | Scheme showing the chromatographic separation of DCM fraction of <i>Spondias mangifera</i> methanol leaves extract..... | 83 |
| 23. | ^1H NMR spectrum of compound (1) in CDCl_3-d_1 | 89 |
| 24. | APT spectrum of compound (1) in CDCl_3-d_1 | 90 |
| 25. | HSQC spectrum of compound (1) in CDCl_3-d_1 | 91 |
| 26. | HMBC spectrum of compound (1) in CDCl_3-d_1 | 92 |
| 27. | ^1H - ^1H COSY spectrum of compound (1) in CDCl_3-d_1 | 93 |
| 28. | ESI-MS spectrum of compound (1)..... | 94 |
| 29. | ^1H NMR spectrum of compound (2) in $\text{DMSO}-d_6$ | 98 |
| 30. | APT spectrum of compound (2) in $\text{DMSO}-d_6$ | 99 |
| 31. | HMBC spectrum of compound (2) in $\text{DMSO}-d_6$ | 100 |
| 32. | ESI-MS spectrum of compound (2)..... | 101 |
| 33. | ^1H NMR spectrum of compound (3) in $\text{CD}_3\text{OD}-d_4$ | 104 |
| 34. | ^1H - ^1H COSY spectrum of compound (3) in $\text{CD}_3\text{OD}-d_4$ | 105 |
| 35. | ESI-MS spectrum of compound (3) (positive ion mode)..... | 106 |
| 36. | ESI-MS spectrum of compound (3) (negative ion mode)..... | 106 |
| 37. | ^1H NMR spectrum of compound (4) in $\text{DMSO}-d_6$ | 110 |
| 38. | APT spectrum of compound (4) in $\text{DMSO}-d_6$ | 111 |
| 39. | HSQC spectrum of compound (4) in $\text{DMSO}-d_6$ | 112 |
| 40. | HMBC spectrum of compound (4) in $\text{DMSO}-d_6$ | 113 |
| 41. | ^1H - ^1H COSY spectrum of compound (4) in $\text{DMSO}-d_6$ | 114 |
| 42. | ESI-MS spectrum of compound (4a)..... | 115 |
| 43. | ESI-MS spectrum of compound (4b)..... | 115 |
| 44. | ^1H NMR spectrum of compound (5) in $\text{DMSO}-d_6$ | 119 |
| 45. | APT spectrum of compound (5) in $\text{DMSO}-d_6$ | 120 |
| 46. | ^1H - ^1H COSY spectrum of compound (5) in $\text{DMSO}-d_6$ | 121 |
| 47. | UV spectrum of compound (5)..... | 122 |
| 48. | ESI-MS spectrum of compound (5)..... | 122 |
| 49. | ^1H NMR spectrum of compound (6) in $\text{DMSO}-d_6$ | 126 |
| 50. | APT spectrum of compound (6) in $\text{DMSO}-d_6$ | 127 |
| 51. | UV spectrum of compound (6)..... | 128 |
| 52. | ^1H NMR spectrum of compound (7) in $\text{DMSO}-d_6$ | 131 |
| 53. | APT spectrum of compound (7) in $\text{DMSO}-d_6$ | 132 |

| | | |
|-----|---|-----|
| 54. | UV spectrum of compound (7)..... | 133 |
| 55. | Gas chromatogram of essential oils prepared from <i>Spondias mangifera</i> leaves..... | 140 |
| 56. | Gas chromatogram of essential oils prepared from <i>Spondias mangifera</i> flowers..... | 140 |
| 57. | Gas chromatogram of essential oils prepared from <i>Spondias mangifera</i> pericarps..... | 141 |
| 58. | Chemical structure of the identified components of the essential oils obtained from the leaves, flowers and fruits pericarps of <i>S. mangifera</i> | 142 |

List of Tables

| Table | Page |
|---|------|
| 1. Cytotoxic activity of <i>Spondias mangifera</i> methanol leaves extract and its five main fractions on HepG2 cell line..... | 54 |
| 2. Cytotoxic activity of compound (1)..... | 55 |
| 3. Alpha-amylase inhibitory activity of <i>Spondias mangifera</i> methanol leaves extract and its five main fractions..... | 58 |
| 4. Alpha-amylase inhibitory activity of compound (1)..... | 60 |
| 5. Effect of long term administration of DCM fraction of <i>Spondias mangifera</i> leaves on lipid profile and blood glucose in hypercholesterolemic male <i>Albino</i> rats ($n = 6$)..... | 63 |
| 6. Effect of long term administration of DCM fraction of <i>Spondias mangifera</i> leaves on body weight of male <i>Albino</i> rats..... | 70 |
| 7. Antimicrobial activity of essential oils of three organs of <i>Spondias mangifera</i> . | 75 |
| 8. Fractionation of the DCM fraction of <i>Spondias mangifera</i> | 82 |
| 9. Results of phytochemical screening of <i>Spondias mangifera</i> leaves..... | 84 |
| 10. Fractionation of fraction B..... | 85 |
| 11. Fractionation of band 2 from subfraction 14..... | 86 |
| 12. Fractionation of band 3 from subfraction 14..... | 86 |
| 13. ^1H NMR and APT signals (δ ppm) of compound (1) in chloroform- d_1 | 88 |
| 14. ^1H NMR and APT signals (δ ppm) of compound (2) in DMSO- d_6 | 97 |
| 15. ^1H NMR of compound (3) in $\text{CD}_3\text{OD}-d_4$ | 103 |
| 16. ^1H NMR and APT signals (δ ppm) of compound (4) in DMSO- d_6 | 109 |
| 17. Fractionation of fraction L..... | 116 |
| 18. ^1H NMR and APT signals (δ ppm) of compound (5) in DMSO- d_6 | 118 |
| 19. Fractionation of fraction Z6..... | 123 |
| 20. ^1H NMR and APT signals (δ ppm) of compound (6) in DMSO- d_6 | 125 |
| 21. ^1H NMR and APT signals (δ ppm) of compound (7) in DMSO- d_6 | 130 |
| 22. Chemical composition of essential oils from leaves, flowers and fruits pericarps of <i>Spondias mangifera</i> | 136 |
| 23. Percentage of the volatile components of <i>Spondias mangifera</i> essential oils..... | 139 |