



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

بسم الله الرحمن الرحيم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



Optical Coherence Tomography Angiography Findings in Diabetic Patients with Macular Edema

Thesis

Submitted for Partial Fulfillment of Master Degree in
Ophthalmology

By

Hosam Mohammad Salaheldeen Atef

*M.B.B.CH
Tanta University*

Supervised by

Prof. Dr. Bahaa-Eldin Abd-Allah Ali

Professor of Ophthalmology
Faculty of Medicine – Ain Shams University

Assist. Prof. Dr. Khaled Hamdi Mahmoud

Assistant Professor of Ophthalmology
Faculty of Medicine – Ain Shams University

Dr. Karim Magdi Naguib

Lecturer of Ophthalmology
Faculty of Medicine – Ain Shams University

Faculty of Medicine - Ain Shams University
Cairo - 2020

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قَالَ

لَسْبِحَانَكَ لَا يَعْلمُ لَنَا
إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ
الْعَلِيمُ الْعَظِيمُ

صدق الله العظيم

سورة البقرة الآية: ٣٢

Acknowledgment

*First and foremost, I feel always indebted to **ALLAH**, the Most Kind and Most Merciful.*

*I would like to express my respectful thanks and profound gratitude to **Prof. Dr. Bahaa-Eldin Abd-Allah Ali**, professor of ophthalmology, Faculty of Medicine, Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.*

*I am delighted to express my deepest gratitude and thanks to **Assist. Prof. Dr. Khaled Hamdi Mahmood**, assistant professor of ophthalmology, Faculty of Medicine, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.*

*I am deeply thankful to **Dr. Karim Magdi Naguib**, lecturer of ophthalmology, Faculty of Medicine, Ain Shams University, for his great help, active participation and guidance.*

*I would like to express my deepest thanks to **Assist. Prof. Dr. Mona Samir El Koddousy**, assistant professor of ophthalmology, Faculty of Medicine, Tanta University, for her effort throughout the whole work from the moment it started.*

*I would like to express my deepest appreciation to **Prof. Dr. Ibrahim Kabbash**, professor of public health, Faculty of Medicine, Tanta University, for his role in completion of statistical analysis*

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Hosam Mohammad Salaheldeen Atef

List of Contents

Title	Page No.
List of Tables	i
List of Figures	iii
List of Abbreviations.....	viii
Introduction	1
Aim of the Work.....	2
Review of Literature	
• Anatomy of the Retina	3
• Diabetic Macular Edema	14
• Optical coherence tomography angiography (OCTA).....	40
Patients and Methods.....	55
Results	70
Cases Presentation.....	93
Discussion	110
Summary	120
Conclusion	123
Recommendations	124
References	125
Arabic Summary	ʻ

List of Tables

Table No.	Title	Page No.
Table (1):	International clinical diabetic macular edema disease severity scale	15
Table (2):	International clinical diabetic retinopathy disease severity scale	26
Table (3):	The six phases of FFA with normal transit times.....	30
Table (4):	Differences between FFA and OCTA	45
Table (5):	Age and sex of studied patients	70
Table (6):	Distribution of studied patients according to the duration of diabetes.....	71
Table (7):	Distribution of the diabetic hypertensive patients according to the duration of hypertension.....	71
Table (8):	Optical Coherence Tomography Findings.....	76
Table (9):	Correlation between the duration of diabetes and BCVA, CFT and OCTA parameters.....	77
Table (10):	Distribution of studied patients; diabetic and diabetic hypertensive according to the BCVA in decimal equivalent.....	78
Table (11):	Distribution of studied patients; diabetic and diabetic hypertensive according to the central foveal thickness (CFT)	79
Table (12):	Distribution of studied patients; diabetic and diabetic hypertensive according to the number of aneurysms in SCP.....	79
Table (13):	Distribution of studied patients; diabetic and diabetic hypertensive according to the number of aneurysms in DCP	80
Table (14):	Distribution of studied patients; diabetic and diabetic hypertensive according to the VAD in SCP	80

List of Tables (Cont...)

Table No.	Title	Page No.
Table (15):	Distribution of studied patients; diabetic and diabetic hypertensive according to the VAD in DCP	81
Table (16):	Distribution of studied patients; diabetic and diabetic hypertensive according to the VAD in chorio-capillaries	81
Table (17):	Distribution of studied patients; diabetic and diabetic hypertensive according to the FAZ in SCP	82
Table (18):	Distribution of studied patients; diabetic and diabetic hypertensive according to the FAZ in DCP	82
Table (19):	Distribution of studied patients; diabetic and diabetic hypertensive according to the VDM center 1mm.....	83
Table (20):	Distribution of studied patients; diabetic and diabetic hypertensive according to the VDM center 3mm.....	83
Table (21):	Correlation between duration of hypertension and BCVA, CFT and OCTA findings.....	84
Table (22):	Correlation between BCVA and OCTA parameters.....	86
Table (23):	Difference between eyes with NPDR and eyes with PDR regarding the OCTA parameters	87
Table (24):	OCTA parameters in eyes with normal and abnormal outer retinal integrity.....	90
Table (25):	OCTA parameters in eyes with normal and abnormal inner retinal integrity.....	91
Table (26):	OCTA parameters in eyes with CME with and without NSD and eyes with diffuse macular edema	92

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Normal retina as seen through an ophthalmoscope.....	3
Figure (2):	Layers of the retina.....	6
Figure (3):	Superficial plexus in NFL (A) Intermediate and deep capillary plexuses above and below inner nuclear layer respectively (B)	12
Figure (4):	Anatomy of the fovea showing the foveal avascular zone with absence of capillaries in the centre of the fovea.....	13
Figure (5):	Diabetic macular edema.....	16
Figure (6):	Basic structure of OCT device	33
Figure (7):	Time domain OCT	34
Figure (8):	Spectral domain OCT	34
Figure (9):	Swept source OCT.....	35
Figure (10):	Enface OCT scan showing cystoid macular edema...	36
Figure (11):	Spectral domain OCT shows diffuse retinal thickening.....	38
Figure (12):	Common morphologic changes seen with spectral domain optical coherence tomography (OCT) imaging in eyes with diabetic macular edema (DME).....	39
Figure (13):	OCT angiogram of superficial capillary plexus in normal retina.....	41
Figure (14):	OCT B scan of same eye with corresponding segmentation to OCT angiogram in figure 13.....	41
Figure (15):	OCT angiogram of deep vascular plexus in normal retina.....	42
Figure (16):	OCT B scan of same eye with corresponding segmentation to OCT angiogram in figure 15 ⁽¹¹³⁾	42
Figure (17):	OCT angiogram of outer retinal layer of normal eye	42
Figure (18):	OCT B scan of same eye with corresponding segmentation to OCT angiogram in figure 17.....	43

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (19):	OCT angiogram of chorio-capillaries layer of normal eye.....	43
Figure (20):	OCT B scan of same eye with corresponding segmentation to OCT angiogram in figure 19.....	43
Figure (21):	A composite image of OCTA.....	44
Figure (22):	Microaneurysm assessment using OCT angiography	49
Figure (23) :	Intra-retinal microcirculation and capillary non-perfusion.	50
Figure (24):	Peri-foveal perfusion density.....	51
Figure (25):	Improving retinal imaging in DR on OCT angiography	52
Figure (26):	Diabetic macular ischemia and OCT angiography. ..	53
Figure (27):	Ischemic DME.	54
Figure (28):	Spectral domain-OCT system (Heidelberg Engineering)	57
Figure (29):	OCT of a normal eye	58
Figure (30):	OCT of macular edema in diabetic patient.....	59
Figure (31):	OCT of ischemic macula in diabetic patient.....	60
Figure (32):	SS-OCT of the macula in patient with PDR with neovascularization on the macular surface	60
Figure (33):	OCT of the disc in patient with PDR.....	61
Figure (34):	OCT of the macula in patient with vitreo-retinal tangential traction.....	61
Figure (35):	DRI OCT Triton, SS - OCT.....	62
Figure (36):	OCTA shows segmentation of the retina and choroid within the macular area	63
Figure (37):	OCTA of the macula (inner deep retina) in diabetic patient	64
Figure (38):	OCTA of the macula (inner superficial retina) in diabetic patient (neovascularization).....	65
Figure (39):	Superficial Capillary Plexus (SCP) of a patient's eye using OCTA.	66

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (40):	Deep capillary plexus (DCP of a patient's eye using OCTA.....	67
Figure (41):	OCTA image artifacts	68
Figure (42):	Projection artifact.....	68
Figure (43):	Percentage of pseudophakic and phakic eyes.....	72
Figure (44):	Percentage of PDR and NPDR eyes	73
Figure (45):	Eyes with and without VMT	74
Figure (46):	Types of macular edema.....	74
Figure (47):	Eyes with and without disruption in the outer retinal layers.....	75
Figure (48):	Eyes with and without disruption in the inner retinal layer	75
Figure (49):	Correlation between duration of hypertension in years and vascular area density in superficial capillary plexus	85
Figure (50):	Neovascularization in eyes with PDR.....	88
Figure (51):	Correlation between CFT and FAZ in superficial capillary plexus.....	88
Figure (52):	Correlation between CFT and FAZ in deep capillary plexus	89
Figure (53):	Fundus colored photo (A), OCT (B) and OCTA(C) of NVD.....	93
Figure (54-A):	OCT shows cystoid macular edema with foveal traction and NVEs (red arrow).....	94
Figure (54-B):	OCTA shows segmental images of different 4 zones; SCP (1), DCP(2), outer retina(3) and choriocapillaries(4).....	94
Figure (54-C):	Colored photo shows hemorrhages and exudates OCTA 9×9 mm at the SCP level shows NVES (orange arrow) and NVDS (red arrow). The black line corresponds to blink artifact (yellow arrow). The white line corresponds to motion artifact (green arrow)	95

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (54-D):	OCTA at the level of chorio-capillaries shows projection artifact (green arrow)	95
Figure (54-E):	OCTA of the optic disc shows NVDS	96
Figure (55-A):	Colored photo (1) shows hemorrhages and exudates OCT shows cystoid macular edema and hard exudates (2)	97
Figure (55-B):	OCTA shows segmental images of different 4 zones; SCP (1), DCP(2), outer retina(3) and choriocapillaries(4)	98
Figure (55-C):	OCTA at the level of DCP shows pseudoflow of the hard exudate (yellow arrow), CME (red arrow) and an area of devoid flow (green arrow)	98
Figure (56-A):	Colored photo (1). OCT shows epiretinal membrane with diffuse macular edema (2)	99
Figure (56-B):	OCTA shows segmental images of different 4 zones; SCP (1), DCP(2), outer retina(3) and choriocapillaries(4)	100
Figure (56-C):	The number of aneurysms in the DCP is more than in the SCP.....	100
Figure (56-D):	OCTA 9*9 mm at the level of SCP shows IRMA (red arrow) and peripheral ischemia (green arrow)	101
Figure (57-A):	OCT shows disorganization of retinal inner layers (DRIL) [yellow arrow].....	102
Figure (57-B):	OCTA shows segmental images of different 4 zones; SCP (1), DCP(2), outer retina(3) and choriocapillaries(4)	102
Figure (57-C):	OCTA shows ischemia at the level of SCP and DCP (yellow arrow)	103
Figure (58-A):	Colored photo shows hard exudates and hemorrhages	104
Figure (58-B):	OCT shows cystoid macular edema with hard exudates	104

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (58-C):	OCTA shows segmental images of different 4 zones; SCP(1), DCP(2), outer retina(3) and choriocapillaries(4)	105
Figure (58-D):	OCTA.....	106
Figure (59-A):	Colored photo shows cotton wool spots (yellow arrow), hard exudates and hemorrhages.	107
Figure (59-B):	OCT shows hyper-reflective inner retinal infarction (yellow arrow) with underlying shadowing, hard exudates and hemorrhages.....	107
Figure (59-C):	OCTA shows segmental images of different 4 zones; SCP(1), DCP(2), outer retina(3) and choriocapillaries(4)	108
Figure (59-D):	OCTA images show areas of devoid flow at the level of SCP (yellow arrow) corresponding to the cotton wool spots with underlying shadowing at the level of DCP and chorio-capillaries layer (green arrow).....	109

List of Abbreviations

Abb.	Full term
<i>AMD</i>	<i>Age-related macular degeneration</i>
<i>AV</i>	<i>Arteriovenous</i>
<i>BCVA</i>	<i>Best corrected visual acuity</i>
<i>BM</i>	<i>Bruch's membrane</i>
<i>BRB</i>	<i>Blood-retinal barrier</i>
<i>CFT</i>	<i>Central foveal thickness</i>
<i>CME</i>	<i>Cystoid macular edema</i>
<i>CNV</i>	<i>Choroidal neovascularization</i>
<i>DCCT</i>	<i>Diabetes Control and Complications Trial</i>
<i>DCP</i>	<i>Deep capillary plexus</i>
<i>DM</i>	<i>Diabetes mellitus</i>
<i>DME</i>	<i>Diabetic macular edema</i>
<i>DML</i>	<i>Diabetic macular ischemia</i>
<i>DR</i>	<i>Diabetic retinopathy</i>
<i>DRCR</i>	<i>Diabetic retinopathy clinical research</i>
<i>DRIL</i>	<i>Disorganization of the retinal inner layers</i>
<i>DRT</i>	<i>Diffuse retinal thickening</i>
<i>EDIC</i>	<i>Epidemiology of Diabetes Interventions and Complications</i>
<i>ELM</i>	<i>External limiting membrane</i>
<i>ETDRS</i>	<i>Early treatment diabetic retinopathy study</i>
<i>FA</i>	<i>Fluorescein angiography</i>
<i>FAZ</i>	<i>Foveal avascular zone</i>
<i>FFA</i>	<i>Fundus Fluorescein angiography</i>
<i>GCL</i>	<i>Ganglion cell layer</i>
<i>HbA1c</i>	<i>Hemoglobin A1c</i>