

سامية محمد مصطفى



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وَقَدْ رَفَعْنَا لَكَ ذِكْرَكَ
وَلَقَدْ رَفَعْنَا لَكَ ذِكْرَكَ
وَلَقَدْ رَفَعْنَا لَكَ ذِكْرَكَ
وَلَقَدْ رَفَعْنَا لَكَ ذِكْرَكَ

صدق الله العظيم

B

10--E



ALEXANDRIA UNIVERSITY
Faculty of Agriculture
(Saba Basha)
Plant Production Dept.

STUDY OF RELATIVE CONTRIBUTION OF FIBER PROPERTIES IN YARN QUALITY

Presented by

El-Sayed Abdalla El-Sayed Abdalla

For the degree of

Master of Agricultural Sciences
(Agronomy)
Plant Production Department

Examiner's Committee :

Prof. Dr. Abdalla El-Bakry Hossam El-Din
Professor of Agronomy, Plant Production
Department, Faculty of Agriculture (Saba Basha),
Alexandria University.

Approved

A. Z. Hossam El-Din

Prof. Dr. Mahmoud Abd El-Aziz Gomaa
Professor of Agronomy, and Head of Plant Production
Department, Faculty of Agriculture (Saba Basha),
Alexandria University.

M. A. Gomaa

Prof. Dr. Ibrahim Fathalla Rehab
Professor of Agronomy, and Vice Dean for Education
and Students Affairs, Faculty of Agriculture (Saba
Basha), Alexandria University.

I. F. Rehab

Dr. Mahmoud Anwar Mahgoub
Head of Technology Research Division, Cotton
Research Institute, Agriculture Research Center, Giza.

M. A. Mahgoub



ALEXANDRIA UNIVERSITY

Faculty of Agriculture

(Saba Basha)

Plant Production Dept.

**STUDY OF RELATIVE CONTRIBUTION OF
FIBER PROPERTIES IN YARN QUALITY**

By

El-Sayed Abdalla El-Sayed Abdalla

A Thesis Submitted on Partial Fulfillment of the Requirements

Governing the Award of the Degree of

Master of Agricultural Sciences

(Agronomy)

Plant Production Department

Alexandria University

2004

ADVISOR'S COMMITTEE

Prof. Dr. Abdalla El-Bakry Hossam El-Din

**Professor of Agronomy,
Plant Production Department,
Faculty of Agriculture (Saba Basha),
Alexandria University**

Prof. Dr. Ibrahim Fathalla Rehab

**Professor of Agronomy,
and Vice Dean for Education and Students Affairs,
Faculty of Agriculture (Saba Basha),
Alexandria University**

Dr. Mohamed Ahmed Abd El-Gawad Nassar

**Lecturer of Agronomy,
Plant Production Department,
Faculty of Agriculture (Saba Basha),
Alexandria University.**

CONTENTS

	Page
LIST OF TABLES.....	vii
ACKNOWLEDGEMENT	viii
Chapter One : INTRODUCTION	1
Chapter Two : REVIEW OF LITERATURE	4
Chapter Three : MATERIALS AND METHODS	28
3.1. Materials.....	29
3.2. The studied properties.....	30
3.2.1. Fiber properties.....	30
3.2.1.1. Fiber length parameters.....	30
3.2.1.2. Fiber strength (g/tex).....	31
3.2.1.3. Fiber elongation (%).....	31
3.2.1.4. Fiber fineness.....	31
3.2.1.5. Fiber maturity.....	31
3.2.1.6. Non lint content.....	31
3.2.2. Yarn characters	32
3.2.2.1. Single yarn strength (g/tex).....	32
3.2.2.2. Yarn elongation (%).....	32
3.2.2.3. Yarn unevenness and neppiness.....	32
3.3. Statistical analysis.....	32
Chapter Four : RESULTS AND DISCUSSION	33
4.1. Fiber properties as affected by cotton varieties and grades.....	34
4.1.1. 2.5% Span length (m.m.).....	34
4.1.2. Mean length (m.m.).....	41
4.1.3. Uniformity index (%).....	42
4.1.4. Short fiber percentage.....	45
4.1.5. Tenacity (g/tex)	45
4.1.6. Elongation (%).....	48
4.1.7. Micronaire reading.....	50
4.1.8. Hair weight (millitex)	50
4.1.9. Maturity ratio.....	53
4.1.10. Maturity percentage.....	55
4.1.11. Non lint content.....	55
4.1.11.1. Lint percentage.....	55

	Page
4.1.11.2. Trash percentage.....	61
4.1.11.3. Dust percentage.....	61
4.1.11.4. Seed coat fragments percentage.....	61
4.2. Yarn characters as affected by cotton varieties and grades.....	62
4.2.1. Single yarn strength (g/tex)	62
4.2.2. Yarn elongation (%).....	66
4.2.3. Yarn neps/120 yds.....	68
4.2.4. Yarn thick places/120 yds.....	68
4.2.5. Yarn thin places/120 yds.....	71
4.3. Simple correlation and partial regression analysis between yarn characters and some fiber properties.....	73
4.3.1. Yarn strength correlation.....	73
4.3.2. Yarn elongation correlation.....	75
4.3.3. Yarn neps/120 yds correlation.....	75
4.3.4. Yarn thick places/120 yds correlation.....	75
4.3.5. Yarn thin places/120 yds correlation.....	76
Chapter Five : SUMMARY	78
5.1. The studied properties.....	80
5.1.1. Fiber properties.....	80
5.1.2. Yarn characters.....	80
5.2. Fiber properties as affected by cotton varieties and grades.....	81
5.2.1. 2.5 % Span length (m.m)	81
5.2.2. Mean length (m.m)	81
5.2.3. Uniformity index (%).....	82
5.2.4. Short fiber percentage.....	82
5.2.5. Fiber strength (g/tex)	83
5.2.6. Fiber elongation%.....	83
5.2.7. Fiber fineness.....	83
5.2.7.1. Micronaire reading.....	83
5.2.7.2. Hair weight (millitex)	84
5.2.8. Fiber Maturity.....	84
5.2.8.1. Maturity ratio.....	84
5.2.8.2. Maturity percentage.....	84
5.2.9. Non lint content.....	84
5.2.9.1. Lint (%).....	84
5.2.9.2. Trash (%).....	85
5.2.9.3. Dust (%).....	85
5.2.9.4. Seed coat fragments (%).....	85
5.3. Yarn characters as affected by cotton varieties and grades.....	86
5.3.1. Single yarn strength (g/tex)	86
5.3.2. Yarn elongation (%).....	86

	Page
5.3.3. Yarn neps/120 yds.....	86
5.3.4. Yarn thick places/120 yds.....	87
5.3.5. Yarn thin places/120 yds.....	87
5.4. Simple correlation and partial regression analysis between yarn characters and some fiberproperties.....	88
5.4.1. Single yarn strength (g/tex).....	88
5.4.2. Yarn elongation (%).....	88
5.4.3. Yarn neps/120 yds.....	89
5.4.4. Yarn thick places/120 yds.....	89
5.4.5. Yarn thin places/120 yds.....	89
Chapter Six : LITERATURE CITED.....	91
Chapter Seven : ARABIC SUMMARY	-

LIST OF TABLES

	Page
Table (1) : Mean square of studied traits for some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G).....	35
Table (1) : Continue.	36
Table (2) : Mean square of studied traits for some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G).	37
Table (3) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on some fiber properties.	38
Table (4) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on some fiber properties.	39
Table (5) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on 2.5 % span length (mm).	40
Table (6) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on mean length (mm).	43
Table (7) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on uniformity index (%).	44
Table (8) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on short fiber $< \frac{1}{2}$ (%).....	46
Table (9) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on tenacity (g/tex).	47
Table (10) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on elongation (%).	49
Table (11) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on micronaire reading.	51

	Page
Table (12) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on hair weight (millitex).	52
Table (13) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on maturity ratio.	54
Table (14) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on maturity (%).	56
Table (15) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on lint (%).	57
Table (16) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on trash (%).	58
Table (17) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on dust (%).	59
Table (18) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on seed coat fragments (%).	60
Table (19) : Mean square of some yarn properties influenced by Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G).	63
Table (20) : Effect of Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on some yarn properties.	64
Table (21) : Effect of cotton varieties (V), cotton grades (G) and their interaction (V x G) on single yarn strength (g/tex).	65
Table (22) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on yarn elongation (%).	67
Table (23) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on yarn neps/120 yds.	69
Table (24) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on yarn thick places/120 yds.	70
Table (25) : Effect of some Egyptian cotton varieties (V), cotton grades (G) and their interaction (V x G) on yarn thin places/120 yds.	72
Table (26) : Simple correlations, partial regression R^2 values and model R^2 values for the relationship between studied yarn characters and fiber properties.	74

ACKNOWLEDGMENT

Words stand short when they came to express my gratefulness to my supervisors.

First I would like to express my utmost gratitude to **Prof. Dr. Abdalla El-Bakry Hossam El-Din**, Professor of Agronomy, Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University, for his supervision and encouragement.

I also want to express my feelings of gratitude and thankfulness to **Prof. Dr. Ibrahim Fathalla Rehab**, Prof. of Agronomy, and Vice Dean for Education and Students Affairs, Faculty of Agriculture (Saba Basha), Alexandria University, for his guidance and precious advice.

Deep appreciation and thanks are also due to **Dr. Mohamed Ahmed Abd El-Gawad Nassar**, Lecturer of Agronomy, Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University, for his guidance, fruitful suggestions and promoting the present manuscript.

I also want to express my gratitude and thank fullness to **Prof. Dr. Abdalla Kamel Nasralla**, Professor of Agronomy, Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University, for his guidance and helping in statistical analysis.

Deep appreciation and thank fullness to **Associate Prof. Dr. Aly Eissa Nawar**, Associate Professor of Agronomy, Agronomy Department, Faculty of Agriculture (El-Shatby), Alexandria University, for his helping among statistical analysis by computer programm (SAS).