

Electroencephalographic Findings in a Cohort of Egyptian Systemic Lupus Erythematosus Patients with Neuropsychiatric Manifestations

Thesis

Submitted for Partial Fulfillment of Medical Doctorate Degree in **Internal Medicine**

By

Ahmed Abd Allah Abd Alkader Al-Sayed
M.B.B.Ch, M.SC

Under Supervision of

Prof. Dr. Howaida El-Sayed Mansour

Professor of Internal Medicine & Rheumatology Faculty of Medicine, Ain Shams University

Prof. Dr. Reem Abdel Moneim Mohamed Habeeb

Professor of Internal Medicine & Rheumatology Faculty of Medicine, Ain Shams University

Prof. Dr. Noran Osama Ahmed El-Azizi

Professor of Internal Medicine & Rheumatology Faculty of Medicine, Ain Shams University

Dr. Naglaa Afify Mohamed

Lecturer of Internal Medicine & Rheumatology Faculty of Medicine, Ain Shams University

Dr. Heba Hamed El-Sayed Afeefy

Lecturer of Neurology Faculty of Medicine, Ain Shams University

Faculty of Medicine, Ain Shams University
2020



سورة البقرة الآية: ٣٢

Acknowledgments

First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.

I wish to express my deepest thanks, gratitude and appreciation toDrof. Dr. Howaida El-Saued Mansour. Professor Internal Medicine of AinRheumatology, FacultvofMedicine. University, for her meticulous supervision, kind guidance, valuable instructions and generous help.

Special thanks are due to **Prof. Dr. Reem Abdel**Moneim Mohamed Habeeb, Professor of Internal
Medicine & Rheumatology, Faculty of Medicine, Ain
Shams University, for her sincere efforts, fruitful
encouragement.

I am deeply thankful to **Prof. Dr. Moran Osama**Ahmed El-Azizi, Professor of Internal Medicine & Rheumatology, Faculty of Medicine, Ain Shams University, for her great help, outstanding support, active participation and guidance.

Really I can hardly find the words to express my gratitude to **Dr. Maglaa Afify Mohamed,** Lecturer of Internal Medicine & Rheumatology, Faculty of Medicine, Ain Shams University, for her supervision, continuous help, encouragement throughout this work.

Special thanks **Dr. Weba Warmed El-Sayed Affeefy,** Lecturer of Neurology, Faculty of Medicine, Ain Shams University for her great help and to tremendous effort he has done in the meticulous revision of the whole work.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Ahmed Abd Allah Abd Alkader Al-Sayed

Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	iii
List of Abbreviations	vi
Introduction	1
Aim of the Work	3
Review of Literature	
 Neuropsychiatric Systemic Lupus Erythemat 	cosus (NPSLE)4
■ Electroencephalography (EEG)	48
Patients and Methods	73
Results	77
Discussion	107
Summary and Conclusion	119
Recommendations	126
References	127
Arabic Summary	

Tist of Tables

Table No.	Title	Page No.
Table 1:	Neuropsychiatric syndromes observed systemic lupus erythematosus	
Table 2:	Secondary (non-lupus) causes	
	neuropsychiatric manifestations	
	systemic lupus erythematosus	
Table 3:	Preferred first line antiepileptic drugs	
	new onset and refractory epilepsy	
Table 4:	adults	44
Table 4:	Dosages of antiepileptic drugs for treatment of epilepsy in adults	
Table 5:	Stopping antiepileptic drugs in patie	
14010 01	in remission	
Table 6:	Sleep EEG; SEMS (slow eye moveme	
	of sleep), POSTS (posterior occip	oital
	sharp transients of sleep)	
Table 7:	The distribution of demographic of	
7 7.1.1.0	among the studied SLE patients (n=60	
Table 8:	Comparison between Group I and Gr	•
Table 9:	II as regard drug history Comparison between Group I and Gr	
Table 5.	II as regard clinical manifestations	-
Table 10:	Neuropsychiatric manifestations	
	Group II (NPSLE).	
Table 11:	Comparison between group I and grou	
	as regard SLEDAI score	
Table 12:	Comparison between group I and grou	-
T 11 10	as regard laboratory investigations	
Table 13:	Comparison between group I and group	
Table 14:	as regard autoimmune markers	
Table 14:	MRI findings in Group II EEG findings in group II (cases)	
rable 15:	EEG inidings in group it (cases)	92

Tist of Tables cont...

Table No.	Title	Page No.
Table 16:	Comparison between group IIa (Nega EEG) and group IIb (Positive EEG)) as
Table 17:	regard age, sex and drug history	tive) as
Table 18:	Comparison between group IIa and gr IIb as regard the labora investigations.	oup tory
Table 19:	Comparison between group IIa and gr IIb as regard the autoimmune marker	oup
Table 20:	Comparison between group IIa and gr IIb as regard MRI brain findings	oup
Table 21:	Characteristics of SLE patients verebrovascular disease*	with
Table 22:	Characteristics of SLE patients videmyelinating syndrome	with
Table 23:	Characteristics of SLE patients v headache	102
Table 24:	Characteristics of SLE patients viseizure disorder	
Table 25:	Characteristics of SLE patients vacute confusional state	104
Table 26:	Characteristics of SLE patients v psychosis	105
Table 27:	Comparison between MRI brain and I findings in cases group	

Tist of Figures

Fig. No.	Title Pag	ge No.
Figure 1:	Pathophysiology of Neuropsychiatric (N Systemic Lupus Erythematosus (NPSLE)	
Figure 2:	An SLE patient with demyelinate syndrome	_
Figure 3:	MRI findings in central nervous system lupu	s38
Figure 4:	The first human EEG recording obtain by Hans Berger in 1924	
Figure 5:	Hans Berger	50
Figure 6:	Delta waves	54
Figure 7:	Theta waves	55
Figure 8:	Alpha waves	56
Figure 9:	Beta waves	56
Figure 10:	Gamma waves	57
Figure 11:	Focal slowing over the right temporal region the result of a right temporal brain tumor is 35-year-old man	n a
Figure 12:	FIRDA pattern with a slightly slower the EEG background in an elderly man with metabolic encephalopathy	n a
Figure 13:	Generalized triphasic wave pattern a slowing in a 72-year-old man with hepa encephalopathy	ıtic
Figure 14:	Burst-suppression coma pattern follow anoxicischemic brain injury as a result cardiopulmonary arrest in a 58-year-old months status myoclonus	of nan

Tist of Figures cont...

Fig. No.	Title	Page No.
Figure 15:	Theta coma pattern following heroin of in a 44-year-old comatose man post arrest	-cardiac
Figure 16:	EEG demonstrating a couplet of left a temporal spike and-slow waves	
Figure 17:	A generalized burst of 3-Hz spike-as waves in a patient with IGE and a seizures	absence
Figure 18:	Absence seizures	68
Figure 19:	Myoclonic seizure	68
Figure 20:	GTCs	69
Figure 21:	Tonic seizure in a patient	69
Figure 22:	Right temporal 6- to 7-Hz rhythm theta discharge at seizure onset in a with temporal lobe epilepsy	patient
Figure 23:	Right occipital lobe seizure with a builtight occipital 6- to 7-Hz rhythmic ictal associated with the patient's complain visual field loss	al theta t of left
Figure 24:	Mean of age in group I and group II	78
Figure 25:	Sex distribution in group I and group I	II78
Figure 26:	Clinical manifestations in group I and II.	_
Figure 27:	Neuropsychiatric manifestations in (Group I).	
Figure 28:	SLEDAI score in group I and group II.	85

Tist of Figures cont...

Fig. No.	Title	Page No.
Figure 29:	The median of SLEDAI score in groug group II.	-
Figure 30:	The mean of ESR in group I and group	II87
Figure 31:	The autoimmune markers in case controls	
Figure 32:	The Percentage of abnormal MRI b group II.	
Figure 33:	The abnormal findings of MRI brain in II	· -
Figure 34:	The Percentage of abnormal EEG in gr	coup II 93
Figure 35:	The abnormal EEG findings in group I	I93
Figure 36:	The abnormal MRI findings in group group IIb.	

Tist of Abbreviations

Abb.	Full term
ACR	American College of Rheumatology
	American Cottege of Itheumatology Acute Confusional State
AD	
	Antiepileptic Drug
	Aicardi-Goutières Syndrome
	Antiphospholipid antibodies
	Blood Brain Barrier
	Cognitive Dysfunction
	Central Nervous System
	Central Nervous System manifestations
01,0	and
CSF	Cerebrospinal Fluid
	Computed Tomography
	Cerebrovascular Disease
	Diagnostic and Statistical Manual of
	Mental Disorders, Fourth Edition
DWI	Diffusion-Weighted Imaging
<i>EEG</i>	Electroencephalogram
	Epilepsy Monitoring Unit
<i>EP</i>	Evoked Potential
<i>ERPs</i>	Event-Related Potentials
EULAR	European League Against Rheumatism
FIRDA	Frontal Intermittent Rhythmic Delta
GTCs	Generalized Tonic Colonic Convulsions
HLA	Human Leucocyte Antigen
<i>ICU</i>	Intensive Care Unit
<i>IEDs</i>	Interictal Epileptiform Discharges
<i>IFN</i>	Interferon
<i>IGE</i>	Idiopathic Generalized Epilepsy
	International Normalized Ratio
	Lupus Anticoagulant
<i>MD</i>	
<i>MG</i>	Myasthenia Gravis