



□ □ □

تم رفع هذه الرسالة بواسطة / حسام الدين محمد مغربي

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى

مسئولية عن محتوى هذه الرسالة.

ملاحظات:

ملاحظات:



Ain Shams University,
Women's Faculty for Arts,
Science and Education,
Cairo- Egypt.

Preparation and Characterization of Some Blended Cement Pastes

A Thesis

Submitted to the Chemistry Department,
Women's Faculty, Ain Shams University.

In Partial Fulfillment of the Requirements for
the Degree of M. Sc. in Chemistry.

Presented by

Soher abdelsalam mohamed

(B.Sc., 2016)

Supervised by

Dr. Doaa A. Ahmed

Assistant Prof. of Inorganic Chemistry,
Women's Faculty,
Ain Shams University, Cairo- Egypt

Dr. shereen M. Ragae

Lecturer of Physical Chemistry,
Women's Faculty,
Ain Shams University, Cairo-Egypt

2021

Π

قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا
عَلَّمْتَنَا إِنَّكَ أَنْتَ الْعَلِيمُ الْحَكِيمُ

Ω

سورة البقرة
(32)

Preparation and characterization of some blended cement pastes

THESIS ADVISORS

APPROVED

Dr. Doaa A. Ahmed

Assistant Prof. of Inorganic Chemistry

Dr. shereen M. Ragae

Lecturer of Physical Chemistry

Head of Chemistry Department



Ain Shams University,
Women's Faculty for Arts,
Science and Education,
Cairo- Egypt.

Student Name : soher abdel salam mohamed

Scientific Degree : B. Sc. (Chemistry)

Department : Chemistry

Name of Faculty : Faculty of Women

University : Ain Shams University

B. Sc. Graduation Date: 2016

ACKNOWLEDGMENT

Praise and Thanks be to **ALLAH**, the most merciful for assisting and directing me the right way.

I would like to submit my gratitude, sincere thanks, and appreciation to **Dr. Doaa A. Ahmed**, Assistant Prof. of Inorganic Chemistry, Women's Faculty, Ain Shams University, for her useful guidance, kind help, continuous interest, and fruitful discussion, which have facilitated the interpretation of the data throughout this study and the preparation of the thesis in its final form.

I would like to express my deepest thanks to **Dr. shereen M. Ragae** Women's Faculty, Ain Shams University, for her kind, supervision, useful criticism, valuable explanation, and fruitful discussion during the whole work.

Very deep thanks to my mom, my husband, my brothers and sisters for their support and continuous encouragement.

Thanks are also to all the members of the Chemistry Department, Women's Faculty, Ain Shams University, for their help and cooperation.

NOTE

Besides the work done in this thesis, the candidate has attended post-graduate courses for one year in inorganic and analytical chemistry including the following topics:

- Instrumental Analysis CHEM 620.
- Writing Scientific Research SCR 610.
- Cement Chemistry CHEM 633.
- Radiation Chemistry CHEM 632.
- Ethics of scientific research SCR 620.
- Spectroscopy CHEM 640.
- Inorganic Reaction Mechanism CHEM 634.
- Structural inorganic chemistry 636.

She has successfully passed written examinations in the above-mentioned topics.

Head of Chemistry Department

Prof.Dr./ omyma Ahmed

CONTENTS

Page	
.....	Acknowledgement
.....	List of Tables
.....	List of Figures
List of Abbreviations.....	XVI
.....	Abstract
	XVII

CHAPTER (I)

Introduction and literature survey and aim of the work

I.1.Introduction.....	1
I.1.1 Manufacture of PC.....	2
I.1.2 Mineralogical composition of OPC.....	3
I.1.3 Properties and hydration of the major constituents of OPC.....	3
I.1.4 Types of portland cement	6
I.1.5 Factors affecting the rate of hydration.....	7
I.1.6 Blended cement.....	10
I.1.7. Example of some industrial pozzolanas.....	11
I.2. Literature Survey.....	15
I.2.1. Cement kiln dust (CKD).....	15
I.2.2. Granulated blast-furnace slag (GBFS).....	17
I.2.3. Metakaolin (MK).....	20
I.2.4. Ground clay brick (GCB).....	24
I.3. Sulphate Attack on Hardened Cement Pastes.....	28
I.4. Aim of the work.....	31

Page**CHAPTER (II)****Materials and Experimental Techniques**

II.1. Materials.....	33
II.2. Experimental Techniques.....	38
II.2.1. Preparation of dry mixes.....	38
II.2.2 Water of standard consistency and setting time.....	38
II.2. 3. Sample preparation and mixing procedure....	39
II.2. 4. Stopping of hydration.....	41
II. 3. Apparatus, Techniques and Instrumentation.....	41
II.3.1. Determination of compressive strength.....	41
II.3.2. Determination of total porosity (P %).....	42
II.3.3. Determination bulk density.....	42
II.3.4. Determination of the chemically combined water content (W _n %).....	42
II.3.5. X-ray diffractometry.....	43

CHAPTER (III)**Results and Discussion**

III.1. Blended cement containing cement kiln dust and ground granulated blast furnace slag.....	44
III.1. a. Hydration characteristic for (OPC-CKD-GGBFS) pastes cured in H ₂ O.....	44
III.1. a.1. Water of standard consistency.....	44
III.1. a.2. Setting times.....	45
III.1. a.3. compressive strength.....	46
III.1. a.4. Chemically combined water content.....	49
III.1. a.5. Bulk density.....	51

Page	
III.1. a.6. Total porosity.....	53
III.1. a.7. X-ray diffraction.....	55
III.1. b. Hydration characteristic for (OPC-CKD-GGBFS) pastes cured in 5% MgSO ₄ solution	58
III.1. b.1. compressive strength.....	58
III.1. b.2. Chemically combined water content.....	60
III.1. b.3. Bulk density.....	62
III.1. b.4. Total porosity.....	64
III.1. a.5. X-ray diffraction.....	66
III.2. Blended cement containing cement kiln dust and metakaolin.....	70
III.2. a. Hydration characteristic for (OPC-CKD-MK) pastes cured in H ₂ O.....	70
III.2. a.1. Water of standard consistency	70
III.2. a.2. Setting times.....	71
III.2. a.3. compressive strength.....	72
..... III.2. a.4. Chemically combined water content	74
III.2. a.5. Bulk density.....	76
III.2. a.6. Total porosity.....	78
III.2. a.7. X-ray diffraction.....	81
III.2. b. Hydration characteristic for (OPC-CKD-MK) pastes cured in 5% MgSO ₄ solution	83
III.2. b.1. compressive strength.....	83
..... III.2. b.2. Chemically combined water content	85
III.2. b.3. Bulk density.....	87
..... III.2. b.4. Total porosity	89
III.2. b.5. X-ray diffraction.....	91
III.3. Blended cement containing cement kiln dust and ground clay brick.....	94
III.3. a. Hydration characteristic for (OPC-CKD-GCB) pastes cured in H ₂ O.....	94

Page	
III.3. a.1. Water of standard consistency	94
III.3. a.2. Setting times.....	95
III.3. a.3. compressive strength.....	96
..... III.3. a.4. Chemically combined water content	98
III.3. a.5. Bulk density.....	101
III.3. a.6. Total porosity.....	103
..... III.3. a.7. X-ray diffraction	105
III.3. b. Hydration characteristic for (OPC-CKD-GCB) pastes cured in 5% MgSO ₄ solution	107
III.3. b.1. compressive strength.....	107
..... III.3. b.2. Chemically combined water content	109
..... III.3. b.3. Bulk density	111
..... III.3. b.4. Total porosity	113
III.3. b.5. X-ray diffraction.....	115
III.4. Binder cement containing cement kiln dust, ground granulated blast furnace slag, metakaolin and ground clay brick.....	118
III.4. a. Hydration characteristic for (CKD-GGBFS-MK-GCB) pastes cured in H ₂ O.....	118
III.4. a.1. Water of standard consistency	118
III.4. a.2. Setting times.....	119
III.4. a.3. compressive strength.....	120
..... III.4. a.4. Chemically combined water content	122
III.4. a.5. Bulk density.....	124
III.4. a.6. Total porosity.....	126
III.4. a.7. X-ray diffraction.....	128
III.4. b. Hydration characteristic for (CKD-GGBFS-MK-GCB) pastes cured in 5% MgSO ₄ solution.....	130
III.4. b.1. compressive strength.....	130
..... III.4. b.2. Chemically combined water content	132
III.4. b.3. Bulk density.....	134

Page		
.....	III.4. b.4. Total porosity	135
III.4. b.5. X-ray diffraction.....		137
<i>CHAPTER (IV)</i>		
<i>Summary and Conclusion</i>		
.....	Summary	139
.....	Conclusion	141
.....	References	144
.....	Arabic Summary	-

LIST OF TABLES

Table No.	Title	Page
CHAPTER II		
1	The chemical composition of used materials.....	34
2	The mineralogical composition of the used Portland cement.....	35
3	the designation and composition of the prepared mixes.....	40
CHAPTER III		
4	The water of standard consistency and setting times of Mo and the OPC-CKD-GGBFS mixes.....	46
5	Compressive strength (kg/cm^2) of Mo and the OPC-CKD-GGBFS mixes cured up to 180 days in water...	48
6	Chemically combined water content (%) of Mo and the OPC-CKD-GGBFS mixes cured up to 180 days in water	50
7	Bulk density (g/cm^3) of Mo and the OPC-CKD-GGBFS mixes cured up to 180 days in water.....	52
8	Total porosity (%) of Mo and the OPC-CKD-GGBFS mixes cured up to 180 days in water	54
9	Compressive strength (kg/cm^2) of Mo* and the OPC-CKD-GGBFS mixes cured up to 180 days in 5% MgSO_4	59
10	Chemically combined water content (%) of Mo* and the OPC-CKD-GGBFS mixes cured up to 180 days	61

Table No.	Title	Page
	in 5% MgSO ₄	
11	Bulk density (g/cm ³) of Mo* and the OPC-CKD-GGBFS mixes cured up to 180 days in 5% MgSO ₄ ...	63
12	Total porosity (%) of Mo* and the OPC-CKD-GGBFS mixes cured up to 180 days in 5% MgSO ₄	65
13	The water of standard consistency and setting times of Mo and the OPC-CKD-MK mixes.....	72
14	Compressive strength (kg/cm ²) of Mo and the OPC-CKD-MK mixes cured up to 180 days in water.....	73
15	Chemically combined water content (%) of Mo and the OPC-CKD-MK mixes cured up to 180 days in water.	75
16	Bulk density (g/cm ³) of Mo and the OPC-CKD-MK mixes cured up to 180 days in water.....	77
17	Total porosity (%) of Mo and the OPC-CKD-MK mixes cured up to 180 days in water.....	80
18	Compressive strength (kg/cm ²) of Mo* the OPC-CKD-MK mixes cured up to 180 days in 5% MgSO ₄ .	84
19	Chemically combined water content (%) of Mo* and the OPC-CKD-MK mixes cured up to 180 days in 5% MgSO ₄	86
20	Bulk density (g/cm ³) of Mo* and the OPC-CKD-MK mixes cured up to 180 days in 5% MgSO ₄	88
21	Total porosity (%) of Mo* and the OPC-CKD-MK mixes cured up to 180 days in 5% MgSO ₄	90
22	The water of standard consistency and setting times of Mo and the OPC-CKD-GCB mixes.....	95

Table No.	Title	Page
23	Compressive strength (kg/cm ²) of Mo and the OPC-CKD-GCB mixes cured up to 180 days in water.....	97
24	Chemically combined water content (%) of Mo and the OPC-CKD-GCB mixes cured up to 180 days in water.....	100
25	Bulk density (g/cm ³) of Mo and the OPC-CKD-GCB mixes cured up to 180 days in water.....	102
26	Total porosity (%) of Mo and the OPC-CKD-GCB mixes cured up to 180 days in water.....	104
27	Compressive strength (kg/cm ²) of Mo* and the OPC-CKD-GCB mixes cured up to 180 days in 5% MgSO ₄	108
28	Chemically combined water content (%) of Mo* and the OPC-CKD-GCB mixes cured up to 180 days in 5% MgSO ₄	110
29	Bulk density (g/cm ³) of Mo* and the OPC-CKD-GCB mixes cured up to 180 days in 5% MgSO ₄	112
30	Total porosity (%) of Mo* and the OPC-CKD-GCB mixes cured up to 180 days in 5% MgSO ₄	114
31	The water of standard consistency and setting times of Mo and the binder mix Mm (CKD-GGBFS-MK-GCB)	120
32	Compressive strength (kg/cm ²) of Mo and the binder mix Mm (CKD-GGBFS-MK-GCB) cured up to 180 days in water.....	121
33	Chemically combined water content (%) of Mo and the binder mix Mm (CKD-GGBFS-MK-GCB) cured up to 180 days in water	123