

### بسم الله الرحمن الرحيم

000000

تم رقع هذه الرسالة بواسطة / سلوي محمود عقل

بقسم التوثيق الإلكتروني بمركز الشبكات وتكثولوجيا المطومات دون أدنى مسنولية عن محتوى هذه الرسالة.

NA		T R	ملاحظات:
4 1	6997		
	AIMSWAM	R. MININERRINA.	
1	5/15/20	1992	- 1 3 m. f

بمكات وتكنولوجبارته

#### Salwa MAHMOUD Aki









# Evaluation of the Efficacy of Nanofat Injection in Treatment of Androgenic Alopecia

#### Thesis

Submitted for Partial Fulfillment of Master's Degree in Dermatology, Venereology & Andrology

#### By

#### Yara Amr Ahmed Nazmy

M.B, B.CH, Faculty of Medicine, Ain Shams University

Under supervision of

#### Prof. Dr. Hanan Mohamed El Kahky

Professor of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

#### **Prof. Dr. Wael Mohamed Seoudy**


Assistant Professor of Dermatology, Venereology and Andrology Faculty of Medicine, Misr University for Science and Technology

#### Dr. Rania Mahmoud Elhusseiny

Lecturer of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University

> > 2021



### Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Ibanan**Mohamed El Kahky, Professor of Dermatology, Venereology and Andrology - Faculty of Medicine- Ain Shams University for helping me choose this important and new subject and the continuous support.

I am also delighted to express my deepest gratitude and thanks to **Prof. Dr. Wael Mohamed Seoudy**, Assistant Professor of Dermatology, Venereology and Andrology, Faculty of Medicine, Misr University for Science and Technology for his kind care, great help and providing me with valuable advice.

I am deeply thankful to **Dr. Rania**Mahmoud Elhusseiny, Lecturer of Dermatology,
Venereology and Andrology, Faculty of Medicine, Ain
Shams University for her continuous supervision,
patience, constant help and great assistance throughout
this work.

I would like to express my deepest gratitude for my parents for without them I would not be who I am today.

Last but not least, I would like to thank my family for supporting me throughout this journey and for always believing in me.

### Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	
Introduction	1
Aim of the Work	3
Review of Literature	
Chapter 1: Androgenic Alopecia	4
Epidemiology	
Etiology and Pathogenesis	
Role of androgen	
Role of estrogen	
Clinical Features	
Classification	
Clinical Diagnosis	
Differential diagnosis	
Therapeutic options	
Chapter 2: Nanofat	
Introduction	
Types of fat	
Components of Nanofat	
Applications of Fat Grafting in Dermatology	
Patients and Methods	
Results	
Discussion	64
Conclusion	
Recommendations	
Summary	
References	
Arabic Summary	

# Tist of Tables

Table No.	Title	Page	No.
<b>Table (1):</b>	Summary of evidence level, efficacy,	-	
	aspects and practicability for the most co		
	therapeutic interventions		
<b>Table (2):</b>	Non-surgical treatments for AGA		23
<b>Table (3):</b>	Demographic data and clinical characteris		
	the studied patients		44
<b>Table (4):</b>	The correlation between age of patient	nts or	
	duration of AGA with the severity of AGA		45
<b>Table (5):</b>	Description of terminal hair density	before	
	nanofat injection, 3 months after injection	and 6	
	months after nanofat injection		47
<b>Table (6):</b>	Description of Average Caliber of hair	pre, 3	
	months after and 6 months after treatmen	.t	49
<b>Table (7):</b>	Description of average hair volume	pre, 3	
	months after and 6 months after treatmen		50
<b>Table (8):</b>	Evaluation of treatment response the		
. ,	patients' satisfaction and physician assess	_	52
<b>Table (9):</b>	The correlation between treatment re		
	(terminal hair density, average caliber, a		
	volume with age and duration of disease)		54
<b>Table (10):</b>	correlation between treatment respons		
14610 (10)	severity of AGA		55
<b>Table (11):</b>	Correlation between patients' demograph		
14610 (11).	and clinical characteristics with trea		
	response (assessed by physicians)		53
<b>Table (12):</b>	correlation between physician's assessme		
14610 (12).	dermoscopic assessment of treatment resp		56
<b>Table (13):</b>	Nanofat adverse effects reported by the pa		
Table (14):	Correlation between patients' satisfaction		
1 able (14).	demographic data		57
<b>Table (15):</b>	Correlation between patients' satisfaction		
Table (10).	clinical characteristics		58
<b>Table (16):</b>	Correlation between patients' satisfaction		
1 able (10):	<b>=</b>		50
	treatment response	• • • • • • • • • • • • • • • • • • • •	59

# Tist of Figures

Fig. No.	Title	Page No.
Figure (1):	Different factors involved in the	ha
rigure (1).	pathogenesis of androgenetic alopecia.	_
Figure (2):	Role of Androgen in Androgenic Aloped	
Figure (2):	Conversion of androgen to estrogen	
Figure (4):	Norwood-Hamilton Classification	
Figure (5):	Ludwig classification	
Figure (6):	Sinclair Classification	
•	Trichoscopic findings in AGA	
Figure (7):	1 0	
Figure (8):	Male patient with androgenic aloped	
E: (0).	before and after nanofat injection	
Figure (9):	A 38-year-old patient with	
	hypertrophic scar before nanof	
E' (10)	injection and b) after nanofat injection	
<b>Figure (10):</b>	A burn patient before and after nanof	
	treatment. The burn scar was injected	
T3' . (11)	with harvested fat	
<b>Figure (11):</b>	Nanofat injection for periorbital area	
	before and after nanofat injection in the	
E' (10)	periorbital area	
<b>Figure (12):</b>	Hand rejuvenation A before and aft	
	picture of nanofat injection for har	
T' (10)	rejuvenation	
<b>Figure (13):</b>	Defining the point to be photograph	
<b>T</b> ' (4.4)	using a headband and a tapeline	
<b>Figure (14):</b>	The filtering device used in the study	•
	consists of 2 openings on both sides f	
	syringes and comes with 3 grades	
	filters to use for macro, micro	
T) (4 = \	nanofat	
<b>Figure (15):</b>	Syringes and cannulas used during	•
	nanofat preparation	39

# Tist of Figures (Cont...)

Fig. No.	Title	Page No.
<b>Figure (16):</b>	<b>v 2</b> ·	
<b>Figure</b> (17):	after and 6 months after treatment IQR of average caliber of hair premonths post and 6 months at	e, 3
	treatment	
<b>Figure</b> (18):	Treatment response of the students	
<b>Figure (19):</b>	Correlation between patients' age a treatment satisfaction	and
Figure (20):	Correlation between duration of dise	ease
Figure (21):	and patients'satisfaction	vith ion,
	treatment	60
<b>Figure (22):</b>	A 41-year-old male patient wandrogenic alopecia of 20 year	ears
Figure (23):	duration, Norwood grade IV A 44-year-old female patient w	
Figure (25):	androgenic alopecia of 10 year durate.  Ludwig grade 3.	ion,
<b>Figure (24):</b>	A 50-year-old female patient wandrogenic alopecia of 10 year durat	vith
	Ludwig grade 2	63

# Tist of Abbreviations

Abb.	Full term
	A 1: 1: 1: 1 f
	Adipose-derived microvascular fragments
<i>ADSC</i>	Adipose Derived Stem Cells
AGA	Androgenic Alopecia
<i>APM</i>	Arrector pili muscle
ASCs	$ A dipose-derived\ stem\ cells$
<i>bFGF</i>	$ Basic\ fibroblast\ factor$
<i>BPPS</i>	Brown peripilar sign
CTE	Chronic telogen effluvium
<i>DHT</i>	Dihydrotestosterone
<i>DP</i>	Dermal papillae
<i>FAGA</i>	Female Androgenic Alopecia
FDA	$Food\ and\ Drug\ Administration$
<i>FFA</i>	Frontal fibrosing alopecia
FPHL	Female pattern hair loss
FUT	$ Follicular\ unit\ transplantation$
HS	Highly significant
HT	$ Hair\ Transplantation$
IGF-1	Insulin like growth factor
<i>IL-1α</i>	Interleukin 1 alpha
<i>IQR</i>	Interquartile range
<i>LLLT</i>	Low level laser therapy
<i>MAGA</i>	Male Androgenic Alopecia
<i>NS</i>	Non-significant