

بسم الله الرحمن الرحيم

000000

تم رقع هذه الرسالة بواسطة / سلوي محمود عقل

بقسم التوثيق الإلكتروني بمركز الشبكات وتكثولوجيا المطومات دون أدنى مسنولية عن محتوى هذه الرسالة.

NA		T R	ملاحظات:
4 1	6997		
	AIMSWAM	R. CIVILLE HELLA.	
1	5/15/20	1992	- 1.33 f

بمكات وتكنولوجبارته

Intestinal Ultrasound in Diagnosis and Follow up of Patients with Crohns Disease

Thesis

Submitted for Partial Fulfilment of the Requirements of Master Degree in Gastroenterology and Hepatology

By

Mahmoud Mohamed Hajaj

M.B.B.CH.

Under Supervision of

Prof. Shereen Abou Bakr Saleh

Professor of Internal Medicine, Hepatology and Gastroemnterology
Faculty of Medicine - Ain Shams Unviersity

Dr. Ahmed Elmetwally Ahmed

Lecturer of Internal Medicine, Hepatology and Gastroenterology Faculty of Medicine - Ain Shams Unviersity

Dr. Esam Mohammed Abd El-Hafez

Lecturer of Diagnostic and Interventional Radiology
Faculty of Medicine - Ain Shams Unviersity

Faculty of Medicine - Ain Shams Unviersity
2022



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Shereen Abou Bakr Saleh**, Professor of Internal Medicine, Hepatology and Gastroenterology - Faculty of Medicine- Ain Shams University for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Dr. Ahmed Almetwally Ahmed**, Lecturer of Diagnostic and Interventional Radiology, Hepatology and Gastroenterology, Faculty of Medicine, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Esam Mohammed** abdel **Hafez**, Lecturer of Diagnostic and Interventional Radiology, Faculty of Medicine, Ain Shams University, for his great help, active participation and guidance.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Mahmoud Mohamed Hajaj

Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	iii
List of Abbreviations	vii
Introduction	1
Aim of the Work	3
Review of Literature	
Inflammatory Bowel Disease (IBD)	4
Crohn's Disease	16
Crohn's Disease Ultrasound	72
Patients and Methods:	107
Results	114
Discussion	
Summary	158
Conclusion	
Recommendations	
References	
Arabic Summary	

Tist of Tables

Table No.	Title	Page No.
Table (1):	Comparison of key features in Cro	
	disease and ulcerative colitis	
Table (2):	Histologic and endoscopic findings	
	Crohn's disease versus ulcerative coliti	
Table (3):	Environmental risk factors for Cro	ohn's
	disease	
Table (4):	Features of some disease ent	
	considered in the differential diagnos	
	Crohn's disease	
Table (5):	Endoscopic Procedures for Diagnosis	and
	Management of Crohn's Disease	
Table (6):	Imaging Modalities Used in Cro	
	Disease	
Table (7):	Risk Stratification to Guide Treats	
	Decisions in Patients with Crohn's Dis	
Table (8):	Prognostic factors for aggressive cour	
	Crohn's disease	
Table (9):	Roles of intestinal ultrasound in s	
	bowel Crohn's disease	
Table (10):	Demographic characteristics in the stu	
	patients.	
Table (11):	CBC in studied patients	
Table (12):	Renal function tests and electrolyte pr	cofile
	in studied patients	117
Table (13):	Liver function tests in the studied pati	
Table (14):	Inflammatory markers in the stu	
	patients.	
Table (15):	Distribution of intestinal ultrasonogra	
	findings among the studied patients	
Table (16):	Distribution of intestinal ultrasonogra	
	findings of complications among	
	studied patients	122

Tist of Tables (Cont...)

Table No.	Title	Page No.
Table (17):	Results of assessing the activity base Intestinal US findings among the stu	
	patients:	
Table (18):	Distribution of colonscopy findings an	nong
T 11 (10)	the studied patients	
Table (19):	Distribution of CTE findings among studied patients.	
Table (20):	Distribution of intestinal MRE find	
14810 (20).	among the studied patients	•
Table (21):	Inter-rater agreement (relation) between	
	intestinal US with colonoscopy	in
	assessment of studied crohns patients:	126
Table (22):	Inter-rater agreement (relation) between	ween
	intestinal US with C.T Enterograph	y in
	assessment of studied crohns patients:	127
Table (23):	Inter-rater agreement (relation) bety	
	intestinal US with M.R.E results	
	assessment of studied crohns patients	
Table (24):	Corelation in validity of intestinal U	
	comparsion to Colonoscopy in diagnos	
m 11 (05)	patients with Crohns Disease.	
Table (25):	Corelation in validity of intestinal U	
	comparsion to C.T Enterography	
T-1-1- (90).	diagnosis of patients with Crohns Dise	
Table (26):	Corelation in validity of intestinal U	
	comparsion to M.R. Enterography diagnosis of patients with Crohns Dise	

Tist of Figures

Fig. No.	Title Page No.
Figure (1):	Granulomas in Crohn's disease. Hematoxylin and eosin staining on the stomach shows gastric mucosal biopsy containing two characteristic granulomas13
Figure (2):	Causes of Crohn's disease19
Figure (3):	Overview of the intestinal immune device in healthy-country patients or patients with Crohn's disease and their ability therapeutic objectives in the wholesome nation, intestinal epithelium and Immunoglobulin A (IgA) dimers paintings in concert to modify and separate luminal microflora from the mucosal immune machin
Figure (4):	Behavior of CD as in keeping with Montreal classification represented in MRE and illustrated with typical signs32
Figure (5):	Extra intestinal manifestations and complications in Crohn's disease:39
Figure (6):	Algorithm for diagnosing Crohn's disorder47
Figure (7):	Proposed algorithm for the treatment of CD based on a deal with-to-target technique Central to this algorithm is affected person stratification, early advent of immunosuppressants, and rapid escalation to biologicals (elevated step-up approach) or the early creation of combination therapy primarily based on patient prognostic factors associated with a decent and common control of inflammatory interest, and adjustment of remedy based on that assessment

Tist of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (8):	Injection of PRP	63
Figure (9):	Infliximab (A) and adalimumab (B)	68
Figure (10):	Thickened intestinal wall in a 60-man with Crohn's ailment. Short-a mode US pix received a with a MHz transducer and b with a 6 transducer	xis B- three MHz
Figure (11):	Normal stratification of the thick wall in a 26-yr-old lady with Chaisease	rohn's
Figure (12):	Signs of Crohn's disease manifes inside the small bowel	
Figure (13):	Loss of the normal echostructure wall in a forty five-yr-old man Crohn's ailment imparting at emergency room with a flare-up	$\begin{array}{c} \text{with} \\ \text{the} \end{array}$
Figure (14):	Recurrence on the anastomotic w in a 33-yr-old guy after ileocolic restor Crohn's disease	ebsite ection
Figure (15):	Terminal ileitis in a 37-year-old girl	l84
Figure (16):	Crohn's disorder regarding a protest section of ileum in a 57-year-old guy	racted
Figure (17):	Low-grade stenosis in a 25-year-ol with Crohn's disorder	U .
Figure (18):	Stricture in a 41-year-old lady Crohn's ailment	
Figure (19):	Terminal ileitis in a 36-year-old guy	789
Figure (20):	Transabdominal ultrasound in a 12 old child with Crohn's disease	-

Tist of Figures (Cont...)

Fig. No.	Title	Page	No.
Figure (21):	Active ileitis in a 25-yr-old lady Crohn's disease		90
Figure (22):	US photographs from 4 special pardisplaying exclusive manifestation sinus tracts, a severe transfinflammatory trade	ns of mural	92
Figure (23):	Enteroenteric fistula in a 33-ye woman with Crohn's disease		94
Figure (24):	Complex enteroenteric fistula in year-old guy with long-standing Codisease	rohn's	95
Figure (25):	Complications of small bowel Codisorder		96
Figure (26):	Inflammatory mass in a 32-yr-old with abdominal pain and fever		97
Figure (27):	Abscess in a 58-yr-old guy with reg Crohn's disease and abdomial pain .		98
Figure (28):	Serial US examinations in an 18-ye man with Crohn's disorder		100
Figure (29):	Potential diagnostic algorithm for use of intestinal ultrasound (IU sufferers with suspected small Crohn's disease (CD) and neglendoscopy	S) in bowel gative	103
Figure (30):	Suggested algorithm for the use intestinal ultrasound (IUS) in following sufferers with small bowel Condisorder	se of owing rohn's	

Tist of Figures (Cont...)

Fig. No.	Title Pa	ige No.
Figure (31):	Bar chart showing mean and range age in the studied patients	
Figure (32):	Pie chart showing gender distribution the studied patients	
Figure (33):	Bar charts showing distribution of U findings in the studied patients	

Tist of Abbreviations

Abb.	Full term
ADA	Anti-drug antibodies
ATI	Antibodies to infliximab
<i>CD</i>	Crohn's disease
CEUS	$ Contrast-enhanced\ US$
<i>CRP</i>	C-reactive protein
CT	$\dots Computed\ tomograph$
<i>EC</i>	Entocort
<i>EIM</i>	$ Extraintestinal\ manifestations$
FDA	Food and Drug Administration
<i>GI</i>	Gastrointestinal tract
<i>GIUS</i>	Gastrointetinal ultrasonography
GWAS	Genome-extensive association studies
HMSA	Homogeneous mobility-shift assay
<i>IBD</i>	Inflammatory bowel disease
<i>IBUS</i>	International Bowel Ultrasound Group
IECs	Intestinal epithelial cells
IELs	Intraepithelial lymphocytes
<i>ΙΚΚα</i>	Inhibitor of NF-κ B kinase- $lpha$
<i>JAK</i>	Janus kinase
<i>MRE</i>	Magnetic resonance enterography
NK	Natural killer

Tist of Abbreviations (Cont...)

Abb.	Full term
ACD	Anemia of chronic disorder
<i>ADM</i>	Adalimumab
<i>ALT</i>	Alanine transaminase
APCs	Antigen presenting cells
ASCA-IgA	Anti-Saccharomyces Cerevisiae antibody – Immunoglobulin A
ASCA-IgG	Anti-Saccharomyces Cerevisiae antibody – Immunoglobulin G
AST	Aspartate aminotransferase
ATG16 L1	Autophagy Related 16 Like 1
BWT	Bowel wall thickness
CBS1	Cystationnine –B-synthase Domain 1
CEUS	Contrast – enhanced ultra sonography
CTE	Computarized Tomographic Enterography
DBE	Double ballon enteroscopy
ESR	Erythrocyte sedimentation rate
FCFCalpro	$ Fecal\hbox{-} cal protect in$
HMSA	Homogenous mobility –Shift assay
<i>IBS</i>	Irritable Bowel Syndrome
<i>IFN-Y</i>	Interferon – Gamma
<i>IFx</i>	In flix im ab
<i>IgA</i>	$ Immunoglobulin\ A$
<i>IgG</i>	Immunoglobulin G
IKKa	Inhibitor of nuclear issue –KB kinase –Alpha

Tist of Abbreviations (Cont...)

Abb.	Full term
IL1 B	Interleukin -1-Beta
<i>IL4</i>	Interleukin 4
<i>IL6</i>	.Interleukin 6
IL10	Interleukin 10
IL12 RB1	Interleukin -12- Receptor subunit Beta-1
IL12	Interleukin 12
<i>IL17</i>	Interleukin 17
IL18	Interleukin 18
IL21	Interleukin 21
IL22	. Interleukin 22
IL23	Interleukin 23
IL23R	Interleukin 23 Receptor
IL23-Th17	Interleukin-23 / T-helper 17 pathway
<i>ILC1s</i>	Group 1 innate lymphoid cells
<i>ILC2s</i>	Group 2 innate lymphoid cells
<i>ILC3s</i>	Group 3 innate lymphoid cells
IRE-1a	Inositol Requiring enzyme -1- Alpha
<i>IRGM</i>	.Immunity Related GTPase M
JAK2	Janus Kinase 2
<i>LRRK</i> 2	Leucine Rich Repeat Kinase 2
MADCAM1	Mucosal vascular Addressin cell Adhesion Molecule 1
<i>MCHC</i>	. Mean corpuscular hemoglobin concentration
<i>MCV</i>	Mean corpuscular volume

Tist of Abbreviations (Cont...)

Abb.	Full term
MHz	.Mega-Hertiz
MRE	. Magnetic Resonansce Enterograghy
MRI	.Magnetic Resonsnce Imaging
<i>NADPH</i>	Nicotinamide Adenine Dinucleotide Phosphate Hydrogen
NF-KB	.Nuclear issue –KB
NKG2D	.Natural killer Group 2D
<i>NLR</i>	.Neutrophils / lymphocyties ratio
NOD2	Nucleotide Binding Oligomerization Domain. Containing 2
NSAIDs	.Non-steroidal anti-infl ammatory drugs
<i>P-ANCA</i>	. Perinuclear Neutrophil antibodies
PCR	.Polymerase chain reaction
<i>PD</i>	. Pharmacodynamic
<i>PK</i>	. Pharmacokinetic
<i>PNR</i>	.Primary non-response
PRF	.Pulse repetition Frequency
<i>PRP</i>	.Platelet-Rich Plasma
<i>PSC</i>	Primary sclerosing cholangitis
<i>PT</i>	.Prothrombin time
<i>PTT</i>	.Partial Thromboplastin Time
QOL	. Quality of life
<i>RBCs</i>	$. Red\ blood\ cells$
RCCO	. European crohns and colitis organization