



بسم الله الرحمن الرحيم

∞∞∞∞

تم رفع هذه الرسالة بواسطة / مني مغربي أحمد

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى

مسئولية عن محتوى هذه الرسالة.

ملاحظات: لا يوجد





**INTERDISCIPLINARY LABORATORY TRIALS FOR
ISOLATION AND CHARACTERIZATION OF
PATHOGENIC FREE-LIVING AMOEBAE FROM THE
EGYPTIAN ENVIRONMENT**

A thesis

Submitted for the award of Ph.D. degree in Science

(Zoology)

By

Mohamed Ali Ibrahim Osman Marouf

M.Sc. Zoology 2016

Under the supervision of

Prof. Dr. Ameen A. Ashour

Emeritus Professor of Parasitology

Faculty of Science

Ain Shams University

Prof. Dr. Mohammad I. Soliman

Professor of Parasitology

Faculty of Science

Ain Shams University

Prof. Dr. Ahmad Z. Al-Herrawy

Emeritus Professor of Parasitology

Water Pollution Research Department

National Research Centre

Dr. Mahmoud A. Gad

Associate Professor of Parasitology

Water Pollution Research Department

National Research Centre

Department of Zoology

Faculty of Science

Ain Shams University

2022



Ain Shams University



Faculty of Science

**INTERDISCIPLINARY LABORATORY TRIALS FOR
ISOLATION AND CHARACTERIZATION OF
PATHOGENIC FREE-LIVING AMOEBAE FROM THE
EGYPTIAN ENVIRONMENT**

A thesis

Submitted for the award of Ph. D. degree in Science
(Zoology)

By

Mohamed Ali Ibrahim Osman Marouf

M.Sc. Zoology

2016

Department of Zoology
Faculty of Science
Ain Shams University

2022



**Interdisciplinary laboratory trials for isolation and
characterization of pathogenic Free-living amoebae
from the Egyptian environment**

Student Name: Mohamed Ali Ibrahim Osman Marouf

Degree: Philosophy Doctor in science (Zoology)

Department: Zoology

Faculty: Science

University: Ain Shams

Graduation year: 2009

Awarded year: 2022

ACKNOWLEDGMENT

This is a good chance to express my sincere gratitude to my teachers and my colleagues, without them the results presented in this thesis could not be accomplished.

The candidate would like to express his deepest thanks and appreciation to **Prof. Dr. Ameen A. Ashour**, Emeritus Professor of Parasitology and **Prof. Dr. Mohamad I. Soliman**, Professor of Parasitology, Zoology Department, Faculty of Science, Ain Shams University for their kind supervision, continuous encouragement, and for their revision of this thesis with a great care and precision. Their guidance and ultimate support are greatly appreciated.

I am greatly indebted to **Prof. Dr. Ahmad Zakaria Al-Herrawy**, Professor of Parasitology, Water Pollution Research Department, National Research Centre for suggesting the topic of this study, his kind undeniable role in supervising the work, providing the necessary facilities and great assistance, advising during the progress of this work.

The candidate would like also to express his deepest thanks to **Dr. Mahmoud Afw Gad**, Associate Professor of Parasitology, Water Pollution Research Department, National Research Centre, for his kind supervision and his kind revision of this thesis with a great care and precision. His guidance and ultimate support are greatly appreciated.

Deep thanks for **Prof. Dr. Gamila El-Taweel** (Professor of Microbiology, National Research Centre) and **Prof. Dr. Gamila. H. Ali** (Professor of Hydrobiology, National Research Centre) for providing me by bacterial and algal strains. The candidate cannot forget the assistance of members in Water Pollution Research Department (**National Research Centre**), Zoology Department (**Faculty of Science, Ain Shams University**) and **Academy of Scientific Research and Technology, Egypt**.

CONTENTS

LIST OF TABLES	I
LIST OF FIGURES	II
LIST OF ABBREVIATIONS	VI
ABSTRACT	1
1.INTRODUCTION.....	4
1.2. History of FLA	5
1.3. Biology of FLA	6
1.4. Morphologic criteria of FLA.....	7
1.5. Feeding of FLA	9
1.6. Ecology of FLA.....	10
1.7. Life cycle and division of FLA	10
1.8. Detection methods for FLA	12
1.9. Pathogenicity of FLA	14
1.10. Interaction of FLA with microorganisms	15
1.11. Control of FLA.....	17
2.AIM OF THE STUDY	24
3.MATERIALS AND METHODS	25
3.1. MATERIALS	25
3.1.1.Media for isolation of FLA	25
3.1.2.Molecular identification of isolated FLA.....	26
3.1.4.2Algal strains.....	31
3.2. METHODS	32
3.2.1. ENVIRONMENTAL STUDY	32
Isolation and identification of FLA from the aquatic environment	32

3.2.1.1. Samples and sampling sites	32
3.2.1.2. Concentration and cultivation of FLA using the traditional method (NN agar seeded with <i>E.coli</i>)	34
3.2.1.3. Quality control for culturing method	34
3.2.1.4. Purification and preservation of FLA	35
3.2.1.5. Morphologic identification of isolated FLA	35
3.2.1.5.1. Direct microscopic examination of FLA.....	35
3.2.1.5.2. Flagellation test for detection of the amoeboflagellates	36
3.2.1.6. Molecular characterization of isolated FLA using polymerase chain reaction (PCR)	36
3.2.1.6.1. DNA extraction using QIAamp DNA stool mini kit.....	36
3.2.1.6.2. Amplification of extracted DNA.....	40
3.2.1.6.3. Agarose gel electrophoresis.....	40
3.2.1.7. Gene sequence analysis of the isolated FLA	41
3.2.1.7.1. Purification of PCR products.....	41
3.2.1.7.2. Sequencing of FLA isolates.....	41
3.2.2. Interdisciplinary laboratory trials for propagation of identified environmental isolates of FLA.	42
3.2.2.1. Use of axenic cultures for propagation of isolated and identified FLA.....	42
3.2.3. Statistical analysis	48
4. RESULTS	49
4.1. ENVIRONMENTAL STUDY	49
4.1.1. Morphological, molecular characterization and occurrence of FLA.....	49
4.1.2. Seasonal variations of FLA	52
4.1.3. Gene sequence analysis of FLA	59

4.2. INTERDISCIPLINARY LABORATORY TRIALS FOR PROPAGATION AND MAINTENANCE OF THE THREE CHARACTERIZED SPECIES OF FLA	70
4.2.1. Use of axenic media for cultivation of isolated FLA	70
4.2.1.1. Cultivation of isolated FLA on PYG media	70
4.2.1.2. Cultivation of isolated FLA on RPMI media	75
4.2.1.3. Cultivation of isolated FLA on BHI, 993TSY media and TSA with sheep blood.....	78
4.2.2. Use of monoxenic media for cultivation of isolated FLA	80
4.2.2.1. Cultivation of isolated FLA on non-nutrient agar seeded with algae.....	80
4.2.2.2. Cultivation of isolated FLA on non-nutrient agar seeded with different bacterial species	92
5. DISCUSSION	105
5.1. ENVIRONMENTAL STUDY.....	105
5.2. INTERDISCIPLINARY LABORATORY EXPERIMENTS	117
5.2.1. Axenic media	117
5.2.2. Monoxenic cultures	119
6.SUMMARY	124
7.CONCLUSION AND RECOMMENDATIONS.....	127
8.REFERENCES	129
المستخلص العربي.....	I
الملخص العربي	IV

LIST OF TABLES

Table 1. Description of the primers used in PCR for the detected genera of common FLAs	27
Table 2. Morphological identification of detected free-living amoebae	53
Table 3. <i>Acanthamoeba</i> genotype T4 cultured on axenic media.....	71
Table 4. Cultivation of <i>Naegleria clarki</i> cysts on axenic media	71
Table 5. Cultivation of <i>Vermamoeba vermiformis</i> cysts on different axenic media	72
Table 6. <i>Acanthamoeba</i> genotype T4 cultured on monoxenic media	81
Table 7. Cultivation of <i>Naegleria clarki</i> cysts on monoxenic media	84
Table 8. Cultivation of <i>Vermamoeba vermiformis</i> cysts on different monoxenic media	87

LIST OF FIGURES

Figure 1. a) Basic pseudopodial patterns in amoebae and b) lobose	8
Figure 2. Floating forms of amoebae. a), b), d) and e) with radiating pseudopodia; c) without defined pseudopodia	9
Figure 3. Morphology and life cycle of <i>Acanthamoeba</i> spp.	11
Figure 4. Morphology and life cycle of <i>Naegleria fowleri</i>	12
Figure 5. Interaction relationship between different FLA and different microorganisms	17
Figure 6. Schematic diagram showing the treatment stages in conventional and compact DWTFs	33
Figure 7. Workflow for DNA extraction using QIAamp DNA stool mini kit. The source is the manual of QIAamp DNA stool mini kit	39
Figure 8. Flow chart showing the experimental design for FLA on axenic media	43
Figure 9. Flow chart showing the experimental design of FLA on monoxenic media	46
Figure 10. Algal species shape (A) <i>Microcystis flosaquae</i> (B) <i>Scenedesmus obliquus</i> (C) <i>Chlamydomonas reinhardtii</i>	47
Figure 11. Photomicrographs for isolated FLAs. A) <i>Acanthamoeba</i> trophozoite; B) <i>Acanthamoeba</i> cyst; C) <i>Vermamoeba</i> trophozoite; D) <i>Vermamoeba</i> cyst; E) <i>Naegleria</i> trophozoite; F) <i>Naegleria</i> cyst. Bar = 10.	51
Figure 12. Occurrence and removal of <i>Acanthamoeba</i> spp. in conventional DWTF	54
Figure 13. Occurrence and removal of <i>Acanthamoeba</i> spp. in compact DWTF	55
Figure 14. Occurrence and removal of <i>Vermamoebavermiformis</i> in conventional DWTF. The colors of the legends correspond to the axes' colors	56
Figure 15. Occurrence and removal of <i>Vermamoebavermiformis</i> in compact DWTF. The colors of the legends correspond to the axes' colors	57
Figure 16. Agarose gel electrophoresis for the PCR amplified product of (A) <i>Acanthamoeba</i> isolates DNA by using the genus-specific primers, (B)	

<i>Vermamoebavermiformis</i> isolates, (C) <i>Naegleria</i> . M: 100 plus DNA Ladder, +ve: positive control, -ve: negative control.....	58
Figure 17. Neighbor-joining tree depicting the relationships between our environmental isolates (n = 8) and reference strains representing <i>Naegleriaclarki</i> , <i>Vermamoebavermiformis</i> and <i>Acanthamoeba</i> genotypes.....	60
Figure 18. Phylogenetic tree of <i>Acanthamoeba astronyxis</i> (isolate 1; pointed by triangle) and related <i>Acanthamoeba</i> species and genotypes. The database constructed by maximum likelihood method.	61
Figure 19. Phylogenetic tree of <i>Acanthamoeba</i> genotype T4 (isolate 2; pointed by triangle) and related <i>Acanthamoeba</i> species and genotypes. The database constructed by maximum likelihood method.	63
Figure 20. Phylogenetic tree of <i>Acanthamoeba lenticulata</i> (isolate 3; pointed by triangle) and related <i>Acanthamoeba</i> species and genotypes. The database constructed by maximum likelihood method.	64
Figure 21. Phylogenetic tree of <i>Acanthamoeba</i> genotype T3 (isolate 4 ; pointed by triangle) and related <i>Acanthamoeba</i> species and genotypes. The database constructed by maximum likelihood method.	65
Figure 22. Phylogenetic tree of <i>Acanthamoeba</i> genotype T15 (isolate 5; pointed by triangle) and related <i>Acanthamoeba</i> species and genotypes. The database constructed by maximum likelihood method.	66
Figure 23. Phylogenetic tree of <i>Vermamoeba vermiformis</i> (isolate 6 and 7; pointed by triangle) and related other <i>Vermamoeba vermiformis</i> and eukaryotic species. The database constructed by maximum likelihood method.....	68
Figure 24. Phylogenetic tree of <i>Naegleria clarki</i> (isolate 8; pointed by triangle) and related <i>Naegleriaclarki</i> and FLA species. The database constructed by maximum likelihood method.	69
Figure 25. Cultivation of <i>Acanthamoeba</i> genotype T4 on solid and liquid PYG media	73
Figure 26. Cultivation of <i>Naegleria clarki</i> on solid and liquid PYG medium..	73
Figure 27. Cultivation of <i>Vermamoeba vermiformis</i> on solid and liquid PYG medium.	74
Figure 28. Cultivation of FLA on solid PYG medium	74
Figure 29. Cultivation of FLA on liquid PYG medium	74