



بسم الله الرحمن الرحيم

∞∞∞∞

تم رفع هذه الرسالة بواسطة / حسام الدين محمد مغربي

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى

مسئولية عن محتوى هذه الرسالة.

ملاحظات : لا يوجد





Effect of Loading Protocol on Peri-Implant Marginal Bone Loss (Clinical Trial)

Thesis

Submitted in Partial Fulfillment of the
Requirements for the Doctorate Degree in
Fixed Prosthodontics

Presented by

Yasser Sobhy Abdul-Raouf

Assistant Lecturer of Fixed Prosthodontics

Faculty of Dentistry, MTI University

B.D.S. (2009) Ain Shams University

Master degree in fixed prosthodontics (2015)

Ain Shams University

Phone number: 01140072444

Faculty of Dentistry
Ain Shams University
2022

Supervisors

Dr. Amina Mohamed Hamdy

Professor of Fixed Prosthodontics

Faculty of Dentistry

Ain Shams University

Dr. Maged Mohamed Zohdy

Associate Professor of Fixed Prosthodontics

Faculty of Dentistry,

Ain Shams University

Dr. Soha Osama Nabih

Lecturer of Fixed Prosthodontics

Faculty of Dentistry

Ain Shams University

Acknowledgment

*First and foremost, I feel always indebted to **ALLAH**,
the Most Kind and Most Merciful.*

*I'd like to express my respectful thanks and profound gratitude to **Dr. Amina Mohamed Hamdy**, Professor of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.*

*I wish to introduce my deep respect and thanks to **Dr. Maged Mohamed Zohdy**, Associate Professor of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University, for his kindness, supervision and cooperation in this work.*

*I am deeply thankful to **Dr. Soha Osama Nabih**, Lecturer of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University for her great help, active participation and guidance.*

I would like to express my hearty thanks to my dear professors, colleagues and staff members of Fixed Prosthodontics Department, Faculty of Dentistry, Ain Shams University, for their great support, encouragement and cooperation.

Yasser Sobhy Abdul-Raouf

Dedication

This work is dedicated to

*My Great Father And Mother for their endless
support and encouragement throughout my life*

My Beloved Wife , to whom I owe a lot

*My Lovely Daughters , who enlighten my heart with
love and happiness*

My Amazing Brother and backbone

*My Big Brother and Friend Dr.Maged Zohdy , who
spared no effort to help me excel and progress in my
academic and practical career*

*Without your great support all , I wouldn't have been
the person I am now*

List of Contents

Title	Page No.
List of Tables	vii
List of Figures	viii
Introduction	1
Review of Literature	4
Statement of Problem	29
Aim of the Study	30
Materials and Methods	31
Results	65
Discussion	69
Summary	79
Conclusion	80
References	81

List of Tables

Table No.	Title	Page No.
Table 1:	Materials used in this study	31
Table 2:	Mean, Standard deviation (SD) values for the intergroup comparison of marginal bone loss(mm)	66
Table 3:	Mean, Standard deviation (SD) values for intragroup comparison of marginal bone loss (mm)	68

List of Figures

Fig. No.	Title	Page No.
Figure 1:	IS-II active fixture	32
Figure 2:	Straight closed abutment	32
Figure 3:	Putty addition silicon impression material....	33
Figure 4:	Light addition silicon impression material	33
Figure 5:	Dentotemp temporary cement.....	34
Figure 6:	Vipi block PMMA blanks.....	34
Figure 7:	VITA ENAMIC blocks.....	35
Figure 8:	Pre-operative clinical photographs. a-lateral view b-frontal view c-occlusal view	40
Figure 9:	Diagnostic casts	41
Figure 10:	Bone height and width of edentulous area in CBCT	43
Figure 11:	CBCT cast imaging.....	43
Figure 12:	Implant placement a- lateral view b- occlusal view	44
Figure 13:	3D computer simulation a) frontal view b) frontal view with crown c) lateral view d) lateral view with crown	44
Figure 14:	Surgical guide	45
Figure 15:	IS full surgical kit	47
Figure 16:	Dentis simple guide kit.....	47
Figure 17:	Seating the surgical guide.....	47
Figure 18:	Measuring soft tissue thickness	48
Figure 19:	Tissue punch kit.....	48
Figure 20:	a)Soft tissue punching b) tissue removed.....	48
Figure 21:	Drilling through the guide	49
Figure 22:	Initial depth drills.....	50
Figure 23:	Paralleling pins to ensure correct angulations.....	50
Figure 24:	Implant placement.....	51
Figure 25:	Checking primary stability with the 30N/cm torque wrench	51
Figure 26:	Post-operative CBCT.....	52
Figure 27:	a- impression post b- perforated tray with transfer coping hole.....	53
Figure 28:	Loaded tray seated in patient's mouth.....	53
Figure 29:	Final impression with impression post.....	54

List of Figures

Fig. No.	Title	Page No.
Figure 30:	Healing cap.....	54
Figure 31:	Designing the restoration a) frontal view b) occlusal view with soft tissue simulation c)frontal view with soft tissue simulation d) frontal view with crown e) occlusal view with crown.....	56
Figure 32	Designing tools	57
Figure 33:	Fabricated restoration	57
Figure 34:	Functional occlusion design.....	59
Figure 35:	Non-functional occlusion design	59
Figure 36:	Abutment screwed to implant.....	59
Figure 37:	PMMA crown.....	60
Figure 38:	VITA-ENAMIC crown.....	60
Figure 39:	Occlusal view of VITA enamic crown	60
Figure 40:	Cement removal using sickle scaler.....	61
Figure 41:	Buccal, palatal, mesial and distal CBCT measurements at baseline	63
Figure 42:	Buccal, palatal, mesial, and distal CBCT measurements at 12 months	63
Figure 43:	Bar chart showing average marginal bone loss (mm) in different groups.....	66
Figure 44:	Bar chart showing average marginal bone loss (mm) in different intervals.....	68