

بسم الله الرحمن الرحيم

 $\infty\infty\infty$

تم رفع هذه الرسالة بواسطة / مني مغربي أحمد

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى مسئولية عن محتوى هذه الرسالة.

AIN SHAMS UNIVERSITY

1992

1992

ملاحظات: لا يوجد





AUTOMATED SPACE LAYOUT PLANNING USING CONIX SOFTWARE BASED ON A CASE STUDY IN EGYPT

By

Alaa Hassan Mohamed AlGhannam

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
Architectural Engineering

AUTOMATED SPACE LAYOUT PLANNING USING CONIX SOFTWARE BASED ON A CASE STUDY IN EGYPT

By **Alaa Hassan Mohamed AlGhannam**

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
Architectural Engineering

Under the Supervision of

Prof. Dr. Mohamed Reda
Abdallah

Professor of Building Technology
Department of Architecture
Faculty of Engineering, Cairo University

Prof. Dr. Sherif Hussein

Assistant Professor
Department of Architecture
Faculty of Engineering, Cairo University

FACULTY OF ENGINEERING, CAIRO UNIVERSITY GIZA, EGYPT 2022

AUTOMATED SPACE LAYOUT PLANNING USING **CONIX SOFTWARE** BASED ON A CASE STUDY IN EGYPT

By Alaa Hassan Mohamed AlGhannam

A Thesis Submitted to the Faculty of Engineering at Cairo University in Partial Fulfillment of the Requirements for the Degree of MASTER OF SCIENCE in **Architectural Engineering**

Approved by the **Examining Committee**

Prof. Dr. Mohamed Reda Abdallah

Thesis Main Advisor

Professor of Architecture Faculty of Engineering, Cairo University

Associate Prof. Dr. Tarek Ibrahim Nasreldin **Internal Examiner**

Associate Professor of Architecture Faculty of Engineering, Cairo University

External Examiner **Prof. Dr. Tamer Elgabaly**

Professor of Architecture Faculty of Engineering, Ain Shams University **Engineer's Name:** Alaa Hassan Mohamed Ahmed

Date of Birth: 01/01/1995 **Nationality:** Egyptian

E-mail: alaa.h.alghannam@gmail.com

Phone: +201159851244

Address: 5th settlement – New Cairo

Registration Date: 01/03/2018 **Awarding Date:**/2022 **Degree:** Master of Science

Department: Architectural Engineering



Supervisors:

Prof. Dr. Mohamed Reda Abdallah

Dr. Sherif Hussein

Examiners:

Prof. Dr. Mohamed Reda
Dr. Tarek Ibrahim Nasreldin
Prof. Dr. Tamer Elgabaly

(Thesis main advisor)
(Internal examiner)

Professor of Architecture

Faculty of Engineering, Ain Shams University

Title of Thesis:

Automated Space Layout Planning Using Conix Software Based on a Case Study in Egypt

Key Words:

Automated Space Layout Planning, Generative Design, Architectural floor layout, Design methodologies, Computer-aided design.

Summary:

The designing of the floor plan is one of the most important design steps, which is the post-conceptual design stage. Manual design is done through a trial-and-error process, in return a lot of time and effort is consumed. This thesis explains the concept of automating the design of floor plans, and the approaches of using automation in design in terms of dealing with spaces, relationships, and others. Then clarifying the digital tools that help to produce floor plans automatically with high efficiency that meets the designer's desire. The first Egyptian digital tool is chosen to automate the floor planning and analyzing it in terms of the floor planning automation approaches on which the tool relied. Then applying the tool to two design projects in Egypt to compare the manual design with the automatic design, and the unified design with the multiple design.

Disclaimer

I hereby declare that this thesis is my original work and that no part of it has been submitted for a degree qualification at any other university or institute.

I further declare that I have appropriately acknowledged all sources used and have cited them in the references section.

Name: Alaa Hassan Mohamed AlGhannam Date: ../../2022

Signature:

Dedication

This study is wholeheartedly dedicated to my beloved parents, who have been my source of inspiration and gave me strength when I thought of giving up, who continually provide their moral, spiritual, emotional, and financial support.

To my brothers who shared their words of advice and encouragement to finish this study, who have been a constant source of support and encouragement during the thesis's challenges.

Acknowledgments

Foremost, I would like to express my sincere gratitude to my main advisor **Prof. Dr. Mohamed Reda Abdallah** for the continuous support of my M.Sc. thesis, for his patience, motivation, enthusiasm, and immense knowledge. His guidance helped me in all the time of research and writing of this thesis. I could not have imagined having a better advisor and mentor for my M.Sc. thesis.

I would like to acknowledge and give my warmest thanks to my advisor **Dr. Sherif Hussein** who made this work possible. His guidance and advice carried me through all the stages of writing my thesis.

Besides my advisors, my sincere thanks also go to the most influential consultants, **Prof. Dr. Tamer Elgabaly** (Professor at Ain Shams University), **The Architect Raef Fahmi** (CEO of Raef Fahmi Architects), and **The Architect Yasser Elbeltagy** (CEO of Yasser Elbeltagy Architects), for providing interview opportunities and giving a lot of ideas, suggestions, visions, encouragement and insightful comments.

I would also like to give special thanks to my friends as a whole for their continuous support and understanding when undertaking my research and writing my project. Your prayer for me was what sustained me this far.

Finally, I would like to thank Allah, for letting me through all the difficulties. I have experienced your guidance day by day. You are the one who let me finish my degree. I will keep on trusting you for my future.

Table of Contents

DIS	SCLAIMER	I
DE	DICATION	II
AC	KNOWLEDGMENTS	III
TA	BLE OF CONTENTS	IV
LIS	ST OF TABLES	VII
	ST OF FIGURES	
AB	STRACT	XII
СН	IAPTER 1 : INTRODUCTION	1
1.1.	. INTRODUCTION	1
1.1.	1.1.1. Role of Computers in the Engineering Field	
	1.1.2. Architectural Space Planning	
1.2.		
1.2.		
1.4.		
1.5.		
	1.5.1. The Theoretical Part	
	1.5.1.1. A Brief Historical Background of Automated Space Layout Planning	
	1.5.1.2. The Classifying of Space Layout Haining Approaches	
	1.5.2. The Applied Part	
	1.5.2.1. The Selected Automated Space Planning Tool	
	1.5.2.2. The Usability Test of the Selected Tool	
	1.5.2.3. Apply Automatic Space Planning Tool Within Design Projects	
CH	IAPTER 2 : BRIEF HISTORY OF SPACE LAYOUT PLANNING	10
2.1.	. INTRODUCTION	10
2.2.	. COMPUTATIONAL DESIGN CHRONOLOGY	10
	2.2.1. Rule-Based Design	
	2.2.2. Modular Systems	
	2.2.2.1. Modularity in Architectural Design	
	2.2.2.1.1. Walter Gropius and Adolf Meyer	
	2.2.2.1.2. Le Corbusier	
	2.2.2.2. Modularity in City Planning	
	2.2.3. Computational design	
	2.2.3.1.1. Definition of Parametric Design	
	2.2.3.1.2. Parametric Design examples	
	2.2.3.2. Generative Design	
	2.2.3.2.1. Generative design definition	
	2.2.3.2.2. Generative Design Applications	
	2.2.3.3.1. Algorithmic design definition	
	2.2.3.3.2. Algorithmic Design Applications	
2.3.	. COMPUTER-AIDED-DESIGN IN ARCHITECTURE	20
	2.3.1. Computer-Aided Systems for Problem Solving and Conceptual Design	21
	2.3.1.1. Types of Problems	21
	2.3.1.1.1 Inventive and non-inventive problems	
	2.3.1.1.2. Difficult and easy problems	21

	2.3.1.2.	The relation between Computer-Aided Problem Solving and space planning allocation	
2.4.		OMATED SPACE PLANNING	
		efinition and Historical Background	
		ne effect of the ASP in Architecture:	
		onstraints and Criteria of the ASP:	
	2.4.3.1.	ASP Constraints	
	2.4.3.2. 2.4.3.2.1.	ASP Criteria and Variables Rational criteria for architectural layout planning	
	2.4.3.2.2.	General design criteria for architectural layout/design planning	
СН	APTER 3 : A	UTOMATED SPACE LAYOUT PLANNING APPROACHES	
3.1.	INTR	ODUCTION	28
3.1.		CE LAYOUT PLANNING (SLP) ALLOCATION METHODS	
3.2.		PROBLEM SOLVING STRATEGIES	
3.2.		ocedural Methods	
		euristic Methods	
3.3.		ROACHES OF ASLP IN GRAPHICAL METHOD	
3.3.			
		systemines Based Modeling Objectives Techniques	
		onstraints Based Space Planning	
	3.3.3. Co	Onstraint-Based Generative System	
	3.3.3.2	Constraint Specifications of Constraint-Based Generative System III noof layout Design	
	3.3.3.2.1.	Dimensional Constraints:	
	3.3.3.2.2.	Functional Constraints:	
		perations Research: Allocation Techniques + Scheduling Algorithms	
		onstraint-Based Design	
	3.3.6. Ge	enetic Algorithms in Supporting Creative Design	45
	3.3.7. Ex	volutionary Approach to Generate Space Layout Topologies	47
	3.3.8. At	chitectural Layout Design assisting tool by Genetic Algorithm	49
	3.3.8.1.	The qualitative process	
	3.3.8.2.	The quantitative process	
		radient-Based and Evolutionary Algorithms	
		orm Development with Spatial Character	
		discursive grammar for Siza's Malagueira house	
		ixed Integer Programming	
		enetic Programming in addition to Unfolding Embryology	
	3.3.13.1. 3.3.13.2.	Aggregation of spaces	
		opological Level and Heuristic Algorithms	
		teractive Design Optimization	
		ulti-objective Optimization Tool for Room Configuration	
		icility Layout Design	
3.4.		PARISON OF DIFFERENT APPROACHES	
		UTOMATIC SPACE PLANNING DIGITAL TOOLS (CAAD -)	
		· ·	ĺ
4.1.		ODUCTION	
4.2.		PUTER SCIENCE SOLUTION STRATEGY	
4.3.		MERCIAL CAAD AND BIM SOFTWARE PROGRAMS	
		entley Architecture MicroStation v8i	
		utodesk Revit + Dynamo + Refinery	
	4.3.2.1. 4.3.2.2.	Dynamo	
	4.3.2.3.	Autodesk Revit	
		lplan	
		om Sawyer Perspectives, Java Edition	
		raph Gear	

	4.3.6.	Vectorworks10	78
	4.3.7.	Archicad 24 (Graphisoft)	
	4.3.8.	ONUMA Planning Systems	
	4.3.9.	Affinity v8.1	
	4.3.10.	Rhinoceros + Grasshopper + Kangaroo Physics Engine	
	4.3.10.		
	4.3.10.1.		
	4.3.10.3.		
4.4.		CONCLUSION FOR ASLP COMMERCIAL SOFTWARE PROGRAMS	
		CHAPTER 5 : APPLYING SPACE PLANNING TOOL WITHIN DE	SIGN
PR	OJECTS		87
5.1.		INTRODUCTION	
5.2.		THE PROPOSED AUTOMATIC SPACE PLANNING TOOL	88
	5.2.1.	The Automated Space Layout Planning Approaches of Conix	89
	5.2.2.	The Automated Space Layout Planning Strategy of Conix	
	5.2.3.	The Process of Using Conix	
5.3.		CONIX USABILITY TEST	
5.4.		THE APPLIED MODELS USING CONIX SPACE PLANNING TOOL	
J. 4 .			
	5.4.1.	Apply Conix Space Planning Tool Within a Residential Complex Project in the	
		rative Capital	
	5.4.1.1. 5.4.1.2.	Celia New Capital	
	5.4.1.3.	Celia New Capital City Property Types	
	5.4.1.4.	Celia New Capital City Case Study Model	
	5.4.1.5.	Celia New Capital City Design Approach Using Conix	
	5.4.2.	Apply Conix Space Planning Tool Within a Private Villa in The New Cairo	
	5.4.2.1.	Evaluate Architectural Design Regarding Quality and Conix Efficiency	111
	5.4.2.2.	Traditional manual architectural design by consultants	
	5.4.2.		
	5.4.2.	8 7 8 1	
	5.4.2.		
	5.4.2. 5.4.2.3.	2.4. Yasser Elbeltagy's Design Proposal	
	5.4.2.3.	Automation Architectural Design VS Manual Architectural Design	
СН	APTER (6 : DISCUSSION AND CONCLUSIONS	
6.1.		USER DISCUSSION AND FEEDBACK AFTER THE USABILITY TEST	
6.2.		TOOL EVALUATION REGARDING USABILITY AND EFFICIENCY	131
6.3.		EVALUATION OF THE TOOL OF AUTOMATIC DESIGN COMPARED TO	
MAN		GN	
	6.3.1.	Differences in Space ayout Planning Between Manual and Automation	132
	6.3.2.	The effect of design automation on the concept of housing	134
6.4.		ADDED VALUE OF RESEARCH	
6.5.		RECOMMENDATIONS FOR FUTURE RESEARCH	
RE	FERENC	TES	136
		A· CONIX USABILITY TEST SURVEY	142

List of Tables

Table 3.1: Automated Space Layout Planning Approaches	67
Table 4.1: Automated Space Layout Planning Digital Tools	86
Table 5.1: Conix Usability Test Survey	100
Table 5.1: Automation Architectural Design VS Manual Architectural Design	
Table 6.1: Differences in Space Layout Planning Between Manual and Automation	134
Table A.1: Conix Usability Test Survey	142

List of Figures

Figure 1.1: Research problem	4
Figure 1.2: Research methodology	
Figure 2.1: Baukasten typical module by Walter Gropius	
Figure 2.2: Corbusier's modular	13
Figure 2.3: Plugin city by Archigram	13
Figure 2.4: A timeline illustrating the use of the term computational design as a major	
research topic	
Figure 2.5: The Stadium N by Luigi Moretti. The stadium consists of a parametric model	
containing nineteen parameters	
Figure 2.6: The Qatar Integrated Railroad Project by UNStudio	17
Figure 2.7: The Hangzhou Olympic Sports Center by NBBJ Architects	
Figure 2.8: Three different designs for the same initial model	
Figure 2.9: Computational Design Chronology	
Figure 2.10: List of Spaces, Matrix & Bubble Diagram	23
Figure 2.11: Creating an outline of an interior space by reducing gaps, overlaps, and	
overflows	
Figure 3.1: Choose solutions method	
Figure 3.2: Procedural method searching	
Figure 3.3: Heuristic method searching	
Figure 3.4: SEED Modules	
Figure 3.5: SEED Environment in Architecture	
Figure 3.6: Spring System	
Figure 3.7: Forces acts on space elements	
Figure 3.8: Interior Objectives	
Figure 3.9: Connection Mechanism and Topological Resolution	
Figure 3.10: Constraints based planning	
Figure 3.11: Variables of Constraint-Based Generative System in floor layout Design	
Figure 3.12: A Constraint-Based Generative System for Floor Layouts	
Figure 3.13: Non-Destructive Model Methodology	
Figure 3.14: 8 different models for 21 rooms allocated by Operation Research	
Figure 3.15: Constraint-based design	
Figure 3.16: Prototype running on Cinema 4D	
8 - 1 J 8	44
Figure 3.18: Rooms created by the strategy of evolution (ES), Rooms with specific size a	
shape fitted into the boundary, neglecting overlaps and gaps	
Figure 3.19: Rooms created by the genetic algorithm (GA), Rooms with functional aspec	
into the boundary, based on neighborhood relation	
Figure 3.20: User interface presenting the most appropriate solution with its variables, where the solution with its variables, which is the solution with the solution	
left: Floorplan, right: Neighborhood relations matrix is shown up as relative weights	
Figure 3.21: An example of the evolution of a figure in a halfplane arrangement	
Figure 3.22: The assistant tool for architectural layout design (Topological Relationship)	
Figure 3.23: The alternatives by the assistant tool using genetic algorithms	
Figure 3.24: Grid of squares	
Figure 3.25: Unit representation in gradient-based approach	
FIGURE J. ZO. CHIRS ANDUALION UNEU PLACHENI-DANCH AIPOHININ) 1

Figure 3.27: Developing two-dimensional diagram to three-dimensional form with spatia	
character	
Figure 3.28: Three-dimensional forms representations	
Figure 3.29: Multi-story space planning diagram (3D)	
Figure 3.30: Developing 3D form using various geometries	
Figure 3.31: Formation rules and Discursive grammar representation for housing mass	
Figure 3.32: Malagueira's design using Alvaro Siza's houses	55
Figure 3.33: GLPK Interface (a) The functional diagram, (b, c) spaces names and graphic	
output, (d) DXF file from AutoCAD	
Figure 3.34: Aggregating spaces by GP	
Figure 3.35: GP population	
Figure 3.36: Subdivision of spaces by GP	
Figure 3.37: Crossover genetic operation	
Figure 3.38: Relation between spaces	
Figure 3.39: Geometrical solutions among different solutions for the corridor	
Figure 3.40: Interactive optimization method of architectural layouts. The architect uses to	the
feedback from the algorithm to improve the problem definition and refine guide search	62
Figure 3.41: Initial layout	63
Figure 3.42: The private zone is moved	
Figure 3.43: Multi-objective Optimization Tool for Room Configuration	64
Figure 3.44: Definition of terms used in the heuristic	65
Figure 4.1: Software program characteristics	
Figure 4.2: Software program main target	69
Figure 4.3: List of the Space Types in Data Group Catalog	70
Figure 4.4: Place Space tool in Bently Architecture - MicroStation v8	70
Figure 4.5: Integration between software programs with Revit	71
Figure 4.6: Constraints, variables, and objectives to develop the design study	71
Figure 4.7: Different versions of the model with a radar chart of their evaluation	72
Figure 4.8: Synchronization between Dynamo and Refinery, where generate and evaluate	2
results by Dynamo then evolve results by Refinery	72
Figure 4.9: An invalid solution according to select unsuccessful input values	73
Figure 4.10: Presentation of results in Refinery	73
Figure 4.11: Results found in the optimization	74
Figure 4.12: Room Tag tool and Color Filled Legend in Autodesk Revit 2021	75
Figure 4.13: Color-filled plans based on Auto-Room Tool in Allplan BIM 2021	75
Figure 4.14: Schedule of rooms by Auto-Room Tool in Allplan BIM 2021	
Figure 4.15: A graph made with Tom Sawyer Perspectives visualizes data in a graph data	abase
Figure 4.16: A graph made with Graph Gear shows some colored nodes and the relations	
Figure 4.17: Rooms Relationship as a Space Matrix	
Figure 4.18: Space allocation results are not overlapping rooms	
Figure 4.19: Results in Archical using the Zone Tool	79
Figure 4.20: (a) Spreadsheets from Excel with the complete for each room (b) Import to	
ONUMA (c) Design ONUMA	
Figure 4.21: Move Some rooms in ONUMA manually	
Figure 4.22: Distribution of rooms inside Affinity v8.1	
Figure 4.23: Rooms are displayed in three dimensions view inside Affinity v8.1	
Figure 4.24: Data Flow and Integration between Rhino / Grasshopper / Kangaroo	
Figure 4.25: Simulates connections between space into spring forces in Kangaroo	84

Figure 4.26: Kangaroo simulation results inside the setback	
Figure 5.1: Applied Part Map	
Figure 5.2: Graphic sequence of Conix proposed framework	89
Figure 5.3: The Automated Space Layout Planning Approaches of Conix	89
Figure 5.4: Conix using genetic algorithms in supporting creative design approach	90
Figure 5.5: Conix's solutions using the assistant tool for Architectural layout design by	
Genetic Algorithm Approach	91
Figure 5.6: Conix's alternatives using the Interactive Design Optimization Approach	91
Figure 5.7: The Automated Space Layout Planning Strategy of Conix	92
Figure 5.8: Conix UI if the project is a villa, showing (No. of storeys, and whether it conta	in a
roof or not)	93
Figure 5.9: Conix UI if the project is an apartment building, showing (No. of storeys, no. of storeys), no. of storeys, no. of	of
apartments per floor and whether they contain a roof or not)	93
Figure 5.10: Locating the project on the map	94
Figure 5.11: Draw the boundaries of the project plot (satellite mode)	94
Figure 5.12: Land requirements stage (specify the constraints and variables of the project)	95
Figure 5.13: Parameters that are entered into the project in detail	96
Figure 5.14: The space preference stage	97
Figure 5.15: Additional options for each space	98
Figure 5.16: Correlation window to adjust space sizes	99
Figure 5.17: Purpose of Usability Test to Conix	99
Figure 5.18: Purpose of Usability Test to Conix	102
Figure 5.19: New Cairo and New Capital map	103
Figure 5.20: Celia New Capital Location	104
Figure 5.21: Commercial centers in Celia New Capital	104
Figure 5.12: Celia in numbers	105
Figure 5.23: Villa model B in Celia New Capital Plans	106
Figure 5.24: Constraints and parameters used in Conix to design Villa Model B	107
Figure 5.25: Celia New Capital City Design Approach Using Conix	109
Figure 5.26: Floors of Alternative no. 08 using Conix	110
Figure 5.27: Floors of Alternative no. 09 using Conix	110
Figure 5.28: Floors of Alternative no. 13 using Conix	110
Figure 5.29: Al Narges 3 neighborhood, on the Southern 90th Street	112
Figure 5.30: The two minor streets surrounding the plot	112
Figure 5.31: Plot's (in orange) location as more detailed	113
Figure 5.32: Villa's plot dimensions	
Figure 5.33: Prof. Dr. Reda and his most important architectural projects	114
Figure 5.34: Prof. Dr. Elgabaly and his most important architectural projects	
Figure 5.35: Architect Fahmi and his most important architectural projects	115
Figure 5.36: Architect Elbeltagy and his most important architectural projects	115
Figure 5.37: The ground floor of Reda's design proposal	116
Figure 5.38: The first floor of Reda's design proposal	117
Figure 5.39: The Elevation of Reda's design proposal	117
Figure 5.40: Perspective of Elgabaly's design proposal	118
Figure 5.41: The ground floor of Elgabaly's design proposal	119
Figure 5.42: The first floor of Elgabaly's design proposal	
Figure 5.43: The second floor of Elgabaly's design proposal	
Figure 5.44: The roof floor of Elgabaly's design proposal	
Figure 5.45: The ground floor of Fahmi's design proposal	
Figure 5.46: The first floor of Fahmi's design proposal	121