



## بسم الله الرحمن الرحيم

∞∞∞∞

تم عمل المسح الضوئي لهذه الرسالة بواسطة / سامية زكى يوسف

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى

مسئولية عن محتوى هذه الرسالة.

### ملاحظات:

- بالرسالة صفحات لم ترد بالأصل
- بعض الصفحات الأصلية تالفة
- بالرسالة صفحات قد تكون مكررة
- بالرسالة صفحات قد يكون بها خطأ ترقيم

2029

# Hepatitis G Virus (HGV) Infection in Haemodialysis Patients & Kidney Transplant Recipients

## THESIS

Submitted for Partial Fulfillment of the Master Degree  
In Internal Medicine

By

**Dr. Mary Nabil Hosny Rofail**

*M.B.B.Ch.*

*Faculty of Medicine – Ain Shams University*

Supervised by

**Prof. Dr. Essam Mohamed Khedr**

*Professor of Internal Medicine & Nephrology*

*Faculty of Medicine – Ain Shams University*

**Prof. Dr. Mona Mohamed Rafik**

*Professor of Clinical Pathology*

*Faculty of Medicine – Ain Shams University*

**Dr. Hesham Mohamed El Sayd**

*Lecturer of Internal Medicine & Nephrology*

*Faculty of Medicine – Ain Shams University*

**Faculty of Medicine**

**Ain Shams University**

**2000**



# Acknowledgment

Before all, I would like to express my deep thanks to **GOD** without His great blessings, I would never accomplish this work.

I wish to express my sincere and deep appreciation to **Prof. Dr. Essam Mohamed Khedr**, Professor of Internal Medicine and Nephrology, Ain Shams University, for his continuous guidance, paternal support and constructive criticism through the work.

Also, my profound gratitude to **Prof. Dr. Mona Mohamed Rafik**, Professor of Clinical Pathology, Ain Shams University, for her kind supervision and support.

I am also indebted to **Dr. Hesham Mohamed El-Sayd**, Lecturer of Internal Medicine and Nephrology, Ain Shams University, without his sincere help this work could not be accomplished.

Many thanks to **Prof. Dr. Ablaa Youssef**, Professor of Clinical Pathology, Ain Shams University, for her great assistance and support.

Many thanks to **Prof. Dr. Isaac Latif**, Professor of Internal Medicine and Nephrology, Cairo University, for his great help.

Special thanks are dedicated to my parents **Dr. Nabil Rofail** and **Dr. Amal Salib** for their continuous encouragement and support.

Special thanks are dedicated to my friend **Mr. Maher Madi** for his overlasting encouragement and friendly support.

## LIST OF TABLES

Tables of Review		
Table 1:	Proposed theories to explain low amino-transferases in patients with renal failure.	52
Tables of Results		
Group1: HD	.	
Table 1:	Prevalence of HCV Ab positivity among HD patients.	77
Table 2:	Prevalence of HGV env. Ab positivity among HD patients.	77
Table 3:	Prevalence of combined HGV env. Ab and HCV Ab positivity among HD patients.	77
Table 4:	Prevalence of HGV env. Ab positivity among HCV Ab negative HD patients.	77
Table 5:	Mean values of age, duration on HD and number of blood transfusion units among HGV env. Ab positive HD patients.	78
Table 6:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level among HGV env. Ab positive HD patients.	78
Table 7:	Mean values of age, duration on HD and number of blood transfusion units among HGV env. Ab negative HD patients.	78
Table 8:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level among HGV env. Ab negative HD patients.	79
Table 9:	Mean values of age, duration on HD and number of blood transfusion units among HCV Ab positive HD patients.	79
Table10:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level	79

	<b>among HCV Ab positive HD patients.</b>	
<b>Table11:</b>	<b>Mean values of age, duration on HD and number of blood transfusion units among both HGV env. Ab positive and HCV Ab positive HD patients.</b>	<b>80</b>
<b>Table12:</b>	<b>Mean values of serum ALT level, serum AST level, serum <math>\gamma</math>-GT level, serum albumin level ,and serum globulin level among both HGV env. Ab positive and HCV Ab positive HD patients.</b>	<b>80</b>
<b>Table13:</b>	<b>Mean values of age, duration on HD and number of blood transfusion units among both HGV env. Ab positive and HCV Ab negative HD patients.</b>	<b>80</b>
<b>Table14:</b>	<b>Mean values of serum ALT level, serum AST level, serum <math>\gamma</math>-GT level, serum albumin level ,and serum globulin level among both HGV env. Ab positive and HCV Ab negative HD patients.</b>	<b>81</b>
<b>Table15:</b>	<b>Causes of CRF in HD patients.</b>	<b>81</b>
<b>Table16:</b>	<b>Correlation between different data among HGV env. Ab positive HD patients.</b>	<b>86</b>
<b>Table17:</b>	<b>Crude data of haemodialysis patients.</b>	<b>83</b>
<b>Table18:</b>	<b>Abdominal ultrasonographic findings of haemodialysis patients.</b>	<b>85</b>
<b>Group2: KT</b>		
<b>Table19:</b>	<b>Prevalence of HCV Ab positivity among KT recipients.</b>	<b>86</b>
<b>Table20:</b>	<b>Prevalence of HGV env. Ab positivity among KT recipients.</b>	<b>86</b>
<b>Table21:</b>	<b>Prevalence of combined HGV env. Ab and HCV Ab positivity among KT recipients.</b>	<b>86</b>
<b>Table22:</b>	<b>Mean values of age, duration on Tx and number of blood transfusion units among HGV env. Ab positive KT recipients.</b>	<b>87</b>
<b>Table23:</b>	<b>Mean values of serum ALT level, serum AST level, serum <math>\gamma</math>-GT level, serum</b>	<b>87</b>

	albumin level ,and serum globulin level among HGV env. Ab positive KT recipients.	
Table24:	Mean values of age, duration on Tx and number of blood transfusion units among HGV env. Ab negative KT recipients.	87
Table25:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level among HGV env. Ab negative KT recipients.	88
Table26:	Mean values of age, duration on Tx and number of blood transfusion units among HCV Ab positive KT recipients .	88
Table27:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level among HCV Ab positive KT recipients.	88
Table28:	Mean values of age, duration on Tx and number of blood transfusion units among both HGV env. Ab positive and HCV Ab positive KT recipients.	89
Table29:	Mean values of serum ALT level, serum AST level, serum $\gamma$ -GT level, serum albumin level ,and serum globulin level among both HGV env. Ab positive and HCV Ab positive KT recipients.	89
Table30:	Causes of CRF in KT recipients.	90
Table31:	Correlation between different data among HGV env. Ab positive KT recipients.	90
Table32:	Crude data of kidney transplant recipients.	91
Table33:	Abdominal ultrasonographic findings of kidney transplant recipients.	93





## LIST OF FIGURES

Figures of Review		
<b>FIGURE 1:</b>	<b>HCV structure</b>	<b>10</b>
<b>FIGURE 2:</b>	<b>HGV structure</b>	<b>28</b>
Figures of Results		
<b>FIGURE 1:</b>	<b>Frequency of HCV Ab among Group 1: HD patients, Group 2: KT recipients, and Control group.</b>	<b>94</b>
<b>FIGURE 2:</b>	<b>Frequency of HGV env. Ab among Group 1: HD patients, Group 2: KT recipients, and Control group.</b>	<b>95</b>
<b>FIGURE 3:</b>	<b>Frequency of HGV env. Ab in relation to HCV Ab among Group 1: HD patients, Group 2: KT recipients, and Control group.</b>	<b>96</b>
<b>FIGURE 4:</b>	<b>Comparison between different data among -ve and +ve HGV env. Ab among Group 1: HD patients.</b>	<b>97</b>
<b>FIGURE 5:</b>	<b>Comparison between different data among -ve and +ve HGV env. Ab among Group 2: KT recipients.</b>	<b>98</b>

★

★

★

## LIST OF ABBREVIATIONS

<b>HGV</b>	<b>Hepatitis G virus</b>
<b>GBV-C</b>	<b>GB virus C</b>
<b>IFN - <math>\alpha</math></b>	<b>Interferon Alfa</b>
<b>HAV</b>	<b>Hepatitis A virus</b>
<b>HBV</b>	<b>Hepatitis B virus</b>
<b>HCV</b>	<b>Hepatitis C virus</b>
<b>HDV</b>	<b>Hepatitis D virus</b>
<b>HEV</b>	<b>Hepatitis E virus</b>
<b>HFV</b>	<b>Hepatitis F virus</b>
<b>ELISA</b>	<b>Enzyme Linked ImmunoSorbant Assays</b>
<b>RIBA</b>	<b>Recombinant ImmunoBlot Assays</b>
<b>SOD</b>	<b>Super Oxide Dismutase</b>
<b>PCR</b>	<b>Polymerase Chain Reaction</b>
<b>Rt-PCR</b>	<b>Reverse transcriptase PCR</b>
<b>N-PCR</b>	<b>Nested PCR</b>
<b>HD</b>	<b>Haemodialysis</b>
<b>KT</b>	<b>Kidney Transplant</b>
<b>Tx</b>	<b>Transplantation</b>
<b>ALT</b>	<b>Alanine Aminotransferase</b>
<b>AST</b>	<b>Aspartate Aminotransferase</b>
<b><math>\gamma</math>GT</b>	<b>Gamma-glutamyl transpeptidase</b>

✱

✱

✱

## TABLE OF CONTENTS

<b>List of tables</b>	<b>i</b>
<b>List of figures</b>	<b>ii</b>
<b>List of abbreviations</b>	<b>iii</b>
<b>INTRODUCTION AND AIM OF THE WORK</b>	<b>1</b>
<b>REVIEW OF LITERATURE</b>	<b>3</b>
<b>Viral Hepatitis</b>	<b>3</b>
□ <i>Hepatitis A Virus</i>	<b>4</b>
□ <i>Hepatitis B Virus</i>	<b>5</b>
□ <i>Hepatitis D Virus</i>	<b>8</b>
□ <i>Hepatitis E Virus</i>	<b>9</b>
□ <i>Hepatitis C Virus</i>	<b>10</b>
□ <i>Hepatitis G Virus</i>	<b>27</b>
• <i>Structure</i>	<b>27</b>
• <i>Heterogeneity</i>	<b>29</b>
• <i>Mutation Rate</i>	<b>30</b>
• <i>Epidemiology</i>	<b>31</b>
• <i>Mode of Transmission</i>	<b>33</b>
• <i>Site of Replication</i>	<b>38</b>
• <i>Effect on the Liver</i>	<b>39</b>
• <i>Relation to Serum Alanine Aminotransferase Levels</i>	<b>43</b>
• <i>Relation between HGV and HCV</i>	<b>44</b>
• <i>Clinical Picture</i>	<b>45</b>
• <i>Diagnosis</i>	<b>46</b>
• <i>Efficacy of Interferon Alfa Treatment</i>	<b>48</b>
* <b>Hepatitis C Virus In Haemodialysis Patients</b>	<b>50</b>
* <b>Hepatitis G Virus In Haemodialysis Patients</b>	<b>60</b>
* <b>Hepatitis C Virus In Kidney Transplant Recipients</b>	<b>61</b>
* <b>Hepatitis G Virus In Kidney Transplant Recipients</b>	<b>64</b>
<b>PATIENTS AND METHODS</b>	<b>65</b>
<b>RESULTS</b>	<b>70</b>
<b>DISCUSSION</b>	<b>99</b>
<b>CONCLUSION AND RECOMMENDATIONS</b>	<b>108</b>
<b>SUMMARY</b>	<b>110</b>
<b>ARABIC SUMMARY</b>	<b>112</b>
<b>REFERENCES</b>	<b>113</b>

