

بسم الله الرحمن الرحيم

$\infty\infty\infty$

تم عمل المسح الضوئي لهذة الرسالة بواسطة / سامية زكى يوسف

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى مسئولية عن محتوى هذه الرسالة.

اتوتكنوبوج

ملاحظات:

- بالرسالة صفحات لم ترد بالأصل
 - بعض الصفحات الأصلية تالفة
- بالرسالة صفحات قد تكون مكررة بالرسالة صفحات قد تكون مكررة
 - بالرسالة صفحات قد يكون بها خطأ ترقيم

BIOCHEMICAL STUDIES OF LEPTIN CONCENTRATION IN CASES OF PREECLAMPSIA AND PRETERM INFANTS

Thesis

Submitted by

Marwa Gouda Mohamed Salh

Bachelor of Science 1997 Biochemistry – Chemistry (Double Courses) Faculty of Science – Ain Shams University

For the fulfillment of Master degree of Science in (Biochemistry)

Under Supervision of

Prof. Dr. Mohamed Osman I. Refaei
Prof. of Biochemistry, Lab. of Biochemistry
Faculty of Science
Cairo University

Prof. Dr. Alaa El Din A. El Guindy
Prof. of Obstetrics and Gynecology
Faculty of Medicine
Ain Shams University

Dr. Mohamed Ali Mohamed El Desouky

Lecturer of Biochemistry, Lab. of Biochemistry
Faculty of Science
Cairo University

Faculty of Science Cairo University -2006-

" بسم الله الرحمن الرحيم"

"ميكما ل علم الله الله الله المتها المناعبة "

صدى الله العظيم سورة البقرة - الآية ٣٢

ABSTRACT

Name: Marwa Gouda Mohamed Salh

Title of thesis: Biochemical studies of leptin concentration in cases of

preeclampsia and preterm infants.

Degree: M.Sc. of Science in Biochemistry, Chemistry Department, Faculty of

Science, Cairo University, 2006.

This work has been carried out to investigate the serum leptin levels in term & preterm cord infants of term & preterm preeclamptic mothers respectively comparable with serum leptin levels in term & preterm cord infants of term & preterm healthy normotensive pregnant women (as control) respectively. In addition to investigate the serum leptin levels in term & preterm preeclamptic mothers comparable with serum leptin levels in term & preterm healthy normotensive pregnant women (as control) respectively. Results: the mean leptin concentration of term preeclamptic mothers was significantly increased (P<0.05) as compared to mean leptin concentration of term healthy normotensive mothers group. Also statistical analysis revealed the mean leptin concentration of preterm preeclamptic mothers was significantly increased (P<0.05) as compared to mean leptin concentration of preterm healthy normotensive mothers group. There was no significant difference in term cord leptin concentration between infants in term groups either in term healthy normotensive group or term preeclampsia group, however there was a very highly significant increase P<0.0001 in preterm fetal cord leptin concentration of preeclamptic mothers as compared to preterm fetal cord leptin concentration of normotensive pregnant women. Conclusion: maternal serum leptin concentration is significantly elevated in preeclampsia patients as compared to normal pregnant women, and this can have a role in understanding preeclampsia pathogenesis, predication of preeclampsia and placental ischemia. Increased cord leptin concentration in preterm infants of preeclamptic mothers may reflect a physiological adaptation to fetal stress such as hypoxia.

Key words: Leptin, Term preeclampsia, Preterm preeclampsia, Preterm Infants, Preterm birth, Neonate, Cord leptin, Placenta, Pregnancy, Hypoxia.

Under Supervision of: Prof. Dr. Mohamed Osman Ibrahim Refaei, Prof. Dr. Alaa El Din Abd El Aziz El Guindy, Dr. Mohamed Aly Mohamed El Desouky.

Prof. Dr./ Rifaat Hassan Hilal

Chairman of Chemistry Department. Faculty of Science, Cairo University.

APPROVAL SHEET FOR SUBMISSION

Title of (M.Sc) thesis: Biochemical studies of leptin concentration in cases of preeclampsia and preterm infants.

Name of the candidate: Marwa Gouda Mohamed Salh.

This thesis has been approved for submission by the supervisors:

1-Prof. Dr. Mohamed Osman Ibrahim Refaei

Professor of Biochemistry, Lab. of Biochemistry

Faculty of Science - Cairo University.

Signature:- Howard

2-Prof. Dr. Alaa El Din Abd El-Aziz El Guindy

Professor of Obstetrics and Gynecology .

Faculty of Medicine - Ain Shams University.

Signature: - Alaa El din El Guinchy

3- Dr. Mohamed Ali Mohamed El Desouky

Lecturer of Biochemistry, Lab. of Biochemistry.

Faculty of Science - Cairo University.

Signature:-

Prof. Dr. / Rifaat Hassan Hilal

Chairman of Chemistry-Department

Faculty of Science - Cairo University

To My Family

I dedicate this thesis to my beloved family, words stand short when coming to express my deepest thanks, especial appreciation and gratitude to my beloved mother for her moral support, cherish and blessing me, to the soul of my father, for his had been learning the interesting of the science and my brother. This many thanks for my beloved husband for his concern, cherish, patience and understanding which encouraged me through this study, my daughter Para and my sons Omar & Karem for enriching my life.

Thank you

<u>Acknowledgements</u>

First, thanks are all due to *All MIGHTY ALLAH* for blessing me with everyone who supported, encouraged and helped me to present this work and to overcome every obstacle I faced, as a part of his ever generous and continuous help throughout my whole life.

I would like to express my deep thanks and sincere gratitude to *Professor Dr. Mohamed Osman Ibrahim Refaei*, Professor of Biochemistry, Lab of Biochemistry, Faculty of Science, Cairo University, for his supervision, valuable suggestions, invaluable time, continuous advice and guidance throughout the whole work, encouragement and all possible help. He kindly offered me a chance to perform this work in a proper manner.

I am very grateful and deep thanks to *Professor Dr. Alaa El Din Abd El-Aziz El Guindy*, Professor of Obstetrics and Gynecology, Faculty of Medicine, Ain Shams University, for his supervision, great co-operation and give me all possible help in Horous Hospital and Ain Shams University Maternity Hospital (Demerdash Hospital) through the practical part of this work.

It is a great pleasure to direct my special thanks and appreciation to *Dr. Mohamed Ali Mohamed EL-Desouky*, Lecturer of Biochemistry, Lab of Biochemistry, Faculty of Science, Cairo University, for his supervision, tender guidance, continuous advice, kind care and for his great support throughout the practical and theoretical course of this study.

I would like also to express my deepest thanks to *Dr. Randa Esmat Khalil* Consultant of Microbiology, M.D. Military Medical Academy, *Dr. Wael Abass Halmy* Consultant of Neonatology M.D. Faculty of Medicine, Ain Shams University, and many thanks to the staff members of Horous Hospital, for great co-operation in the practical part of this work.

To all of you, Thank you!

<u>Contents</u>

	IUSE
List of Tables.	1V
List of Figures	v 11 X
CHAPTER I: INTRODUCTION & AIM OF THE WORK	1
I.1 Anatomy of the female reproductive system	1
I.2 Control of hypothalamic-pituitary ovarian function and ovulation induction.	6
I.3 The endocrinology of pregnancy	8
I.4 Placenta	9
I.5 Umbilical cord	10
I.6 Preterm Birth & Preterm labor	10
I.7 Hypertensive Disorders Complicating Pregnancy (Preeclampsia)	12
I.8 The Aim of the Work	20
CHAPTER II: REVIEW OF LITERATURE	21
II.1 Leptin structure	21
II.2 Gene structure of Leptin	25
II.3 Mapping & Cloning of Leptin	26
II.4 Leptin receptor	27
II.5 Leptin Binding	30
II.6 Serum leptin levels	30
II.7 Leptin half life time	31
II.8 Diurnal and ultradion rhythmicity of plasma leptin	31
II.9 Role of the kidney in human leptin metabolism (Leptin clearance)	32
II.10 Sites of leptin action	33
II.11 Sites of leptin secretion	
II.12 Factors affecting leptin production	 38
II.13 Clinical Aspects of Leptin	39

	<u>Page</u>
IV.7. CHAPTER III: SUBJECTS, MATERIALS & METHODS	51
III-1 Subject Selection	51
III-2-A All studied mothers were subjected to	53
III -2-B Biochemical analysis (Maternal)	53
III-2-C Investigated parameter (Maternal)	54
III-2-D All studied newborns were subjected to	54
III-2-E Investigated parameter (Cord)	54
III-2-F Subjects specimens collection and preparation	54
III.3. Investigated Parameters	54
III.3.1. Quantitative measurement of human leptin hormone	54
III.3.2. Determination of urea in serum (By Enzymatic Method	58
III.3.3. Quantitative estimation of serum creatinine	59
III-3.4. Quantitative estimation of serum uric acid	60
III.3.5. Quantitative determination of serum aspartate transaminase activity (AS	Г)62
III.3.6. Quantitative determination of serum alanine transaminase activity (AL	Γ) 64
III.4 Statistical Analysis	66
CHAPTER IV: EXPERIMENTAL RESULTS	67
IV.1.A Experimental results of leptin according to mothers and cord samples	67
IV.1.B. Experimental results of maternal serum leptin concentration	71
IV.1.C. Experimental results of cord serum leptin concentration	74
IV.2. Experimental results of fetal gestational age	77
IV.3. Experimental results of neonatal birth weight	80
IV.4. Experimental results of maternal age	83
IV.5. Experimental results of placental weight	86
IV.6. Experimental results of maternal body mass index (BMI)	89
IV.1.A Experimental Experimental results of neonatal body mass index (BMI)	92
IV.8. Experimental results of maternal diastolic blood pressure (DRP)	95

<u>Page</u>
IV.9. Experimental results of maternal systolic blood pressure (SBP) 97
IV.10. Experimental results of maternal proteinuria99
IV.11. Experimental results of serum transaminases (ALT) & (AST)101
IV.12. Experimental results of biochemical analysis such as blood urea, serum104
creatinine and serum uric acid.
CHAPTER V: DISCUSSION109
V.1. Leptin levels in term pregnant women and the cord samples in healthy(GIA)- 110
and preeclamptic groups (GIB).
V.2. Leptin levels in preterm pregnant women and the cord samples in 127
healthy normotensive(GIIC) and preeclamptic groups (GIID).
V.3. Leptin concentration in the cord samples 130
V.4. Gestational age and birth weight in relation to serum leptin concentrations131
V.5. The relation of serum leptin concentration between maternal and cord blood -135
samples.
V.6. Maternal age in relation to maternal serum leptin 137
V.7. Placental weight in relation to maternal serum leptin138
V.8.Maternal serum leptin concentration in relation to maternal body mass index140
CHAPTER VI: ENGLISH SUMMARY AND CONCLUSION142
CHAPTER VII: REFERENCES148
ARABIC SUMMARY.

List of Tables

•	Table (1): The Classification and Diagnosis of Hypertensive Disorders14
	Complicating Pregnancy.
•	Table (2): Positioning of alpha helices in leptin23
•	Table (3):Individual data of serum leptin (ng/ml) in mothers and cord samples69
	in GIA,GIB,GIIC and GIID.
•	Table (4): Statistical analysis and mean serum levels of maternal leptin and70
	cord leptin (ng/ml) in GIA,GIB,GIIC and GIID
•	Table (5): Statistical analysis and mean serum levels of maternal leptin (ng/ml)73
	in GIA,GIB,GIIC and GIID.
•	Table (6): Statistical analysis and mean serum levels of fetal cord leptin 76
	(ng/ml) in GIA,GIB,GIIC and GIID.
•	Table (7): Individual data of fetal gestational age (week) in GIA, GIB, GIIC78
	and GIID.
•	Table (8): Statistical analysis and mean fetal gestational age (week) in GIA,79
	GIB,GIIC and GIID.
•	Table (9): Individual data of neonatal birth weight (Kg) in GIA, GIB, GIIC81
	and GIID.
•	Table (10): Statistical analysis and mean neonatal birth weight (Kg)in GIA,82
	GIB,GIIC and GIID.
•	Table(11): Individual data of maternal age (year) in GIA,GIB,GIIC and GIID84
•	Table (12): Statistical analysis and mean maternal age (years) in GIA, GIB,85
	GIIC and GIID.

GIIC and GIID.

Table (13): Individual data of maternal placental weight (gm) in GIA, GIB,-- 87

- Table(14): Statistical analysis and mean maternal placental weight (gm)------88 in GIA,GIB,GIIC and GIID.
- Table (15): Individual data of maternal body mass index (BMI) (Kg/m²)------90 in GIA,GIB,GIIC and GIID.
- Table(16): Statistical analysis and mean of maternal body mass index-----91 (BMI) (Kg/m²) in GIA,GIB,GIIC and GIID.
- Table (17):Individual data of neonatal body mass index (BMI) (Kg/m²)-----93 in GIA,GIB,GIIC and GIID.
- Table(18): Statistical analysis and mean neonatal body mass index(BMI)-----94 (Kg/m²) in GIA,GIB,GIIC and GIID.
- Table(19): Individual data of maternal diastolic blood pressure value -----95 (DBP)(mm Hg) in GIA,GIB,GIIC and GIID.
- **Table(20):** Statistical analysis and mean levels of maternal diastolic blood----96 pressure (DBP)(mm Hg) in GIA,GIB,GIIC and GIID.
- **Table (21):** Individual data of maternal systolic blood pressure (mm Hg) -----97 in GIA,GIB,GIIC and GIID.
- Table(22): Statistical analysis and mean levels of maternal systolic blood-----98 pressure (SBP) (mm Hg) in GIA,GIB,GIIC and GIID.
- Table (23): Individual data of maternal proteinuria in GIA, GIB, GIIC-----99 and GIID.
- Table (24): Statistical analysis and mean levels of maternal proteinuria -----100 in GIA, GIB, GIIC and GIID.
- Table (25): Individual data of s.transaminases (ALT & AST) (U/L) in-----101 GIA, GIB, GIIC and GIID.
- Table(26): Statistical analysis and mean serum levels of (ALT) (U/L) in--102 GIA, GIB, GIIC and GIID.

- Table(27): Statistical analysis and mean serum levels of (AST) (U/L) in-----103 GIA, GIB, GIIC and GIID.
- Table(28): Individual data of blood urea (mg/dl), serum creatinine (mg/dl) ----105 and uric acid (mg/dl) in GIA, GIB, GIIC and GIID..
- Table (29): Statistical analysis and mean serum levels of blood urea (mg/dl)----106 in GIA,GIB,GIIC and GIID.
- Table (30): Statistical analysis and mean serum levels creatinine (mg/dl)----107 in GIA,GIB,GIIC and GIID.
- Table (31): Statistical analysis and mean serum levels uric acid (mg/dl)----108 in GIA,GIB,GIIC and GIID.

List of Figures

	<u>Page</u>
•	Figure (1): To show the main features of the female reproductive system 2
	(the uterus, fallopian tubes, and ovaries).
•	Figure (2): The pelvic viscera. A sagittal section of the female pelvis with2
	the pelvic viscera and their relationships.
•	Figure (3): Examples of endocrine, paracrine and autocrine hormonal7
	communication. LH, lutinizing hormone; FSH, follicle -
	stimulating hormone; IGF, insulin-like growth factor.
•	Figure (4): Schematic diagram of the target organs upon which pituitary7
	hormones act.
•	Figure (5): Pathogenesis of preeclampsia18
•	Figure (6): Primary structure of leptin21
•	Figure (7): Energy scaffolds for IL-2 and a structural model for leptin22
	based on threading alignment with IL-2.
•	Figure (8): Proposed structure of leptin E10024
•	Figure (9): The E helix acting as a hydrophobic cap24
•	Figure (10): Disulfide bonding in leptin25
•	Figure (11): The genomic structure of leptin 25
•	Figure (12): Showing the human obese gene on chromosome 726
•	Figure (13): Leptin receptor28
•	Figure (14):Leptin receptor isoforms29
•	Figure(15): The pathway between the two parts of the hypothalamus34
	(medial & lateral) that apparently linked leptin to eating.
•	Figure(16): Hypothalamic neuropeptides that influence caloric homeostasis35

- Figure (17): Role of arcuate nucleus neurons in adiposity signaling.---36

 Showing the deficiency of leptin / insulin leads to obesity and increased in leptin /insulin leads to anorexia.
- Figure (18):Regulation of leptin expression and the development of obesity.---41
- **Figure(19):**Dysregulation of the adipo-insular axis and pathogenesis of type----44 2 diabetes.
- Figure (20): Schematic representation of mechanisms of glucose homeostasis --45 and their influence by leptin.
- Figure (21): Showing different standard concentrations of human leptin--57 hormone in ng/ml: Standard curve of leptin hormone
- Figure (22): Mean serum levels ±SD of maternal leptin and cord leptin in--70 normal and different tested groups.
- Figure (23): Mean serum levels ± SD of maternal leptin in normal and --73 different tested groups.
- Figure (24): Mean serum levels ± SD of fetal cord leptin in normal and --76 different tested groups.
- Figure(25): Mean ±SD fetal gestational age in normal and different tested--79 groups.
- Figure(26): Mean ±SD neonatal birth weight in normal and different tested--82 groups.
- Figure(27):Mean ±SD of maternal age in normal and different tested groups.--85
- Figure (28):Mean ±SD of placental weight in normal and different tested--88 groups.
- Figure (29): Mean ±SD of maternal body mass index in normal different---91 tested groups.