

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

# جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



#### Ambulatory Blood Pressure Monitoring in a Cohort of Adolescent Egyptian Females

#### Thesis

Submitted for Partial Fulfillment of Master Degree in **Pediatrics** 

#### By

#### Asmaa Ragab Abdel Wahab

M.B.,B,Ch Faculty of Medicine, Ain Shams University, 2012

Under Supervision of

#### Prof. Dr. Alyaa Amal Kotby

Professor of Pediatrics Faculty of Medicine, Ain Shams University

#### Dr. Marwa Waheed Abdelhady

Lecturer of Pediatrics
Faculty of Medicine, Ain Shams University

Faculty of Medicine Ain Shams University 2020



سورة البقرة الآية: ٣٢

#### Acknowledgments

First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.

I wish to express my deepest thanks, gratitude and appreciation to **Prof. Dr. Alyaa Amal Kotby**, Professor of Pediatrics, Faculty of Medicine, Ain Shams University, for her meticulous supervision, kind guidance, valuable instructions and generous help.

Special thanks are due to **Dr. Marwa**Waheed Abdelhady, Lecturer of Pediatrics,

Faculty of Medicine, Ain Shams University, for
her sincere efforts, fruitful encouragement.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Asmaa Ragab Abdel Wahab

## Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	iv
List of Abbreviations	viii
Introduction	1 -
Aim of the Work	4
Review of Literature	
Pediatric Hypertension	5
■ Ambulatory Blood Pressure Monitoring	56
Patients and Methods	77
Results	88
Discussion	124
Summary	133
Conclusion	137
Recommendations	138
References	139
Arabic Summary	

## Tist of Tables

Table No.	Title	Page No.
Table 1:	Blood Pressure classification in Child	
Table 2:	Estimated percentage of different Ca	
	Hypertension in Children and Adolesc	ents 10
Table 3:	Most common causes of secondary p	ediatric
	hypertension	
Table 4:	Conditions under which children3 year	ears old
	should have BP measured	
Table 5:	Recommended dimensions for blood p	
	cuff bladders	
Table 6:	Threshold of Girls SBP values by A	-
	Height	35
Table 7:	Threshold of Boys SBP values by A	-
	Height	
Table 8:	Laboratory tests for the child	
	hypertension	
Table 9:	Antihypertensive Medications with	
	Approval for Use in Children	
Table 10:	Clinical conditions for which	-
	antihypertensive drug classes	
	recommended or contraindicated	
Table 11:	Antihypertensive drugs for hyper	
	emergencies and urgencies	
Table 12:	Normative ABPM values (mmHg) for	
m 11 10	height (in centimeters)	
Table 13:	Normative ABPM values (mmHg) for	
	height (in centimeters)	
Table 14:	ABPM parameters in clinical routi	
	research	
Table 15:	Suggested staging scheme for ambula	
m 11 16	sustained) blood pressure levels in chi	
Table 16:	Demographic data of the studied patie	nts88

## Tist of Tables cont...

Table No.	Title	Page No.
Table 17:	Comparison between office blood (OBP) during non- stress and in stre	_
Table 18:	Study population	and in ory blood
Table 19:	pressure (ABP) of the studied adolese Comparison between daytime me values at non stress and in stress p the studied adolescents	ean ABP periods of
Table 20:	Night time mean ABP values of the adolescents during non -stress and periods.	e studied in stress
Table 21:	Correlation between anthromeasures of the studied cases and a blood pressure during non-stress as	ppometric results of
Table 22:	periods	ied cases ing non-
Table 23:	stress and stress periods Comparison between consanguinity parents of the studied cases and r blood pressure during non-stress and	between esults of
Table 24:	periods	tive and ents and on-stress
Table 25:	and stress periods	positive positive HTN) as ring non-

#### Tist of Tables cont...

Table No.	Title	Page No.
Table 26:	Comparison between bad dietary he the studied cases and results of	of blood
Table 27:	pressure at different time	ment of of blood
Table 28:	Nocturnal dipping and non dipping	
Table 29:	Nocturnal dipping and non dipping	
14510 20.	non stress and in stress	_
Table 30:	Comparison of SBP, DBP in stress stress among dippers and non -dip	and non opers as
Table 31:	regard weight and height Comparison of SBP, DBP in stress a stress among dippers and non -dip	and non
	regard BMI.	-
Table 32:	Comparison of SBP, DBP in stress	
	stress among dippers and non -dipregard physical activity	opers as
Table 33:	Comparison of SBP, DBP in stress as stress among dippers and non -dipregard bad dietary habits.	nd non - opers as

### Tist of Figures

Fig. No.	Title	Page No.
Figure 1:	Complications of hypertension: target-damage.	•
Figure 2:	How to choose the appropriate cuff size.	
Figure 3:	Patient wearing ABPM device	
Figure 4:	Bplab ambulatory blood pressure mo	
J	for children	
Figure 5:	Bplab software home page	82
Figure 6:	Showing the percentage of heat overweight and obese students under	• .
	study	89
Figure 7:	Showing the percentage of adolescents	with
	consangious parents among the st	udied
	adolescents.	89
Figure 8:	Showing the percentage of physical ac	•
	and insufficiently physical activity as	O
	the studied adolescents	
Figure 9:	Showing the percentage of family history	
	hypertension among the st	
F: 10	adolescents.	
Figure 10:	Showing the percentage of students	
Element 11.	bad dietary habits.	
rigure 11:	Showing the percentage of sachievement of the studied group	
Figure 19.	Showing the percentage of students	
rigure 12:	normal, Pre-hypertension, Hypertension	
		-
	1	
Figure 13:		
8 10.		
	non- stress	
Figure 13:	office blood pressure during non-stress in stress	92 cents ically than

### Tist of Figures cont...

Fig. No.	Title Pag	e No.
Figure 14:	Office DBP values of the studied adolescents Showed that there was a highly statistically significant increase in DBP in stress than	7
Figure 15:	non-stress	93 s
Figure 16:	Showing daytime mean ABP in non- stress compared to stress periods.	3
Figure 17:	Showing daytime mean ABP classification among the studied adolescents in non-	l -
Figure 18:	Showing that there was a statistically significant positive correlation between	, I
Figure 19:	weight of the studied adolescents and their office non- stress SBP	100
Figure 20:	office stress SBP	100 '
Figure 21:	Showing that there was a statistically significant positive correlation between weight of the studied adelegants and their	, I
Figure 22:	weight of the studied adolescents and their non-stress24 mean ABP	101 '

## Tist of Figures cont...

Fig.	No.	Title Page	No.
Figu	ıre 23:	Showing that there was a statistically significant positive correlation between weight of the studied adolescents and their	
Figu	ıre 24:	non- stress daytime mean ABP	
Figu	ıre 25:	Showing that there was a statistically significant positive correlation between weight of the studied adolescents and their	
Figu	ıre 26:	non-stress nighttime mean ABP	
Figu	ıre 27:	non-stress SBP	
Figu	ıre 28:	stress SBP. Showing that there was a statistically significant positive correlation between BMI of the studied adolescents and their office stress DBP.	
Figu	ıre 29:	Showing that there was a statistically significant positive correlation between BMI of the studied adolescents and their non-stress 24h mean ABP	
Figu	ıre 30:	Showing that there was a statistically significant positive correlation between BMI of the studied adolescents and their stress 24h mean ABP.	

## Tist of Figures cont...

Fig. No.	Title	Page No.
Figure 31:	Showing that there was a statist significant positive correlation between of the studied adolescents and their	BMI non-
Figure 32:	Showing that there was a statist significant positive correlation between of the studied adolescents and their staytime mean ABP.	ically BMI stress
Figure 33:	Showing that there was a statist significant positive correlation between of the studied adolescents and their stress nighttime mean ABP.	ically BMI non-
Figure 34:	Showing that there was a statist significant higher office stress SBP, stress 24mean ABP, stress 24h mean non- stress daytime mean ABP, statist daytime mean ABP among the insufficiphysical active students.	ically non- ABP, stress ently

### Tist of Abbreviations

Abb.	Full term
ABPM	Ambulatory Blood Pressure Monitoring
<i>BMI</i>	Body mass index.
<i>BP</i>	Blood pressure
<i>CAD</i>	Coronary artery disease.
<i>CBP</i>	Clinic blood pressure.
cIMT	Carotid intima-media thickness.
<i>CKD</i>	Chronic kidney disease.
CVD	Cardiovascular diseases.
<i>DBP</i>	Diastolic blood pressure.
F.H	Family history.
<i>HBP</i>	Home blood pressure
<i>HTN</i>	Hypertension
LVH	Left ventricular hypertrophy.
LVM	Left ventricular mass.
<i>MAP</i>	Mean arterial pressure.
<i>MH</i>	Masked hypertension.
<i>OBP</i>	Office blood pressure.
<i>SBP</i>	Systolic blood pressure.
SES	Socio economic state.
<i>TOD</i>	Target organ damage.
WCH	White coat hypertension.