

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





بعض الوثائق الأصلية تالفة





بالرسالة صفحات
لم ترد بالأصل



Effect of Preparation Design on the Marginal Adaptation and Fracture Resistance of Occlusal Veneers Using Different Ceramic Materials (An In Vitro Study)

*A thesis submitted for the partial fulfillment of the Doctoral
degree requirements in Fixed Prosthodontics, Faculty of
Dentistry, Ain Shams University.*

By:

Rana Mohamed Hesham Abdelhafiz Zeitoun
B.D.S Faculty of Dentistry, Ain Shams University, 2009
M. Sc. Faculty of Dentistry, Ain Shams University, 2014

Faculty of Dentistry
Ain Shams University
2021

Supervisors

Prof. Dr. Amina Mohamed Hamdy

Professor of fixed prosthodontics

Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams
University

Dr. Marwa Mohamed Wahsh

Associate professor of fixed prosthodontics

Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams
University

Dr. Ahmed Ezzat Sabet

Associate Professor of fixed prosthodontics

Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams
University

Dr. Regina Messer

Associate professor of oral biology

Dental College of Georgia, Augusta University, USA

Dedication to

My amazing family; *my father*, for being a strong and powerful man, always pushing me to reach my full potential.

My mother, for giving me the love and support I need and encouraging me to never settle for less. *My amazing sisters*; for always finding a way to cheer me up and make me laugh even in my darkest times.

For *my husband*; for always supporting me, urging me to be better and showing me love at all times. For never making me feel delinquent

For *my sweet little boy*; whom in his eyes I have found peace and strength. For allowing me to be a better version of myself.

Acknowledgement

First and foremost, thanks to Allah, the Beneficent and Merciful.

I wish to express my very sincere gratitude and special thanks to **Dr. Amina Mohamed Hamdy**, Professor of fixed prosthodontics, Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams University for her patient supervision and unlimited willingness for guidance.

I also wish to extend my deepest appreciation to **Dr. Marwa Mohamed Wahsh**, Associate professor of fixed prosthodontics, Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams University. Without her continuous constructive feedback and selfless mentorship, this thesis would have never seen the light.

My genuine thanks go to **Dr. Ahmed Ezzat Sabet**, Associate Professor of fixed prosthodontics, Fixed prosthodontics Department, Faculty of Dentistry, Ain Shams University for his constant support and encouragement, and providing me with unlimited cooperation during the entire course of research.

I would like to extend my gratitude to **Dr. Regina L.W. Messer**, Assistant dean and associate professor of oral biology and diagnostic science department. Dental College of Georgia, Augusta University, USA who helped me throughout my research, always trying to help in whichever way possible.

Last but not least, I would like to give a big thank you to all of my **colleagues and members** of the Fixed Prosthodontics Department, Faculty of Dentistry, Ain Shams University for their help, support and effort throughout the course of this work.

List of contents

Title	Page
Introduction	1
Review of Literature	4
Statement of the Problem	48
Aim of the Study	49
Materials and Methods	50
Results	77
Discussion	94
Summary	108
Conclusion and Recommendations	112
References	114
Arabic Summary	

List of figures

No.	Title	Page
1	Diagram showing extent of the occlusal preparation for the standard occlusal veneer	54
2	Diagram showing “vonlay” preparation	54
3	Silicone rubber index for the teeth before preparation; A: Bucco-lingual, B: Mesio-distal.	55
4	Wheel diamond stone for occlusal reduction	55
5	Buccal reduction using; A: 3-wheel depth cutter, B: tapered stone with round end	56
6	Silicone rubber index for the teeth after preparation; A: Bucco-lingual, B: Mesio-distal	56
7	Occlusal view showing preparation on the buccal wall with chamfer finish line	57
8	CEREC MC XL milling machine	58
9	Milling of Vita Enamic block	59
10	Roland DWX-520C milling machine	60
11	Bruxzir Zirconia Puck	60
12	Designing the restoration (occlusal view)	61
13	Designing the restoration (standard occlusal veneer)	61
14	Designing the restoration (standard occlusal veneer with buccal extension)	63
15	Checking the restoration	64

16	Conditioning the tooth; etching with 37 % phosphoric acid gel.	65
17	Surface treatment of IPS e-max CAD; A: etching for 20 secs with 5% Hydrofluoric acid gel, B: chalky white surface after rinsing the etchant, C: applying the monobond, D: silane coupling agent.	66
18	Surface treatment of Vita Enamic; A: etching for 60 secs with 5% Hydrofluoric acid gel, B: silane coupling agent.	67
19	Surface treatment of Bruxzir; A and B: clean with Ivoclean for 20 secs C: monobond for 3-5secs.	68
20	Cementation of the veneers using RelyX unicem	69
21	Thermocycling machine	70
22	Skyscan 1272 MicroCT machine	71
23	Tooth placed in tube to attach to the mold of Micro CT machine	71
24	Original picture as it appears on the CTan software ‘raw image’	72
25	Tracing of the tooth and restoration shown in blue (represents bone volume) and gap shown in red (represents tissue volume) ‘region of interest’	72
26	Image transformed into black/white images (thresholding) for 3D analysis and calculation ‘binary view’	73
27	3D analysis to calculate the gaps in volume	73
28	Gap as seen on micro-CT before (A) and after thermocycling (B)	74
29	Universal testing machine	75

30	Sample undergoing fracture resistance testing	75
31	Column chart showing mean marginal gap results for the two preparation designs of ceramic occlusal veneer groups regardless of the preparation (where **** means that $P < 0.0001$)	79
32	Column chart showing mean marginal gap results for different materials of ceramic occlusal veneer groups with standard occlusal preparation before thermocycling (where **** means that $P < 0.0001$)	81
33	Column chart showing mean marginal gap results for different materials of ceramic occlusal veneer groups with vonlay preparation before thermocycling where **** means that $P < 0.0001$.	83
34	Column chart showing results for volumetric increase in gap for ceramic occlusal veneer groups regardless of the material after thermocycling where N.S means not significant.	85
35	Column chart showing results for volumetric increase in gap for different materials of ceramic occlusal veneer groups with standard occlusal preparation after thermocycling, (where ** $P < 0.01$ and **** means that $P < 0.0001$)	87
36	Column chart showing results for volumetric increase in gap for different materials of ceramic occlusal veneer groups with vonlay preparation after thermocycling where **** means that $P < 0.0001$ and N.S means not significant.	89
37	Column chart showing mean fracture resistance results for ceramic occlusal veneer groups regardless of the material, where NS means not significant.	91
38	Column chart showing mean fracture resistance results for ceramic occlusal veneer groups regardless of the preparation where **** means that $P < 0.0001$ and N.S means not significant.	93

List of tables

No.	Title	Page
1	List of materials used	50
2	Interactions of the variables of the study	53
3	Firing cycles for Lithium disilicate	62
4	Sintering cycle for Bruxzir	63
5	Descriptive analysis of marginal gap values before (pre) and after (post) thermocycling	78
6	Marginal gap results for ceramic occlusal veneer groups regardless of the material before thermocycling	78
7	Marginal gap results for ceramic occlusal veneer groups with standard occlusal preparation before thermocycling	80
8	Marginal gap results for ceramic occlusal veneer groups with vonlay preparation before thermocycling	82
9	Volumetric increase in gap results for ceramic occlusal veneer groups regardless of the material after thermocycling	84
10	Volumetric increase in gap results for ceramic occlusal veneer groups with standard occlusal preparation after thermocycling	86
11	Volumetric increase in gap results for ceramic occlusal veneer groups with vonlay preparation after thermocycling	88
12	Mean fracture resistance results for ceramic occlusal veneer groups regardless of the material	90