

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

Psychosocial Stressors among Epileptic Children

Thesis

Submitted for Partial Fulfillment of Master Degree in Psychiatric Mental Health Nursing

By

Manar Gamal Mohamed El Maghraby

B.SC. Nursing
Teaching Specialist of Nursing Science, Alexandria Technical
Health Institute

Faculty of Nursing
Ain Shams University
2020

Psychosocial Stressors among Epileptic Children

Thesis

Submitted for Partial Fulfillment of Master Degree in Psychiatric Mental Health Nursing

Under Supervision of

Dr. Ghada Mohamed Mourad

Professor of Psychiatric/Mental Health Nursing Faculty of Nursing, Ain Shams University

Dr. Rania Abdel Hamid Zaki

Assistant Professor of Psychiatric/Mental Health Nursing Faculty of Nursing, Ain Shams University

Faculty of Nursing
Ain Shams University **2020**

S

Acknowledgments

First and forever, thanks to ALLAH, Almighty for giving me the strength and faith to complete my thesis and for everything else.

I would like to express my deepest gratitude and appreciation to **Prof. Dr/ Ghada Mohamed Mourad,** Professor of psychiatric and mental health nursing, Faculty of Nursing, Ain Shams University, for her generous support and guidance to help me to put this work in its best form and for being an ideal model of a professor to follow. It was indeed an honor to work under her supervision.

It is my pleasure to express my unlimited gratitude and deepest thanks to Assist. Prof. Dr/ Rania Abdel Hamid Zaki, Assistant Professor of psychiatric and mental Health Nursing, Faculty of Nursing, Ain Shams University, for her kind assistance, faithful supervision, precious help, valuable advice and guidance she offered me to complete this study. No words of gratitude can equal her help and support.

Special thanks to all caregivers and their patients who participated in this study wishing for all good health.

Finally, I would like to thank my family members specially my parents and my sister, who have motivated and guided me through the difficult times of my struggle. They will always be the source of inspiration in all my endeavors.

🖎 Manar Gamal El Maghraby

Dedication

Dedicate my effort to:

The most important persons in my life; my parents, my sister "Omnia", and my professor / Dr. Samawal for their motivation, caring, love, and support that allowed me to accomplish this work

List of Contents

| Subject | Page No. |
|--|-----------|
| List of Abbreviations | ii |
| List of Tables | iii |
| List of Figures | ix |
| Abstract | X |
| Introduction | 1 |
| Significance of the Study | 4 |
| Aim of the Study | 6 |
| Review of Literature | |
| Overview about Epilepsy Psychosocial Stressors of Epileptic Children Role of Psychiatric Mental Health Nurse in Caring of E Children | Epileptic |
| Subjects and Methods | |
| Results | |
| Discussion | |
| Conclusion | 136 |
| Recommendations | 137 |
| Summary | 140 |
| References | 153 |
| Appendices | I |
| Arabic Summary | 1 |

List of Abbreviations

Abbrev. Full-term AEDs: Antiepileptic Drugs WHO: World Health Organization ILAE: The International League Against Epilepsy EEG: Electro-Encephalography CT: Computed Tomography MRI: Magnetic Resonance Imaging

List of Tables

| Table N | o. Title | Page No. |
|------------|--|----------|
| Tables in | Review of Literature | |
| Table (I): | Examples of anti-epileptic common side effects | |

List of Tables

| Table N | o. Title P | 'age No. |
|-------------------|--|------------------|
| Tables in | Results: | |
| Table (1): | Distribution of the studied epileptic characteristics (n=100) | raphic |
| Table (2): | Distribution of the studied epileptic characteristics (n=100) | raphic |
| Table (3): | Distribution of the studied epileptic characteristic according to their medical history (n=100) | |
| Table (4): | Distribution of the studied epileptic characteristic according to their psychological strength related to epileptic fits (n=100) | essors |
| Table (5): | Distribution of the studied epileptic characteristic according to their psychological strength related to the treatment and its side e (n=100) | essors ffects |
| Table (6): | Distribution of the studied epileptic characteristic according to their psychological strength related to precautions of illness (n=100). | essors |
| Table (7): | Distribution of the studied epileptic characteristic according to their psychological strength related to school (n=100) | essors |
| Table (8): | Distribution of the studied epileptic characteristic according to their psychological strength related to periodic follow-up (n=100) | essors |
| | | |

| Table (9): | Distribution of the studied epileptic children according to their psychological stressor (n=100) |
|--------------------|--|
| Table (10): | Distribution of the studied epileptic children according to their social stressors related to family (n=100) |
| Table (11): | Distribution of the studied epileptic children according to their social stressors related to school (n=100) |
| Table (12): | Distribution of the studied epileptic children according to their social stressor (n=100) |
| Table (13): | Comparison between psychological stressors related to epileptic fits and sociodemographic characteristics among studied epileptic children (n=100) |
| Table (14): | Comparison between psychological stressors related to epileptic fits of studied epileptic children and their parents socio-demographic characteristics (n=100) |
| Table (15): | Comparison between psychological stressors related to epileptic fits and medical characteristics among studied epileptic children (n=100) |
| Table (16): | Comparison between psychological stressors related to the treatment and its side effects and socio-demographic characteristics among studied epileptic children (n=100) |
| Table (17): | Comparison between psychological stressors related to the treatment and its side effects of studied epileptic children and their parents socio-demographic characteristics (n=100) |
| Table (18): | Comparison between psychological stressors related to the treatment and its side effects |

| | and medical characteristics among studied epileptic children (n=100) | 8 |
|--------------------|---|---|
| Table (19): | Comparison between psychological stressors related to precautions of illness and sociodemographic characteristics among studied epileptic children (n=100). | 0 |
| Table (20): | Comparison between psychological stressors related to precautions of illness of studied epileptic children and their parents sociodemographic characteristics (n=100) | 1 |
| Table (21): | Comparison between psychological stressors related to precautions of illness and medical characteristics among studied epileptic children (n=100). | 2 |
| Table (22): | Comparison between psychological stressors related to school and socio-demographic characteristics among studied epileptic children (n=100). | 4 |
| Table (23): | Comparison between psychological stressors related to school of studied epileptic children and their parents socio-demographic characteristics (n=100) | 5 |
| Table (24): | Comparison between psychological stressors related to school and medical characteristics among studied epileptic children (n=100) | 6 |
| Table (25): | Comparison between psychological stressors related to periodic follow-up and sociodemographic characteristics among studied epileptic children (n=100). | 8 |
| Table (26): | Comparison between psychological stressors related to periodic follow-up of studied epileptic children and their parents sociodemographic characteristics (n=100) | 9 |

| Table (27): | Comparison between psychological stressors related to periodic follow-up and medical characteristics among studied epileptic children (n=100). | 90 |
|--------------------|---|----|
| Table (28): | Comparison between total psychological stressors and socio-demographic characteristics among studied epileptic children (n=100). | 92 |
| Table (29): | Comparison between total psychological stressors of studied epileptic children and their parents socio-demographic characteristics (n=100) | 93 |
| Table (30): | Comparison between total psychological stressors and medical characteristics among studied epileptic children (n=100) | 94 |
| Table (31): | Comparison between social stressors related to family and socio-demographic characteristics among studied epileptic children (n=100). | 96 |
| Table (32): | Comparison between social stressors related to family of studied epileptic children and their parents socio-demographic characteristics (n=100) | 97 |
| Table (33): | Comparison between social stressors related to family and medical characteristics among studied epileptic children (n=100) | 98 |
| Table (34): | Comparison between social stressors related to school and socio-demographic characteristics among studied epileptic children (n=100) | 00 |
| Table (35): | Comparison between social stressors related to school of studied epileptic children and | |